

*Full Subscription Library*  
*March 1, 1884.*  
**PATENTS FOR INVENTIONS.**

**ABRIDGMENTS**

OF

**Specifications**

RELATING TO

**TEA, COFFEE, CHICORY, CHOCOLATE,  
COCOA, &c.**

(COMPRISING THEIR MANUFACTURE, BUT NOT THE  
PREPARATION OF DRINKS THEREFROM).

PART II.—A.D. 1867-1876.

PRINTED BY ORDER OF THE COMMISSIONERS OF PATENTS.



LONDON :

PUBLISHED AND SOLD AT  
THE COMMISSIONERS OF PATENTS' SALE BRANCH,  
38, CURSITOR STREET, CHANCERY LANE, E.C.

1883.

[Price 6 l.]


BOOKS

**LEEDS UNIVERSITY LIBRARY**

Classmark:

COOKERY

A PAT



3 0106 01105 6206

PATENTS FOR INVENTIONS.

---

A B R I D G M E N T S

OF

Specifications

RELATING TO

TEA, COFFEE, CHICORY, CHOCOLATE,  
COCOA, &c.

(COMPRISING THEIR MANUFACTURE, BUT NOT THE  
PREPARATION OF DRINKS THEREFROM).

---

PART II.—A.D. 1867—1876.

---

PRINTED BY ORDER OF THE COMMISSIONERS OF PATENTS.

---



L O N D O N :

PUBLISHED AND SOLD AT  
THE COMMISSIONERS OF PATENTS' SALE BRANCH,  
38, CURSITOR STREET, CHANCERY LANE, E.C.

1883.

S. 14932

## P R E F A C E.

THE present volume forms Part II. of the series of abridgments of specifications of inventions entitled "Tea, Coffee, Chicory, Chocolate, Cocoa, &c.," and embraces the period from A.D. 1867 to 1876 inclusive,—Part I. containing the abridgments of this class from the earliest date (A.D. 1704) to the end of the year 1866.

This series comprises the various processes relating to the manufacture of tea, coffee, chocolate, cocoa, and their substitutes, beginning at the period after the plucking of the leaf or fruit, and stopping short at the preparation of drinks from the manufactured article. Thus, concentrated extracts, infusions, or decoctions of tea, &c., either alone or in combination with concentrated milk, will be found in this work, but potable or unconcentrated extracts must be looked for in the series entitled "Unfermented Beverages, Aerated Liquids, Mineral Waters, &c." Measuring tea will be included in a volume not yet published.

A detailed list of the various kinds of inventions comprised in the present series of abridgments is furnished by the subject-matter index at the end of this volume.

It should be borne in mind that the abridgments are merely intended to serve as guides to the specifications, which must themselves be consulted for the details of any particular invention.

At the foot of each abridgment is stated the price at which a printed copy of the specification may be purchased at the Commissioners of Patents' Sale Branch (38, Cursitor Street, Chancery Lane, E.C.).

By means of the "key" at page 20 of the List of Works at the end of this volume, the reader will be able to find out what series of abridgments contains any other class of inventions to which he may desire to refer.

H. READER LACK.

*October, 1883.*

## INDEX OF NAMES.

[The names printed in *Italic* are those of the persons by whom the inventions have been communicated to Applicants for Letters Patent.]

	Page		Page
Addiscott, F. ....	31	Farquhar, A. A. ....	53
<i>Alden, J. C.</i> .....	13	<i>Farquhar, J. A.</i> .....	53
<i>Anduze, E.</i> .....	34	Francis, W. P. ....	31
Angell, A. ....	8	Gedge, W. E. ....	36
<i>Ashcroft, J.</i> .....	27	Geeves, W. ....	11
Barlow, C. ....	46	Gibbs, W. A. ....	15, 19
Bartlett, J. ....	23	Goldsmith, G. ....	25
<i>Beckman-Olofson, E.</i> .....	20	Goodbody, R. J. ....	10
Bonneville, H. A. ....	20	Goundry, R. ....	52
Borwick, A. ....	19	Griffin, G. F. ....	52
<i>Bowers, S.</i> .....	7	Griffiths, T. ....	13
Boyes, E. ....	17, 24	Grinlinton, J. J. ....	20
Branson, W. P. ....	31	Guenard, J. ....	28
Bruerton, G. ....	21	Hatton, J. G. ....	47
Cameron, C. A. ....	18	Haworth, W. ....	18, 42
Clark, A. M. ....	27, 34, 51	Hemingway, S. ....	26
—, C. F. ....	21	Heywood, B. J. ....	2
Coffey, J. A. ....	14	Hooker, J. ....	49
Cole, F. ....	29, 32, 35, 40	Howard, J. ....	17
Cook, T. ....	46	<i>Howe, W. H. I.</i> .....	27
Davies, G. ....	4	Humy, P. R. de F. d' .....	29
<i>Dawson, R.</i> .....	20, 23	Hunt, B. ....	9, 33
D'Humy, P. R. de F. ....	29	Hyatt, T. ....	43
Dickinson, B. ....	5, 6	Jonas, J. ....	12
<i>Dietz-Monnin, C. F.</i> .....	7	Jones, A. ....	4, 9
Dilkes, J. ....	25	Kinmond, J. C. ....	53
Donovan, R. E. ....	10	Klug, C. ....	1
Downing, G. ....	50	Lake, W. R. ....	7, 10, 13, 27, 32, 44
Doyen, O. ....	22	Lidgerwood, W. V. V. ....	41
<i>Enterprise Manufacturing</i> <i>Co.</i> .....	33		

## INDEX OF NAMES.

	Page		Page
Liebert, J.....	26, 31	Patterson, J.....	37
Lloyd, A.....	50	Pearson, P.....	3
Lobb, N. W.....	49	Perry, A.....	22, 35
Lyle, J.....	43	Pidding, W.....	6
——, W. S.....	39	Pratt, H. T.....	13
Lyle, W. S.....	43	Pridham, T.....	39
MacKay R.....	54	Prince, J. T.....	10
Mackenzie, F. W.....	47	Pumphrey, J.....	27
Mackenzie, F. W. . . . .	51	<i>Redon and Co.</i> .....	36
MacKenzie, W. . . . .	18	Ross, E.....	23
MacKinlay, P.....	22	Spratt, J.....	16
Manning, A.....	38	Squier, G. L.....	44
Marshall, J. F. B. . . . .	4, 9	Stevens, E.....	12
Monckton, E. H. C.....	50	Thompson, A. C. G.....	48
Monnin, C. F. Dietz.....	7	——, W.....	3
Moorey, E. . . . .	32	Thomson, W. R. M.....	51
Morton, C. . . . .	30	Tydeman, B.....	38
Mosquera, J. A. . . . .	51	Walker, A. B.....	41
Mueller, C. G.....	1	Warry, H.....	21
Myers, S.....	1	Wetherill, J.....	30
Newell, W.....	15	White, W.....	52
Newton, H. E.....	7	Wilson, J. S.....	2
Nicoll, D.....	34, 48		
Norris, S.....	13		
Olofson, E. Beckman.....	20		



# TEA, COFFEE, CHICORY, CHOCOLATE, COCOA, &c.

(COMPRISING THEIR MANUFACTURE, BUT NOT THE  
PREPARATION OF DRINKS THEREFROM).

---

1867.

---

A.D. 1867, July 17.—No. 2102.

KLUG, CHRISTIAN.—(*Letters Patent void for want of Final Specification.*)—“An improvement in the preparation of “chocolate and cocoa.”

“Malt, barley, and salcp,” in the form of “paste, flour, or “cakes, or tablets,” are mixed with chocolate and cocoa during the manufacture thereof. The ingredients are cleansed, purified, and ground, and the proportions preferred are 50 parts of chocolate or cocoa, 30 of patent barley, 10 of malt, and 10 of salcp.

[*Printed, 4d. No Drawings.*]

A.D. 1867, December 24.—No. 3653.

MYERS, SAUL.—(*A communication from Charles Gustavus Mueller.*)—(*Provisional protection only.*)—“Apparatus for “roasting coffee.”

A hollow globe is “fitted loosely within and pivoted to a “concave half globe;” it revolves easily and freely by means of “a small crank rod;” and it is made with “a neck “or mouth, which projects through a circular opening in the “said half globe, and is adapted to receive and discharge the “coffee.” The crank rod is supported by a bent handle attached to the half globe; it is “provided with a lid” which fits into and closes the neck or mouth, and the lid “may be “made with a catch.”

[*Printed, 4d. No Drawings.*]

1868.

A.D. 1868, January 7.—No. 65.

HEYWOOD, BENNETT JOHNS.—(*Provisional protection only.*)—  
 “An improved construction of coffee roaster,” such that  
 “the operator may with certainty determine when the roast-  
 ing is complete.”

The coffee is put into a glass vessel, “by preference  
 “spherical, with a cylindrical neck that forms a hollow  
 “trunnion.” The vessel is surrounded “by cross bands of  
 “wire threaded through holes made near the edges of a cup-  
 “shaped metal disc” and connected at their opposite ends  
 “with a metal collar which is fitted to the neck or hollow  
 “glass trunnion.” A stud projecting from the centre of the  
 disc “forms a trunnion for the vessel to rotate on.” The  
 hollow trunnion (through which the coffee is put into the  
 vessel) is fitted with “a spring stopper” to allow the escape  
 of the vapour during the roasting, and a winch handle is  
 applied to the stud axle. The vessel thus fitted is mounted  
 in bearings on a stand carrying a spirit lamp.

[*Printed, 4d. No Drawings.*]

A.D. 1868, June 9.—No. 1879.

WILSON, JOSEPH SPOOR.—(*Provisional protection only.*)—  
 “Imparting rotatory motion to mills employed for grinding  
 “grain, coffee, and other berries and vegetable substances of  
 “a similar character.”

The mill is attached to “a cart or truck,” the wheels of  
 which are connected “by means of toothed driving wheels  
 “and pinions to the grinding cylinder of the mill.” The  
 coffee or other substance is ground as the cart or truck is  
 being drawn along. It is intended “to adapt levers to the  
 “vehicles for throwing the toothed driving wheels into and  
 “out of gear with the grinding mechanism” and to fit  
 drawers for the reception of the ground substance. A winch  
 handle allows the grinding to be carried on when the vehicle  
 is not moving.

[*Printed, 4d. No Drawings.*]

A.D. 1868, July 23.—No. 2314.

PEARSON, PETER.—“Improvements in the treatment and  
“ preparation of cocoa.”

“A concentrated essence or preparation of cocoa in a liquid  
“ or semi-liquid form ” is obtained by combining one pint of  
strong liquid extract of cocoa nuts or nibs, about one quarter  
of a pound of cocoa from which the fatty matter has been  
wholly or partly extracted, any flavouring matter, and “ a  
“ sufficient quantity of alcohol or other suitable preservative  
“ agent.” For a beverage “ take about one dessert spoonful  
“ of the preparation to a breakfast cup full of hot water, and  
“ add sugar and cream according to the taste.”

[*Printed, 4d. No Drawings.*]

A.D. 1868, September 11.—No. 2799.

THOMPSON, WILLIAM. — (*Provisional protection only.*)—  
“ Machinery or apparatus for sifting, cutting, and mixing  
“ tea.”

The following apparatus “ for previously sifting and cutting  
“ the tea ” is combined with that described in No. 1861, A.D.  
1866:—“ Upon the top of the framing of the tea mixing  
“ apparatus ” is fixed the tea cutting apparatus, namely a  
horizontal cylindrical casing (slightly tapering towards one  
end) wherein is fitted a drum of corresponding form, which  
rotates on a central spindle. The spindle passes through the  
casing and carries at one end a handle or a driving pulley.  
On the surface of the drum are cutting blades running along  
the whole length thereof, and on the sides of the casing are  
other blades (either removable or fixed) running its entire  
length. The drum is adjustable lengthways by means of a set  
screw at one end of the spindle, so that the tea may be cut to  
a greater or less degree of fineness. The tea passes from the  
casing “ into the casing of the tea mixing machine below.”

The tea enters the cylindrical casing “ through a shoot  
“ leading from the tea sifting machine above ; ” it passes  
“ into one or more inclined screens ” whereby it is separated  
from “ foreign matter,” and thence “ into the open end of a  
“ revolving cylindrical sieve.” The dust and small tea fall  
through the meshes of the sieve and descend into the tea

mixing machine, and the large tea passes into the tea cutting apparatus.

[*Printed, 4d. No Drawings.*]

A.D. 1868, September 15.—No. 2839.

DAVIES, GEORGE.—(*A communication from James Fowle Baldwin Marshall and Augustus Jones.*)—(*Provisional protection only.*)—A “machine for hulling and cleaning or polishing “ coffee, rice, and other grain.”

“An endless elevating band,” supported by the frame of the machine, is provided with brackets “for raising the “ hulled grain to the hopper of the polishing device.” The grain is conducted by “inclined shaking tables” to the front part of the machine. Endless belts, mounted on drums “ composed of a series of serrated or roughened plates placed “ at right angles with the belt” and forming a level surface, “ carry the berries along under the strippers and polisher.” The strippers are long narrow bars having a roughened under surface; “ they are pivoted at one end so as to allow the other “ end to be raised or lowered,” and a spring regulated by a bolt presses the fore end of each downwards “ with sufficient “ force to remove the hulls without injuring the kernels.” A covering plate, to which the springs are attached, can be raised or lowered by screws, and adjusting screws “ permit a “ variation of the tension” of the springs. “Within the “ throat of each hopper” there is a grooved cylinder provided with guards “ to allow the grain to be fed to the machine “ without danger of choking” the throat. A stationary brush is “arranged over an endless serrated or roughened “ band, by which the berry is effectually cleansed and “ polished.” The berries after being subjected to the operation of hulling “ fall down the inclined shaking board,” meeting at the same time a blast from a fan blower; they are then “ carried up by the elevating band and conducted to the “ polishing device,” and thence to a receptacle, being again subjected to a blast of air, which separates from them all light particles of the hulls and impurities.

[*Printed, 4d. No Drawings.*]

A.D. 1868, September 19.—No. 2893.

DICKINSON, BENJAMIN.—“Improvements in treating the  
“leaves of the tea plant and other similar materials, and in  
“machinery and apparatus to be employed therefor.”

Three processes are described, (1) “expressing the juices  
“from the fresh gathered leaves,” (2) rolling up the expressed  
leaves, (3) giving the rolled up leaves the “necessary cross  
“twist or curl.”

1. The leaves are put into bags of hair or similar material,  
and the bags are passed between rollers under pressure.  
Instead of pairs of rollers, traversing tables and rollers  
 (“somewhat like an ordinary mangle”) may be used.

2. An endless band receives the leaves and carries them  
forward “against and under light and freely revolving  
“rollers,” which are capable of “being regulated or retarded  
“in their motion.” Or two endless bands move in contrary  
directions, but “parallel to each other horizontally,” the  
“degree of contact being regulated as may be required.”

3. A circular table is mounted on a spindle, which can be  
raised by means of a pedal whilst the workman “can freely  
“turn the said table” round on its spindle. The table is so  
placed in relation to the under side of a revolving endless  
band that, by laying the rolled leaves on a portion of its sur-  
face (whilst it is lowered and at rest) and then raising it so as  
to bring the leaves into gentle contact with the under surface  
of the band, and partially turning it by hand “in the oppo-  
“site direction to that in which by its contact with the belt  
“it would be caused to rotate,” a compound action is pro-  
duced, “which causes a twisting of each leaf.” Several of  
such tables may be used, “each mounted or fitted in a frame.”  
Or a horizontal table may be caused to move backwards and  
forwards at right angles to the motion of the band. Or  
several rollers “set at suitable angles” may be mounted  
above the band.

The rolling and the twisting may be effected by the follow-  
ing apparatus:—Two wide endless bands “with their faces  
“nearly equidistant from or parallel to each other” are set at  
an angle to each other “in the line of their longitudinal  
“motion,” and they revolve “in opposite directions and at  
“different speeds.” The leaves are fed “on to the upper face”

of the lower band, and are carried forward until they come into contact with the lower surface of the upper band, "when they " are subjected to a compound rolling and curling motion." Modifications are described.

[*Printed, 1s. 6d. Drawings.*]

A.D. 1868, September 19.—No. 2894.

DICKINSON, BENJAMIN.—"Improvements in withering and " desiccating the leaves and flowers of plants and other " vegetable substances, and in the apparatus to be employed " therein."

This invention is applied to "desiccating the leaves of the " tea plant." Trays or shallow boxes without covers, of the same size, "capable of fitting into and side by side the one " with the other interchangeably," and each having a bottom of open canework, are arranged in or on a frame or open top trough. The leaves are laid on the bottoms of the trays in depth suitable to allow hot air to pass freely up through among them. The frame or trough is large enough to "take " one or two in width, one, two, or more in height, and " several in length," and the sets of trays and the layers of trays so fit into and upon one another that the hot air passed into the frame can escape only through the bottoms and so through the leaves. Hot air is admitted into the frame through a pipe at one end, and after ascending through the trays and leaves it passes off into the atmosphere.

The patentee describes three forms of apparatus for heating the air, one being for "temporary garden use," but he does not claim any "hot air impeller nor heating pipes employed " for the purpose of desiccating."

[*Printed, 1s. 6d. Drawings.*]

---

## 1869.

---

A.D. 1869, January 6.—No. 44.

PIDDING, WILLIAM.—(*Provisional protection only.*)—"Im- " provements in the method or methods of treating plants, " shrubs, and vegetable productions for the purpose of extract- " ing, collecting, and preserving the aroma and volatile " matter or essential oil yielded by them."

The aroma, &c. is collected "without destroying the vitality" of the plant or other vegetable production. The plant is placed in a receiver "so formed as to allow of the air from within being extracted as required," and remains therein a sufficient time to allow it to give forth its aroma or essential oil. The air in the receiver "becomes impregnated and scented;" it is then extracted from the receiver by means of "an exhausting apparatus" (to such an extent as not to injure the plant), and it is passed into a suitable vessel. This vessel may contain "oil, fatty or oleaginous, saponaceous, or other appropriate matter or spirits suitably arranged so that they may become impregnated with the scented air and vapour let into them from the first receiver." For some portions of the process the receivers are by preference constructed with an outer jacket so that heat may be applied.

[*Printed, 4d. No Drawings.*]

A.D. 1869, May 20.—No. 1565.

NEWTON, HENRY EDWARD.—(*A communication from Charles Frederic Dietz-Monmin.*)—(*Provisional protection only.*)—"Portable coffee mill," especially applicable "for the use of soldiers on the march."

This mill is attachable to "a mess bowl or porringer." The bowl is provided with a cover closable by "a kind of bayonet joint." Under the cover "is fixed a hopper having at its bottom a box or casing for the grinding block," and the axle of the block "is supported by a box below and by a collar above the cover." The position of the block in its casing is regulated by "an adjusting screw and nut below." A space between the upper part of the hopper and the lower part of the cover admits a sliding disc, which "serves to close the orifice through which the coffee berries are fed to the hopper." When the mill is not in use, the handle by which it is worked is taken off its spindle and placed in the bowl.

[*Printed, 4d. No Drawings.*]

A.D. 1869, June 17.—No. 1869.

LAKE, WILLIAM ROBERT.—(*A communication from Sylvester Bowers.*)—"Culinary utensil to be used on stoves or ranges for

“ broiling, toasting, baking, and other analogous purposes,” among which is mentioned “roasting coffee.”

A band or ring of metal has a groove formed on its inner face “to receive the periphery” of a rim; the rim however may be cast in one piece with the band. The rim “has an inward convergence,” and a grate fitting loosely within the band rests on the rim. The grate is made of wire or iron, and it is intended to have several grates “of various degrees of fineness,” to be substituted one for another as required. The cover fits upon the band above the grate; to its inner surface is fixed a polished reflector, or instead thereof the inner surface may be polished. This utensil is intended to be used “upon the holes in the upper plates of cooking stoves.”

[*Printed, 8d. Drawing.*]

A.D. 1869, July 3.—No. 2011.

ANGELL, ALBERT.—“Machinery for hulling and polishing coffee, rice, and other berries or seeds.”

“An endless chain of serrated plates” revolves against “a series of serrated spring pads.” The pads are supported at one end by hinges or pinjoints and at the other are pressed downwards by spiral or other springs; they are carried by a frame “which encloses the top of the apparatus and is capable of adjustment in a vertical direction.” The coffee berries are fed from a hopper, and as they are carried forward between the plates and the pads the hulls are removed. The berries and hulls fall on to an inclined board, “by which they are directed into the centre of a coarse screen,” whence they descend “in the most favourable manner to be acted upon by a blast of air.” The blast is produced by a fan and is directed by boards against the mass “just above the point” where it would fall down an inclined shoot into a well; and by this means the hulls are blown away through an aperture. The berries are raised from the well “by an elevator” which delivers them into a hopper “placed over one end of the polishing apparatus.” In this apparatus an endless chain of serrated plates carries the berries forward under “a bristle or fibre brush” by which they are polished. The berries fall on to a coarse screen and thence on to a screen “which is the first of a series of screens” employed in order



that "the different qualities may be separated" and be delivered by spouts. A fan blows away the dust from the berries after they have been operated upon by the brush and in their fall from screen to screen. The coarse screens and the directing boards are carried by a frame supported at one end by springs and at the other by excentrics, "which serve "to give a shaking motion to the frame" and so "assist the "action of the parts."

The slight alterations for hulling rice and similar grains are described.

[*Printed, 1s. 4d. Drawings.*]

A.D. 1869, August 27.—No. 2544.

HUNT, BRISTOW. — (*A communication from James Fowle Baldwin Marshall and Augustus Jones.*) — "Apparatus for "hulling, cleansing, and polishing or preparing coffee, rice, "and other berries or grain."

These operations are performed in one apparatus. The berries drop through a hopper into a box containing a hulling plate, a corrugated roller, a serrated plate, and elastic pads, and in their descent between these "receive a thorough "scrubbing and working" whereby the hulls are completely separated from the berries. Hulls and berries drop through an orifice at the bottom of the box, where a current of air from a fan "will blow the light chaff away and through an "aperture" at the end of the apparatus, while the berries will drop upon an endless belt and be carried to the polisher. Here the berries are rubbed and cleaned by brushes rotating inside a corrugated cylindrical casing; hence they pass over a sieve through which the dust, &c. falls, and thence into a receptacle. The hulling plate is composed of "reversible "square steel bars" laid one upon another so that one edge projects beyond that of the succeeding one; or it is "a reversible and peculiarly formed solid plate;" it receives "a "vertical reciprocating motion" by means of a crank and arm and "a vibrating motion" from a rack attached to one side of it and "operating on a pinion." The roller, serrated plate, and pads, are held in a moveable frame provided with an adjustable cap; the rotation of the roller prevents "any "clogging of the berries," and spring bolts "make the pads "yielding and elastic."

A modification of the hulling portion consists of "adjust-able spring hullers" in combination with an endless belt of serrated metallic plates linked to each other. In a modification of the polishing portion the berries "fall down an inclined shaking board," being at the same time subjected to the blast of the fan; they are then "carried up by an elevating belt to the polisher," which may consist of a stiff stationary brush with an "endless serrated or roughened belt;" and thence they are "carried to a proper receptacle, being again subjected to a blast of air."

[Printed, 10d. Drawing.]

A.D. 1869, October 22.—No. 3073.

GOODBODY, ROBERT JAMES, and DONOVAN, RICHARD EDWARD.—"Apparatus for roasting tobacco for snuff, also applicable for roasting, baking, burning, or drying coffee, malt, and other granular, pulverous, and vegetable substances."

A horizontal or slightly inclined cylindrical casing is supported at each end by trunnions running in bearings; it receives a slow rotary motion from a pulley and belt or from other driving gear. On the inner surface is formed "a helical or screw blade or passage" leading from the front or inlet end to the back end. This blade is connected at the back end "with the end of a second central helical passage," which passes from the back end to the front end, "where it communicates by a funnel-shaped mouth" with "the central opening" of the casing, and by "a side aperture" with "the front end of the outer screw blade." The opening is provided with a cover or slide which turns on a pin and may be pressed tight against the opening by a screw.

The apparatus "is suspended over a fire-grate;" the coffee "is made to travel backwards and forwards" until the roasting is completed, "whereupon the front aperture is opened in such a manner as to allow the substance after travelling forward in the central passage to escape from the same."

[Printed, 8d. Drawing.]

A.D. 1869, December 6.—No. 3527.

LAKE, WILLIAM ROBERT. — (*A communication from John Tucker Prince.*)—"Machinery for hulling grain or seed."

Two bearings on the top of a case carry the axle of a metal or metal-surfaced wheel or cylinder. The bearings are ad-  
 “justable vertically” and “preferably supported on springs.” The periphery of the wheel is “formed with transverse serrations or grooves.” The upper half of the wheel “is covered  
 “by a shell,” wherein is a spout for the introduction of the grain. On the upper part of the shell is “a curved stripper  
 “formed with stripping teeth, the ends of which stand concentric with the periphery of the wheel.” The stripper is attached to “segmental blocks which are made adjustable  
 “with respect to the adjacent surface of the wheel.” To keep the wheel “from taking up the grains too fast” a gauge or throat piece is fixed to the under surface of the first segmental block, adjacent to the spout and in front of the stripper teeth. The hulled grains and hulls fall into the case.

For hulling coffee it is preferable to attach to the segmental blocks “teeth similar to the teeth of the wheel” instead of  
 “constructing the stripper card with card teeth.”

[*Printed, 6d. Drawing.*]

A.D. 1869, December 6.—No. 3528.

GEEVES, WILLIAM.—“Improvements in the manufacture of  
 “capsules or packages for containing tea and other like  
 “articles, and in apparatus employed in such manufacture.”

The apparatus is a block “rectangular in section and  
 “divided longitudinally into four parts which receive a  
 “wedge between them.” The parts are connected by dowels and an elastic band which lies in a groove cut round the block. The wedge is four-sided; when pushed down its lower end is flush with the lower ends of the parts, and within it is a plunger “to aid in drawing off the capsule.”

The capsule consists of a sheet of paper and a sheet of tin foil pasted together; the paper is “somewhat longer than the  
 “sheet of foil to give a sufficient overlap,” and the foil is in length sufficient “to wrap round the four sides” of the block and to overlap slightly and in width sufficient “to form the  
 “length of the capsule and to overlock at the ends.” The compound sheet is wrapped round the block; the overlap is pasted down; the end projecting beyond the block “is turned  
 “in neatly on all four sides;” the block is set on end, and

the wedge is forced down so as to strain the sheet tight and make the corners square. When the capsule is dry, the wedge is drawn up; the block thus rendered slack is lifted out, and the capsule "is held down by the weight of the "plunger." The capsules may either be filled with tea or have packed in them a number of similarly formed small capsules "not metal lined" and each containing a weighed quantity of tea.

[*Printed, 8d. Drawing.*]

A.D. 1869, December 7.—No. 3534.

JONAS, JOHN.—"Apparatus for packing and consolidating "tea and other substances."

The chest or canister containing the tea is supported on a stand, and a follower acted on by a screw compresses the contents. To assist in packing or consolidating the contents "beaters or mallets" are employed to strike against the "sides and bottom" of the chest. The beaters "may be "caused to operate in any suitable or convenient manner," but the arrangement preferred and described in the Specification "consists of a number of spring arms or strikers "which are operated by a peg wheel mounted on an axis to "which rotary motion is given in any suitable manner."

[*Printed, 8d. Drawing.*]

---

1870.

---

A.D. 1870, March 5.—No. 658.

STEVENS, EBENEZER.—"Improvements in the means and "utensils employed with apparatus used in cooking, com-  
"bining arrangements for burning a light, forming a  
"complete 'kitchener.'"

One part of this invention relates to an apparatus for roasting coffee. It is composed of three parts; the outside one is an iron cylinder having a fixed bottom at one end and at the other a cover "similar to a saucepan lid;" the bottom and the lid have each a slightly projecting edge. The cylinder turns round in two hoops arranged round it, one at

each end, and the handle of the cylinder is fixed upon a bar which is carried by the hoops. Inside the cylinder is fitted a case "made of sheet iron and iron rods or wire," and inside the case is another cylinder made of open wirework and "coming up high enough in the outer cylinder of all" that the one lid serves for them all. The apparatus may either stand upright on the top of a fire or be laid lengthways thereon.

[*Printed, 1s. 6d. Drawing.*]

A.D. 1870, June 25.—No. 1809.

NORRIS, STEPHEN, and GRIFFITHS, THOMAS.—"Apparatus  
" for mixing and kneeding dough and other ingredients, and  
" for working the same into bread, biscuits, and other pastry,  
" and also applicable to other purposes."

One application of this invention is "for mixing cocoa," but no special arrangement of the apparatus for such purpose is described. The principal parts are a trough, a hopper, a tank, stirrers, and moulds. The trough is surrounded by a case containing hot or cold water or steam, or "by other means found most suitable," and it is so arranged as "to render it easy of being capsized or placed in such other position as to readily discharge itself of its contents" (when they are kneaded or mixed) into moulds or other suitable appliances. The bottom of the hopper is provided with revolving or oscillating blades to prevent its contents from passing into the trough "in a lumpy or coarse condition." The tank contains water for mixing with the contents of the trough. The stirrers or arms by means of handles, levers, or other convenient appliances, "dip down into" and "oscillate or otherwise move about in" the contents of the trough.

"As this invention is applicable to a variety of different sized machines having for object the meeting of the requirements of various circumstances, the construction necessarily varies."

[*Printed, 6d. No Drawings.*]

A.D. 1870, June 28.—No. 1844.

LAKE, WILLIAM ROBERT.—(*A communication from Henry Thomas Pratt and John Carver Alden.*)—"Machine for hulling coffee and rice."

A hollow cylinder rotates freely in fixed bearings, and its periphery is pierced with a series of holes, in which "corrugated or toothed plates" are fitted. Of these plates one set are attached each to a rod, "which is allowed to slide freely in a bearing," and the rod has on it a spiral spring, which has a tendency to keep its plate "thrust outward to its fullest extent;" the other set operate "substantially in the same way," but each "is pivoted at one end" and has a spiral spring "bearing against its inner side." It is proposed "to have a space of about one inch in length between the ends of the pressure plates and to have the latter but slightly exceed in width the length of a coffee bean." A semicircular or concave plate extends about half way around the cylinder; it is concentric with the cylinder, at such a distance from it "that a single bean of unhulled coffee will be held in place without slipping between them," toothed or corrugated on its inner side, stationary, and "may be composed of sections bolted to plates," one at each side of the cylinder. The unhulled coffee passes from a hopper down between the concave plate and the cylinder, and "the effect is to subject the coffee to a constant rolling motion under pressure without grinding or cutting it."

[*Printed, 8d. Drawing.*]

A.D. 1870, July 13.—No. 1973.

COFFEY, JOHN AMBROSE.—"Apparatus employed for drying and roasting coffee, chicory, malt, and other vegetable substances, also applicable to baking and desiccation generally."

A cylinder, containing the coffee or other substances, revolves by means of driving gear in bearings on standards. Within the cylinder or a jacket surrounding it is a coil of pipe, through which heated oil or like matter continuously flows, the coil "being connected at each end" with a pipe inside a furnace. Sometimes "a small force pump" is interposed "in the return pipe" leading from the cylinder to the furnace. A thermometer is inserted into the pipe "entering the cylinder," and the heat is regulated by dampers in the furnace.

Or a bath of oil is heated by a fire beneath it or by the flue of a furnace passing through it, and a cylinder, containing

the coffee, is rotated in the bath, or its contents are stirred  
 “ by fanners rotating within it.”

[*Printed, 8d. Drawing.*]

A.D. 1870, July 13.—No. 1979.

NEWELL, WILLIAM. — “ Improvements in cleaning and  
 “ polishing coffee and in apparatus employed therein, appli-  
 “ cable also to the cleaning and polishing of grain and other  
 “ produce.”

The cylinder which holds the coffee is of such size that  
 about “ two-thirds of the capacity ” will hold “ about a ton  
 “ weight.” This cylinder is made of well seasoned hard  
 wood with iron appendages ; it is mounted on a strong frame  
 and revolves at a speed “ not exceeding forty-five revolutions  
 “ in a minute.” The axle of the cylinder is hollow forming  
 a pipe, so that, if the coffee be damp, hot air or steam may  
 pass in at one end and out at the other end without touching  
 the coffee. The ends of the cylinder are closed ; in the sides  
 are doors for charging and discharging, and the doors are  
 “ provided with wirework so that they may act as screens.”  
 The ends also are “ connected by tic bars supported by cross  
 “ arms and passing through the interior of the cylinder from  
 “ end to end.” The bars and arms “ act as rubbers,” and for  
 this purpose they are covered with canvas. The whole of the  
 interior of the cylinder is by preference lined with coarse  
 canvas.

[*Printed, 6d. Drawing.*]

A.D. 1870, August 1.—No. 2145.

GIBBS, WILLIAM ALFRED. — “ Apparatus for drying agri-  
 “ cultural, animal, and chemical and commercial products.”

The object of this invention is to utilise “ the waste heat  
 “ from furnaces or chimney shafts or the heat obtainable  
 “ from stoves and other heat suppliers.” The heated air is  
 usually drawn “ by means of fans or blowing machines ”  
 described in No. 3036, A.D. 1866, and No. 289, A.D. 1868,  
 and two arrangements are described for drying “ damp  
 “ grain of all kinds, coffee and other beans,” and similar  
 substances.

1. "At the exit mouth of a hot blast fan" there is constructed "a hopper into which the substance to be dried is "lifted" by any convenient elevator. The lower part of the hopper "is left open both back and front," so that the hot air has a free passage through it, and the substance, as it falls slowly down, is subjected "to the drying action of the hot "air." In order that no portion may remain exposed too long to the drying action, "pushing machinery" is employed; it consists of "a pair of scrapers" travelling to and fro horizontally through the open passage at the lower part of the hopper. The blades of the scrapers are so hinged to the rods by which they are moved that in their forward movement "they move at right angles," and in their backward movement "they present only a thin edge;" moreover in their forward movement they pass under two side guides which form "inclined planes up which the scrapers in their retiring "movement are made to pass."

2. "A stationary tapering hot air duct with a slit between "lips extending along its whole length" is encircled by a revolving tapering case. The substance enters the case through apertures in "a fixed hopper adjusted to the larger "end" and passes out through outlets at the smaller (and depressed) end. The rotation of the case is effected by any suitable gearing; by preference it receives an "intermittent "or vibratory motion." Sometimes an "oscillating" instead of a rotating movement is given to the case.

[*Printed, 10d. Drawing.*]

A.D. 1870, August 3.—No. 2160.

SPRATT, JAMES.—"An improved mixture and preparation "of coffee and tea."

The first part of this invention consists in compressing ground coffee or roasted coffee berries, either alone or mixed with concentrated essence of milk or cream and with sugar or other saccharine matter, "to such an extent as to render the "same solid," and in "enclosing the same in tin foil or lead "foil or other suitable cases." Either finely chopped or ground dried skins of soles or isinglass may be added. It consists also in compressing and enclosing in like manner tea mixed with milk and sugar or "without any admixture, "either hot or cold in a dry state."



The second part consists in making an extract of coffee or tea (mixed with sugar and milk or cream) “in a liquid and “ concentrated form ” and securely bottling the extract.

The third (and last) part consists in making bread, biscuits, &c., of either preparation mixed with flour and butter or lard.

[*Printed, 4d. No Drawings.*]

A.D. 1870, October 20.—No. 2758.

HOWARD, JOHN. — (*Provisional protection not allowed.*)—  
“ The manufacture of a powder from beet, carrot, parsnip,  
“ mangold wurzel, or other saccharine roots, to be used as a  
“ substitute for chicory for mixing with coffee, or for separate  
“ use as a beverage boiled or infused.”

The sugar having been extracted from the above-mentioned roots, the “residual pulp” is dried, roasted, and reduced to powder.

[*Printed, 4d. No Drawings.*]

---



---

1871.

---

A.D. 1871, February 25.—No. 505.

BOYES, EBENEZER.—“ Apparatus for roasting coffee, and for  
“ cooling it when roasted.”

The roasting and cooling apparatuses are connected. When the roasting process is completed, the cylinder containing the coffee is removed from the fire and “emptied into the cooling  
“ vessel or hopper, where it is without further removal at  
“ once acted upon by lifting boards, vanes, or agitators.”

The cylinder is provided with longitudinal tubes similar to those of a tubular boiler and with vertical tubes “connected  
“ and open to” the longitudinal tubes and “passing to the  
“ periphery of the cylinder.” The ends of the cylinder are perforated, and caps or covers are placed “over the ends of  
“ the longitudinal tubes.” The heat arising from a furnace, in addition to acting upon the under side of the cylinder, passes also into the vertical tubes “which for the time being are

“ lowermost,” and thence “ into and through the longitudinal tubes ” into “ the spaces enclosed between the “ perforated ends ” and “ the caps or covers.” Or the fire may be made “ to play on the ends as well as at the bottom ” of the cylinder ; or there may be “ a fire at each end and one “ below ” the cylinder. When the coffee is roasted, the cylinder (the axle of which is carried by a frame “ mounted “ on axes of motion ”) is raised off the fire and “ turned over “ the hopper.” During the rotation doors in the cylinder are unlocked and opened by sliding bolts (having projections thereon) on the doors coming against inclines on a bar carried by the hopper, and the cylinder is rocked until all the berries therein are discharged into the hopper. The arrangement of the bolts, projections, and inclines, is fully described in the specification. When the berries are cooled, the hopper, secured to a base by hooks or catches, is raised therefrom by chains or other “ suitable tackle,” and the berries are discharged through a door at one end. “ Suitable gearing is “ employed to communicate motion to the roasting cylinder “ and to the agitators in the cooling vessel.”

[*Printed, 10d. Drawing.*]

A.D. 1871, October 20.—No. 2806.

MCKENZIE, WILLIAM, and CAMERON, CHARLES ALEXANDER. (*Letters Patent void for want of Final Specification.*) — “ The “ manufacture of solidified tea and coffee.”

An infusion of the tea or coffee is made in boiling water, and the infusion after being filtered is evaporated until “ a “ residual solid or nearly solid substance ” is obtained. This residue is then mixed with condensed milk and sugar and formed into tablets. To obtain “ very dry solid extracts ” the mixture may be exposed to a gentle heat. The extracts may be prepared without the admixture of milk and sugar.

[*Printed, 4d. No Drawings.*]

A.D. 1871, October 21.—No. 2821.

HAWORTH, WILLIAM.—“ Machinery for rolling tea leaf.”

The object of this invention is “ to exert a variable pressure “ on the bag of leaf, commencing the rolling process with a “ light pressure ” and gradually increasing the pressure as the rolling proceeds.

The outer cylinder is supported on side frames; it is made with a door in the bottom and with an opening opposite the feeding board. The feeding board can be "slidden into this opening until it approaches the inner cylinder," when the bag, as it is rolled round the space between the cylinders, "comes on to this inclined board and rolls out of the machine;" but should this method of delivery fail, the bag is taken out at the door. The inner cylinder is "fixed upon the main shaft" which "turns in brasses." The brasses "are surrounded and supported by a star-shaped block" of vulcanized india-rubber made in halves, and the points of the block are received into "recesses formed in the interior of the metal plummer block or bearing which is fixed to the framing." The brasses are supported also on stems attached to weighted levers. "Conical wheels" mounted loosely on the main shaft have their motion to and from each other controlled by forked levers. "Conical cups" are "fixed on the frame and concentric with the outer cylinder." As the wheels are moved towards each other, they enter the cups, and the main shaft "is brought more and more nearly concentric with the cups," until the bag of leaf is fully compressed.

[*Printed, 1s. 10d. Drawings.*]

---

1872.

---

A.D. 1872, January 31.—No. 314.

GIBBS, WILLIAM ALFRED, and BORWICK, ALFRED.—  
"Apparatus and arrangements for drying."

This invention relates to improvements on No. 3036, A.D. 1866, No. 289, A.D. 1868, and No. 2145, A.D. 1870; it consists in combining an air chamber with a revolving cylinder and air duct. One end of the air chamber "communicates with the discharge end" of the cylinder. The chamber is "in communication with a compound exhaust and blast fan" (one or more), or with "a chimney shaft," so that "a strong current of air is forced or drawn through the air duct" into the cylinder and thence "into and through

“ the air chamber.” The air is previously heated by passing through or over a furnace, or other heating apparatus, or through pipes set in the furnace. The air duct may be stationary or be caused “ to revolve in a direction contrary ” to that of the cylinder. Numerous arrangements of the parts are described, and “ the cylinder and duct apparatus ” is applicable (*inter alia*) to the drying of “ raw coffee.”

[*Printed, 2s. 10d. Drawings.*]

A.D. 1872, February 5.—No. 376.

BONNEVILLE, HENRI ADRIEN. — (*A communication from Edouard Beckman-Olofson.*)—“ A new and improved alimentary drink.”

The substances used are about “ one kilogramme of rye or rye malt, fifty grammes of dried barley malt, twenty grammes of natural coffee, and from twenty to twenty-five grammes of burnt sugar or caramel.” The rye or rye malt and the coffee are roasted at the same time in adjoining compartments, and “ the current of vapour emanating ” from the coffee “ is made to pass through ” the rye or rye malt. The coffee is not to be mixed with the rye, the drink being made from “ the malted substances.” The barley malt is roasted “ without being subjected to the vapour ” of the coffee. The rye and the barley malt are afterwards mixed together; the sugar or caramel is then added, and the compound is ground in the ordinary manner. The rye and the barley malt may be ground separately “ before mixture and before the burnt sugar is added.”

[*Printed, 4d. No Drawings.*]

A.D. 1872, March 9.—No. 724.

GRINLINTON, JOHN JOSEPH.—(*A communication from Robert Dawson.*) — (*Provisional protection only.*) — “ Preparing the several products of the coffee bush (other than the bean) so as to turn the same to use as articles of food.”

“ The pulp, parchment, silver skin, leaves, bark, wood, roots, shoots, twigs, and pith of the coffee bush,” are dried or partially dried, and decoctions or infusions of the same are made “ either separately or all or any two or more of them mixed together,” thereby turning to use “ the coffeeine con-

“ tained therein.” The invention includes converting to use  
 “ such coffeine in any form whatever, and either mixed with  
 “ or separated from the coffee bean.”

[*Printed, 4d. No Drawings.*]

A.D. 1872, April 18.—No. 1162.

WARRY, HENRY.—“ Improvements in various beverages.”

A strong infusion of tea, coffee, cocoa, or analogous substance, is poured into a steam jacketed evaporating pan; the soluble portion is evaporated; when the substance in the pan becomes quite dry, it is removed into an atmosphere as dry as possible, “ allowed to cool until brittle,” then reduced to powder, and then put into “ air-tight bottles or other “ receptacles.” Milk is prepared in the same manner; either condensed milk or fresh milk mixed with sugar may be used. The beverage is obtained by dissolving a portion of the mixture in hot water “ with the usual adjuncts of milk and “ sugar.”

[*Printed, 4d. No Drawings.*]

A.D. 1872, June 6.—No. 1713.

CLARK, CHARLES FREDERICK, and BRUERTON, GEORGE.—  
 (*Provisional protection only.*) — “ Improvements in coffee  
 “ mills.”

This mill is worked by a handle on the top, and the grinding is effected by “ a serrated cone working with a “ hollow cone similarly serrated.” The improvement consists in being able “ to regulate the distance between the surfaces “ of the cones.” The spindle of the inner cone works in a bearing at its upper end and in a cross bar at its lower end. A lever, “ turning upon a hinge ” at one end, supports the lower end of the spindle; its other end is connected to a bar, “ the upper end of which is screwed, and after passing “ through a hole in the top of the mill is fitted with a “ thumbscrew.” Or the lower end of the spindle is supported by a screw working through a cross bar. One end of a lever is fitted to the head of the screw, and the other end passes through a “ curved opening in the body of the mill.” Or the bearing of the lower end of the spindle is formed with “ inclined planes ” and the lever with corresponding inclined

planes. Or the lower end of the spindle is supported by a thumbscrew, which can be turned by drawing out the drawer at the bottom of the mill and introducing the fingers.

[*Printed, 8d. Drawing.*]

A.D. 1872, June 10.—No. 1743.

DOYEN, OCTAVE.—(*Provisional protection only.*)—"Preparation and utilization of coffee in the form of tablets for food."

The coffee is ground to an impalpable powder and mixed (or not) with sugar.

"Dry tablets" are made from the impalpable powder mixed with sugar.

"Oleaginous tablets" are made from a similar mixture with the addition of "oily matters," by preference cocoa nut oil.

[*Printed, 4d. No Drawings.*]

A.D. 1872, June 17.—No. 1821.

PERRY, ALEXANDER.—(*Provisional protection only.*)—"Apparatus for drying and roasting malt, coffee, and other similar substances."

The object of this invention is to "consume the vapour instead of letting it escape into the atmosphere." A rotating cylinder is placed in a hot air chamber which is connected with a furnace. In the top or other convenient part of the chamber there is an aperture, through which the chamber "communicates with a pipe which extends down to the bottom of the apparatus and is conducted below the furnace to the ash-pit." The end of this pipe opens into the ash-pit, and "a branch pipe passing up into the furnace opens into the same above the fire-bars." Either of these pipes may be opened or closed by means of dampers, and the vapour be "made to enter the furnace either through the fire-grate or above the same." The apparatus has a chimney provided with a damper; hot air is forced into the chamber by a fan or blower.

[*Printed 4d. No Drawings.*]

A.D. 1872, August 13.—No. 2405.

MCKINLAY, PETER.—"Apparatus for husking, hulling, or shelling, and for cleaning and preparing rice and other grain."

The husking, hulling, and removal of the refuse "are all performed at one operation," and "the same arrangement of apparatus is equally applicable for removing the pulp from the bean of the coffee berry."

The drawing shows two oblong vessels resting on a fixed framing and provided each with a moveable or hinged cover. In the bottom of each vessel is a groove or channel running lengthways and fitted with "india-rubber, wood with its grain endwise, or any other suitable substance." In each vessel is a rocker working and guided in slotted uprights of the framing. The lower part of each rocker "forms a segment of a circle," and therein is a groove or channel corresponding to the one in the bottom of the vessel, and similarly fitted. In the lower part of each vessel and parallel with the groove therein are openings on each side, and into the openings are inserted perforated plates kept in position by thumbscrews; there are also "outlets" for discharging the grain. The upper part of the rockers is slotted and fitted with cranks carried by a shaft which carries also loose and fast pulleys. The inner uprights are continued upward, and carry an arrangement for lifting the rockers out of the vessels.

[Printed 8d. Drawing.]

A.D. 1872, September 9.—No. 2667.

ROSS, EDWARD.—(*A communication from Robert Dawson.*)—"Utilizing and giving additional value to the products of the coffee bush."

"The pulp, parchment, silver skin, leaves, bark, wood, roots, shoots, twigs, and pith of the coffee bush, either together with or separated from the coffee bean," are dried or partially dried, and decoctions or infusions are made thereof either together or separately or any two or more of them mixed together and either with or without the coffee bean." The object of the invention is to convert to use "the caffeine contained in the said several products of the coffee bush," and "to obtain therefrom a beverage or beverages."

[Printed, 4d. No Drawings.]

A.D. 1872, September 27.—No. 2854.

BARTLETT, JOHN.—"Machine for mixing teas, coffees, and granular substances."

A vessel made of sheet metal or wood, octagonal or polygonal in form, closed at the ends, and provided with a sliding door, rotates on a horizontal shaft which is mounted in bearings in a frame. Inside the vessel are fixed internally projecting sets of beaters or deflectors, preferably made of sheet metal, "of various angular shapes," and arranged at suitable distances apart. There may be "inclined conductors" fixed at each side of the beaters. The vessel is rotated by changeable wheel and pinion gear or by power. A sliding drawer for the reception of the mixed matters may be fitted in guides in the frame.

[*Printed, 6d. Drawing.*]

A.D. 1872, October 19.—No. 3099.

BOYES, EBENEZER.—"Apparatus for roasting and cooling coffee, cocoa, and other berries and materials."

The roasting apparatus is set above the cooling apparatus "in a single frame," so that, when the material is roasted, it may be immediately discharged into the cooling apparatus.

The roasting cylinder has numerous holes in its periphery and receives rotary motion by means of a handle and suitable gearing. In the centre of the cylinder a chamber is formed wherein an "air burner" is arranged, and other air burners are arranged on the under side of the cylinder. The inside of the cylinder is divided into chambers by means of a number of perforated discs, which have holes in their centres large enough "to form the chamber" for the central air burner. The discs "do not extend to the periphery" of the cylinder, "but leave a sufficiently large annular space" for the reception of the material to be roasted, and they are "at their centres connected together in pairs by means of rings or short cylinders." The discs "are not connected together at their peripheries," and they may be made either dished or parallel to each other. The inner surface of the cylinder is provided with "inclined guides or stirrers." The lower part of the cylinder and the air burners are enclosed in a chamber which has a door and a sliding bottom, and the contents are discharged into the cooling apparatus through a door which extends from end to end. "To facilitate the taking of a sample from the cylinder" a small sliding door



is so arranged that it " may be acted upon by a kind of ladle," and be opened and shut during the revolution of the cylinder.

The cooling apparatus consists of a chamber divided into compartments " in a somewhat similar manner to the roasting " cylinder." The bottom of the chamber is perforated and mounted in guides to permit of its being readily removed. " Air is drawn or forced through the contents from below " upwards" by a rotating fan.

[*Printed, 1s. Drawing.*]

A.D. 1872, October 24.—No. 3156.

GOLDSMITH, GEORGE, and DILKES, JAMES.—" Apparatus " for roasting, baking, or cooking by gas."

This invention, a modification of No. 2063, A.D. 1871, is now adapted " for roasting coffee."

A rectangular or other shaped chamber mounted on a stand is pierced with a number of holes for the admission of air. Within the chamber and fitted to the upper part of it is a flanged cast-iron trough " partially lined with fire- " clay or fire-proof cement." In the bottom of the trough there is an opening, under which is fixed a burner suitable for the combustion of a mixture of air and gas. A roasting cylinder revolves in the trough, the bearings of its axle being formed on the flange. In the periphery of the cylinder are two openings; the one is for charging and discharging; the other is " fitted with a guard on the inside so as to prevent " any material contained therein from escaping while the " cylinder revolves in one direction, but permits a small " quantity to drop out when moving in the opposite direc- " tion." The whole of the top is covered by a lid provided with an opening for the escape of vapour, &c. The supply of gas " is diminished while nothing is being subjected to its " heat" and is increased " immediately the apparatus is " brought into active operation," by means of a valve, a spring, and a lever. " The closing of the lid " produces pressure " upon the projecting end of the lever, thereby opening " the valve and admitting a full supply of gas."

[*Printed, 8d. Drawing.*]

A. D. 1872, November 20.—No. 3465.

HEMINGWAY, SAMUEL.—(*Provisional protection only.*)—

“Apparatus for packing dry soap, starch, corn flour, baking powder, mustard, tea, coffee, or any other article in a powder or granulated state.”

A series of receptacles of suitable size and shape are supported in a frame; they are open at top to receive bags or wrapping papers and “closed at bottom with a false bottom.” To each false bottom is attached a stem which passes through a perforation in the fixed bottom. A portable hopper, made with a series of outlet tubes equal in number and shape to the receptacles, contains the article to be packed, which passes through the tubes into the bags. The hopper being removed, the top ends of the bags are closed by hand, and then “by means of a lever or combinations of levers, screws, cams, or other mechanical contrivance brought to bear and operate on the stems,” the bags are lifted out of the receptacles. Or the apparatus may be so constructed that, when the top ends are closed, it may be “turned over” and the bags be forced out downwards by the attendant operating on the stems.

[*Printed, 4d. No Drawings.*]

1873.

A. D. 1873, February 25.—No. 701.

LIEBERT, JULIUS.—(*Provisional protection only.*)—“An improved mixture of ground substances to be used as a substitute for coffee, and in the apparatus employed in the preparation thereof.”

“A healthy and invigorating infusion” is obtained from a mixture of “pelotas berries and coffee berries” in the proportion by weight of about 3 parts of the former to 1 part of the latter. The berries in their green state are roasted in a coffee roaster which has two compartments separated by a perforated partition; the pelotas berries being put into the one and the coffee berries into the other, the former become “thoroughly impregnated with the aroma of the coffee.”

The roasted berries are ground in an ordinary mill, and the mixture is ready for use.

[*Printed, 4d. No Drawings.*]

A.D. 1873, March 14.—No. 936.

PUMPHREY, JOSIAH.—“Sifters or screens for sifting or “ screening einders, and for other like purposes,” including “ mixing tea.”

A cylindrical case, furnished with a lid, a “ jointed handle,” and a “ fixed side handle,” contains a sifter or screen made of perforated metal or wire gauze, conical or cylindrical in shape, and capable of rotating or oseillating therein. Fixed in the lower part of the sifter is a spindle, the lower portion of which is hollow, and the upper portion solid, square or angular and taper, and passing through a cross bar on the top of the sifter. Fixed to the lower part of the case is a spindle, the upper portion of which enters the hollow portion of the sifter spindle, its “ pointed end ” taking into a correspondingly shaped seat in the bottom of the solid portion. On the lid is “ a rotating handle,” a part of which “ projecting from the “ inner side ” is made of “ a hollow key form ” to fit on to the head of the sifter spindle. The arrangement for “ elosing the “ top ” of the case and for “ giving motion to the rotating “ sifter ” may be varied.

[*Printed, 10d. Drawing.*]

A.D. 1873. April 19.—No. 1428.

CLARK, ALEXANDER MELVILLE.—(*A communication from Wm. Helme Ireland Howe.*)—“ Cans for preserving fruits and other “ substances,” namely “ spiees, teas, coffee,” &c. &c.

The can is “ properly made of tin ;” when filled, a top preferably of tin foil “ is tightly soldered or fastened to the rim.” A tin cover is then fitted to the can “ so as to be removed at “ pleasure ;” the cover may be hinged to the can.

*Printed, 6d. Drawing.*]

A.D. 1873, May 15.—No. 1783.

LAKE, WILLIAM ROBERT.—(*A communication from John Ashcroft.*)—(*Provisional protection only.*)—“ Improved processes “ and apparatus for colouring, refining, and maturing coffee.”

One improvement consists in "maturing and browning" coffee by subjecting it "to the direct action of steam" or "to the sweating and expanding action of steam and the drying action of heat." A second consists in "maturing and colouring raw coffee" by subjecting it to the action of steam and heat in sacks or in tiers of sacks having free communication with each other by means of coils of pipe. A third describes an apparatus "for colouring and refining raw coffee":—it is composed of (1) a shell or frame, (2) compartments "around which steam circulates," (3) "sweating boxes" perforated for the admission of steam into the compartments, (4) valves to draw off from the compartments the water resulting from the condensation of steam, (5) a safety valve. A fourth describes an apparatus "for colouring, maturing, and refining" raw coffee:—it has preferably six sides, forming a chamber wherein to put coffee in bags or bulk; "it may be held by a frame or receptacle having open sides and a perforated bottom;" it may have "a gate in front and casters or wheels on it." There are openings at or near the top of the chamber for the expulsion of the cold air when steam is admitted.

[*Printed, 4d. No Drawings.*]

A.D. 1873, June 11.--No. 2075.

GUENARD, José. — "Machinery for drying coffee and grain."

A horizontally revolving drum "works upon two bars with four rollers;" or it is mounted in bearings in the framework, "having suitable driving gear worked by hand or other power." The drum is surrounded by two perforated cylinders, the ends of which are closed by discs, and a space is left between the cylinders, and another space between the drum and the inner cylinder. The coffee is put through a door or lid into the space between the cylinders, and "artificial heat or hot air" is introduced into the space between the drum and the inner cylinder. The heat passes through the perforations of the inner cylinder and escapes through those of the outer one. If the drum is mounted upon bars with rollers the heat is introduced at either end of the inner cylinder through a pipe; if it is mounted in bearings, the heat enters

at any suitable point in either end or through the axle, which is hollow and perforated for such purpose.

[*Printed, 10d. Drawing.*]

A.D. 1873, July 12.—No. 2418.

COLE, FREDERIC.—(*Provisional protection only.*)—"Machinery for crushing and reducing to impalpable powder baryta, cocoa, refined sugar, and similar substances both vegetable and mineral."

Iron rollers are mounted in an iron frame, which is furnished with knives and scrapers to clear each roller as it revolves as well as the iron bed over which the rollers pass." When the substance is sufficiently crushed, "a shovel is lowered by the action of a set screw" to clear the bed for a fresh supply. The frame is worked backwards and forwards by chains "by means of a hand wheel placed at the end of another iron frame over which the above travels." The iron bed lies level on a wooden bed, and weights for increasing the crushing power of the rollers are placed over them. It is proposed to adapt the machine "so as to use steam and water as well as hand power" in working it.

[*Printed, 4d. No Drawings.*]

A.D. 1873, July 17.—No. 2465.

D'HUMY, PAUL RAOUL DE FAUCHEUX.—(*Provisional protection only.*)—"Improvements in tea and coffee caddies or canisters," whereby the tea or coffee "can be measured out as required in given quantities."

There is attached to the neck of an ordinary caddy or canister an apparatus, by means of which the tea or coffee therein can be received "into a chamber of a given size," the communication between the caddy and the chamber be then closed, and the measured quantity be discharged into any suitable receptacle. The measuring apparatus may be cylindrical or otherwise shaped, and it may be made to turn on either a vertical or a horizontal axis; or it may be arranged to work in guides. Sometimes the caddy or canister is mounted on a stand, and the measuring apparatus is placed "at the bottom thereof."

[*Printed, 4d. No Drawings.*]

A.D. 1873, August 8.—No. 2663.

MORTON, CHARLES.—“Improvements in the mode of and  
“ apparatus for roasting coffee.”

The coffee is roasted “by reflection of heat.” A strong reflecting oven, having its inner surface “made perfectly  
“ bright,” is supported on an iron frame and placed in position in front of a fire. The oven is made in two parts hinged or jointed “midway at the top,” and the back part opens upwards, being counterbalanced by weights and pulleys. At the bottom or lower portion of the oven there is an opening  
“ to allow the draught to pass through the oven and thus form  
“ a blower for the purpose of purifying the heat used to  
“ roast the coffee.” Within the oven is fitted a perforated cylinder of galvanized iron or other suitable material, and the axle on which the cylinder revolves “is fitted in bearings  
“ mounted on slides which slide upon the iron frame.”

[*Printed, 8d. Drawing.*]

A.D. 1873, August 13.—No. 2682.

WETHERILL, JAMES.—“An improved system or method of  
“ drying malt, barley, and other grain, also applicable for  
“ drying ehieory, roots, or vegetable products, and apparatus  
“ to be employed therefor.”

The drying is effected by means of heated air obtained “by  
“ passing ordinary atmospheric air through open-ended  
“ tubes.” The tubes are arranged horizontally or otherwise across the fireplace of a kiln; their ends rest on supports of firebrick or other suitable material, and are “covered with  
“ an arch of iron or brickwork” which “retains the products  
“ of combustion and prevents them from having access  
“ to the material being dried.” These products find their exit through a flue or flues to a chimney. The air is admitted to “an enclosed firing place” through a grating or shutters; it passes through the tubes to a hot air chamber, and thence through perforated tiles to the substance being dried. “The waste heated air may then pass through a  
“ second perforated flooring” so as “to partly dry” the substance thereon.

[*Printed, 8d. Drawing.*]

A.D. 1873, September 16.—No. 3031.

FRANCIS, WALTER PENN, and ADDISCOTT, FRANCIS.—*(Provisional protection not allowed.)*—“The process of manufacturing coffectina.”

This article, intended for use as a substitute for coffee or for mixing with coffee, “is prepared from the stone of the tamarind.” The stone when roasted and ground “assumes the character of coffee.”

[*Printed, 4d. No Drawings.*]

A.D. 1873, September 26.—No. 3139.

LIEBERT, JULIUS.—“Improved means of and apparatus for treating acorns and beech nuts.”

These substances are rendered suitable “for consumption by themselves or with the admixture of coffee.” The acorns and nuts are freed from their husks and roasted in the same compartment as the coffee, caramel or other saccharine substance being added to the mixture. Or the roaster may be divided by perforated partitions, the coffee being put into one compartment, the acorns, nuts, and caramel into another. During the roasting the substances are kept stirred by arms on a revolving vertical shaft, and when sufficiently roasted, they are “conveyed from the roaster by a shoot to a cooler.” The cooler is a wire gauze cylinder revolving horizontally and having therein longitudinal ribs or projections. The substances when cooled are ground and “are then ready for use.”

[*Printed, 4d. No Drawings.*]

A.D. 1873, October 24.—No. 3456.

BRANSON, WILLIAM POWELL.—“Improvements in the mode of roasting coffee, cocoa, and malt, and in apparatus employed therein.”

The improvements consist in the employment of “a gas and air furnace” to heat the outside of the roasting cylinder, and of “a blast of hot air” which, being forced into the cylinder through one of its “hollow necks or axes,” circulates among the contents, and passes out through the other neck

and through perforations in the cylinder, if a wire or perforated cylinder is used. A tube, "coming from the hot air supply," is fixed rigidly in position opposite the position occupied by the end of one of the hollow neeks or axes "when the roasting cylinder is over the furnace," and a "sliding or telescopic" tube is mounted on the fixed tube, "so as to permit of its being readily slidden thereon and into and out of the hollow neek." The hot air is forced into the tube by any suitable "air foreing apparatus."

[*Printed, 4d. No Drawings.*]

A.D. 1873, December 11.—No. 4089.

LAKE, WILLIAM ROBERT.—(*A communication from Edwin Moorey.*)—"An improved metal package for the preservation of meat and other perishable substanees," such as "preserves, spices, teas, coffees, powders, and others."

These packages are so shaped that when emptied "they can be packed one inside the other, and returned to the original user at a mere fraction of the expense they would otherwise cost." The shape may be varied; for example the shape may be that "of a basin or of an inverted truneated cone;" the latter is preferable, having the cone "sufficiently sharp to permit of the packages fitting into each other without jamming." The inventor does not propose to make any alteration "in the method of affixing the top and bottom of these metal packages, or in the material of which they are composed."

[*Printed, 4d. No Drawings.*]

---

1874.

---

A.D. 1874, January 14.—No. 181.

COLE, FREDERIC.—(*Provisional protection only.*)—"Machinery for crushing and reducing to impalpable powder baryta, cocoa, refined sugar, and similar substances, both vegetable and mineral."



Iron rollers revolve in an iron frame furnished with scrapers “to clean each roller as it revolves,” with knives, and “sometimes with combs to clear the iron bed as the rollers pass over it.” When the substance on the bed is sufficiently crushed, “a shovel is lowered by the action of a set screw to remove the same from the bed” for a fresh supply. The frame is worked backwards and forwards by chains “by means of a hand wheel placed at the end of another iron frame over which the above travels.” The iron bed lies level on a wooden bed or on masonry, and weights for increasing the crushing power of the rollers may be placed over them. It is proposed to work the machine by “steam and water as well as hand power.”

[*Printed, 4d. No Drawings.*]

A.D. 1874, February 18.—No. 606.

HUNT, BRISTOW.—(*A communication from the Enterprise Manufacturing Company.*)—“Improvements in the construction of grinding mills.”

The construction of this hand-grinding coffee mill allows of ready access to the interior, ready removal of the working parts, and adjustment of the grinding surfaces. The casing consists of two semicircular halves, pinjointed on one side and connected on the other by a bolt, lugs, and a thumb nut. The lower half is attached to a base which contains a drawer. The coffee, descending from a hopper situate on the upper half, is ground by passing between “a rotating burr keyed to the spindle and a fixed shell through which the spindle passes.” The spindle has its bearings partly in each half; in the annexed drawing it has two fly wheels, one at each end, but in smaller mills it “is furnished at one end only with an ordinary handle.” The spindle carries at one end a spiral spring, and at the other a loose collar against which a set screw bears. The burr is drawn away from or towards the shell by turning the screw; it is composed of a soft metal disc keyed to the spindle and of a “hard metal grinding portion” secured to the disc. The shell is “rigidly confined between the two halves of the casing” by means of “lugs and recesses.”

[*Printed, 8d. Drawing.*]

A.D. 1874, March 14.—No. 922.

NICOLL, DONALD.—“A compound for making tea, coffee, and  
“cocoa.”

A tube or case of isinglass or gelatine is filled with “a pre-  
“paration of cream, or milk, or sugar, alone or in combina-  
“tion,” and is then closed up air-tight. The filled case is  
combined “by moderate pressure with a suitable quantity of  
“dried tea, or ground coffee, or crushed cocoa,” and hot  
water poured thereon “will produce in a complete condition  
“and without the ordinary waste of the several ingredients  
“the well-known beverages called tea, or coffee, or cocoa.”

[*Printed, 4d. No Drawings.*]

A.D. 1874, March 20.—No. 990.

CLARK, ALEXANDER MELVILLE. — (*A communication from  
Eugène Anduze.*) — “Mills for grinding coffee and other sub-  
“stances.”

In mills for “grocery and other establishments” a flat cir-  
cular casing encloses a pair of cast-iron discs; one of these  
is fixed and forms one side of the casing; the other is keyed  
on a horizontal spindle which turns in bearings in the fixed  
disc and in the casing. In the fixed disc above the centre  
there is an aperture for the admission of a spout surmounted  
by a hopper. Each disc has on its grinding face projecting  
teeth “which mesh with those on the other.” The teeth are  
“disposed in concentric circles, those nearest the centre  
“being alternated with spaces.” The teeth are “generally  
“quadrangular in form at the base, with the ends inclining  
“towards the centre of the disc, the dimensions of the teeth  
“diminishing from the centre towards the circumference.”  
One disc is flat and the other slightly dished; or both may be  
“dished to accommodate teeth of a greater height in the  
“inner circles.” The coarseness or fineness of the product  
is regulated by means of washers, and the ground coffee  
escapes “at the edges of the discs,” is collected into the  
casing, and falls into a receptacle at the bottom.

In mills “for domestic use” the working parts are enclosed  
in a casing. “A hollow or female cone” furnished with teeth  
is screwed or otherwise fixed into the bottom of a conical  
hopper. A male cone, corresponding to the interior of the

female cone and furnished with similar teeth (which mesh together), is keyed on a spindle. The spindle passes up through a bearing in the cover; it carries a handle, and adjusts the distance between the cones by washers or other means. The fixed cone has apertures around the central bearing of the spindle "to admit the substances between the cones." The teeth "differ somewhat in form from those of the mill first described," and their shape will be "readily understood from the drawing;" they are alternated with spaces except in the "outermost circle" on the male cone and "the two outermost circles" on the female cone.

[Printed, 10d. Drawing.]

A.D. 1874, July 14.—No. 2456.

COLE, FREDERIC.—(*Provisional protection only.*)—"Machinery used for crushing and reducing to impalpable powder baryta, cocoa, refined sugar, and similar substances, both vegetable and mineral."

Iron or other rollers revolve in an iron frame, which is furnished with scrapers "to clear each roller as it revolves," with knives, and sometimes "with combs to clear an iron bed over which it passes." When the substance is sufficiently crushed, "a shovel is lowered by the action of a set screw" to remove it into a sieve, "which is also connected by another action with the iron frame." The frame is worked backwards and forwards by chains, by means of "a hand wheel placed at the end of another iron frame, over which the above travels." The iron bed lies level on a wooden bed or on masonry, and weights for "increasing the crushing power of the rollers may be placed over them." It is proposed to work the machine "by steam or any other motive power as well as hand power."

[Printed, 4d. No Drawings.]

A.D. 1874, July 22.—No. 2559.

PERRY, ALEXANDER.—"Apparatus for drying grain, roasting malt and coffee, and for other like purposes."

An outer casing, preferably of a cylindrical form, is composed of any suitable material "surrounded with boiler plate

“ or sheet iron,” and within the casing is a coekle or fireplace having a dome-shaped top. “ The eastings which form “ the said coekle and its dome-shaped top have a number of “ tubes, whose lower ends communicate with horizontal air “ passages” formed through the casing below the grate, whilst their upper ends “ open into the space above the “ coekle.” There are also “ vertial air passages communi- “ eating with the said horizontal passages and extending up “ outside the said tubes into the space above the coekle.” In the centre of the dome there is an aperture, and in the arrangement “ adapted for the roasting of malt, coffee, and the “ like ” a series of discs, each having a central aperture corresponding with that in the dome, form “ a continuous “ passage or flue” from the coekle to the top or chimney of the apparatus. “ At or near the top ” of the apparatus is arranged a cylinder, double-eased (with sand or like substance between the eases), provided with an aperture (and cover) for the admission of the coffee, &c., with an exit spout at the bottom, and with a pipe at the top for the escape of vapour, &c., and communicating by a pipe or passage (controlled by a damper or valve) “ with the chamber containing “ the aforesaid discs.” A drum, containing tubes and having a surface of wire gauze or perforated metal, rotates inside the cylinder, and the coffee, &c., “ is carried round in the “ annular space” between the cylinder and the drum to the spout, its discharge from the spout being controlled by a slide.

[*Printed, 1s. 4d. Drawings.*]

A.D. 1874, October 6.—No. 3406.

GEDGE, WILLIAM EDWARD.—(*A communication from Messrs. Redon and Company.*)—(*Provisional protection only.*)—“ An “ improved self-acting mill for grinding coffee and other “ substances.”

This mill stands on a wooden framing, a plate supported by four pillars “ carrying the entire arrangement.” A cylinder, whereon a cord attached to a counterweight winds, is connected to a toothed driving wheel, which gears with a pinion, “ communicating the requisite power to the other pieces.” This power comes first on to a toothed wheel, carrying excen-

tric plates; these, connected to connecting rods and cranks, give to the axle of a bevel wheel (supported by pillars) the rotary motion required to turn a cone inside a receiver. A brake is provided, by turning the handle of which “the manipulator can regulate the speed of the mechanism.” The cord is rewound by means of a handle fitted to the cylinder.

[Printed, 6d. Drawing.]

A.D. 1874, October 10.—No. 3485.

PATTERSON, JOHN.—“Improvements in machinery for pulping and expressing juice from vegetable substances, and improvements in the construction of beetling, stamping, and crushing machines.”

This invention, an improvement on No. 872, A.D. 1866 and No. 527, A.D. 1871, renders the machines “applicable to various other purposes for which they were formerly inapplicable;” they can now be used *inter alia* for “pulping or husking coffee berries, cocoa fruit and beans.”

The first part of the invention is described in its application to “an ordinary sugar cane crushing mill.” The stamps are suspended to metal springs which are attached by connecting rods to a cam shaft actuated by power. A parallel motion is secured by “sliding blocks, connecting rods, or other mechanical equivalents.” The connecting rods or stamps, “as the case may require,” pass or work through guides. The canes are guided by a trough to a roller, above which the stamps work. The stamps bruise and partially crush the canes, which are thence carried forward through another trough “to the ordinary crushing rollers.”

The second part consists of “contrivances of shields and a tray,” whereby any dropping of oil from the upper parts is “prevented from reaching the material operated upon.” The upper edges of short tubes are attached “to a swell” on each of the connecting rods, “which are thus surrounded by shields like inverted cups, over which any spark or drop of oil must pass in its descent.” A shallow rectangular tray “is secured in a horizontal position to the sides of the machine;” its bottom is perforated with circular openings “corresponding in positions with those of the connecting

“ rods,” and of such diameter as to allow the rods to work freely through them; round each opening is a collar which its shield overlaps, and any drop of the lubricating oil falls into the tray.

[*Printed, 1s. 2d. Drawings.*]

A.D. 1874, November 7.—No. 3845.

MANNING, AUGUSTUS, and TYDEMAN, BRICE.—“ Improve-  
“ ments in the method of and apparatus for beating coffee  
“ and other seed casks,” in order to “ reduce the bulk of the  
“ coffee or other seed contained therein.”

A ring is made with pairs of lugs, which form bearings for hinge pins “ carrying beaters.” The beaters are vertical “ double-armed levers,” each lower arm forming a hammer acted upon by a spring, and each upper arm carrying at the top a loosely mounted roller. The ring is also made with brackets for supporting the axles of other loosely mounted rollers, whereon the under surface of an upper ring bears, and this ring is retained in a horizontal position between overlapping projections on the brackets and the rollers, “ at the same time that it is free to rotate upon its own axis.” The upper ring “ has formed on its inner periphery a series “ of cam or ratchet projections,” which work against and in contact with the rollers of the beaters, and on its under side an annular rack, with which a pinion gears. The pinion is mounted on a centre, which is supported in brackets formed on the lower ring, and is provided with a handle. This apparatus is carried by the arms of a forked lever; the lower ends of the arms are fitted to the axles of the ring-bearing rollers, and the upper ends are mounted on pins “ supported in bearings in a frame or carriage.” The outer extremity of the straight arm of the lever is attached to a chain which is connected with a windlass on the carriage. The carriage is mounted on wheels, and hooked levers which “ engage with the chime of the cask ” are carried by the hinge pins of the beaters. The method of operating with the apparatus is explained; and as modifications the cams may be hinged to the ring; the beaters may be arranged to strike horizontally; and the apparatus may be stationary and the cask be moved to it.

[*Printed, 1s. 4d. Drawings.*]

A.D. 1874, November 27.—No. 4068.

LYLE, WILLIAM STEWART.—(*Letters Patent void for want of Final Specification.*)—"Maehinery for rolling tea leaf."

The axle of the inner and revolving cylinder "runs in bearings fixed fast to the frame of the maehine," so that "the axis of revolution is always in the same straight line." Instead of an outer cylinder lined with ribs a frame is used "of eylindriecal shape," the two ends being "of a dise shape" and having "slots or recesses radiating from the centre." The outside of the frame is "composed of bars of suitable section," and their ends "fit freely in the slots of the frame ends, in which they can be moved either towards or away from the centre by adjustable springs or other means." Sometimes the slots are curved, and "at each outside end of the axle there is placed "another dise, in which are "curved slots eorresponding to those in the frame ends." The bars are long enough to allow of their ends projecting through the slots, and "by turning the moveable dises partly round the whole of the bars can be brought towards the centre or vice versâ."

[*Printed, 4d. No Drawings.*]

A.D. 1874, Deeember 2.—No. 4133.

PRIDHAM, THEODORE. — "Apparatus for drying tea and other substances."

A number of tubes are fastened at each end into "tubular rings," and the rings "being thereby united," the whole structure forms a eylinder. The eylinder is lined with wire gauze, or a perforated plate may be attached to it by means of three rings "fitting on the tubes and perforated with small holes near their inner peripheries." Steam, hot water, or hot air is admitted at one end through a pipe and "circulates through the tubular parts," and at the opposite end is an outlet provided with a regulating tap. Inside the eylinder there is "a spiral running through from end to end." The tubular rings rest on four rollers, one pair being united by a spindle earrying a hand wheel. On turning the hand wheel the rollers "communicate frictional revolving motion" to the eylinder, and the tea put into the cylinder will during

the rotary movement of the cylinder be carried to the other end and fall out into a receptacle. The whole apparatus may, if desired, be surrounded by a casing; air drawn in at the bottom becomes heated by contact with the tubes, passes through the tea, dries it, and is drawn off by a fan or other means. The cylinder "may be made to revolve in many other ways," and "the circulation may be effected by other tubular arrangements."

[*Printed, 8d. Drawing.*]

---

1875.

---

A.D. 1875, January 12.—No. 110.

COLE, FREDERICK.—"Machinery for crushing or reducing to impalpable powder barytas, cocoas, refined sugar, and similar substances, both vegetable and mineral."

A frame supports a bed plate having "raised side edges," between which the "crushing rollers" of "a travelling reciprocating frame" are free to move. To the travelling frame are attached comb plates or knife blades for loosening the material on the bed plate, scrapers to prevent the rollers from becoming clogged, and "a shovel blade" which by "the pressure of a threaded rod" will press upon the bed plate and "scrape the crushed substance along it" into a sieve. The frame and its rollers are drawn to and fro on the bed plate by chains attached to the frame and "to an end pulley or drum," one chain "giving off while the other is being wound on alternately" by turning a crank handle. The frame may however be made to reciprocate "by the action of steam, water, or other power, suitable reversing gear being fitted thereto." On the top of the travelling frame is a box containing stones, pieces of iron, &c., to increase the crushing power of the rollers. The sieve is fitted "at one end of the main frame;" it is agitated "by the machine while at work," and the finer particles pass through into a receptacle beneath; or it may be detached by hand and be shaken.

[*Printed, 10d. Drawing.*]



A.D. 1875, March 25.—No. 1103.

LIDGERWOOD, WILLIAM VAN VLECK.—“Coffee pulping machines.”

The pulping cylinder and other parts of the machine are mounted on a frame. The cylinder is of metal; dovetailed grooves extend from end to end of its outer surface; strips of wood are driven into the grooves; and “the roughened sheet “copper” forming the pulping surface is fastened to the strips. The hopper is “arranged in the proper position for “delivering the cherry coffee to the cylinder,” and it is provided with a reciprocating slide operated by an eccentric rock shaft and rods. The “chops” are arranged “adjacent “to the surface” of the cylinder; they are attached to “adjustable blocks;” the upper chop is formed wholly or partly of india-rubber or elastic material, and the lower one preferably of iron faced with brass. “The excess of water “from the coffee” passes away through a sheet of fine wire gauze or perforated metal. The chops discharge the berries through an inclined trough into the upper end of a rotating screen, “which is more or less inclined downwards towards “the opposite end of the machine.” The pulp passes away down a shoot. The trough “receives a supply of water “through the said wire gauze.” The axle of the screen is in gear with the axle of the cylinder and receives motion from it. The coffee berries which have been freed from their pulpy covering “escape in their passage down the screen;” but “the unripe and other coffee cherries which cannot pass “through the perforations” of the screen are carried along and discharged from its lower end into “a second set of “pulping mechanism” similar to that above described.

[*Printed, 8d. Drawing.*]

A.D. 1875, May 22.—No. 1886.

WALKER, ANDREW BARCLAY.—“Improvement in machinery, “plant, utensils, arrangements, and buildings of breweries “and distilleries, and in the working of such machinery and “plant, which improvements are also applicable in whole or “in part to other purposes.”

“The ninth operation of my process,” the patentee states, “relates to the treatment of slack or damp malt” and other

substances, the process being also applicable "to coffee roasting." In a strong cylindrical case, having an annular case secured outside of it, is placed one of the patentee's "tubular worms" (described in the specification), "the end of which reaches down into a reservoir," whereinto the substance "is collected by the revolutions of the screw." The substance "is passed over the surface" which is heated by steam or hot air, and "is discharged into a suitable receptacle."

[*Printed, 10d. Drawings.*]

A.D. 1875, May 28.—No. 1959.

HAWORTH, WILLIAM.—"Machines or apparatus for rolling tea leaf."

This invention is an improvement on No. 2821, A.D. 1871; the bag of tea leaf is placed between and acted upon by preferably "three rollers revolving in the same direction." Two of the rollers are "supported at the same height" in bearings in the side frames of the machine; the third is carried "above the other two" by a pair of levers mounted on a shaft; all revolve horizontally; the upper roller is "completely or nearly counterbalanced" by a weight "fixed to the back ends" of the levers, and when it is in its lowest position, it "has its axis in a vertical plane midway between" the lower rollers. All the rollers are formed with "end flanges" to prevent any thing "from being improperly caught and drawn in," and "at the ends of the central space" revolving discs prevent either end of the bag "from creeping beyond" the ends of the rollers. The "most efficacious" form of roller is one "with deep smoothly rounded flutings;" the bags are cylindrical "with the ends gathered together;" they may be of vulcanized rubber covered (or not) with canvas. One or more of the rollers may be made "to reciprocate longitudinally as well as rotate." At the front of the machine a board is supported by legs and by hooked arms "engaging on the shaft" of the front lower roller; the bag is laid on the board, which is then tilted by handles "so as to tip the bag into the space between the rollers," the upper roller being capable of being "turned up on its carrying rollers."

A modification is described, in which "only two acting or main rollers" are used. The upper roller "may be a plain

“ cylinder mounted so as to revolve freely ;” or one of the main rollers may be placed above the other, both revolving in the same direction “ so as to produce rotation in the bag between them.” The bag is prevented “ from getting from between the two rollers by two smooth antifriction rollers ” or two smooth plates “ placed a little to each side of the middle space.” The main rollers “ may be grooved annularly and be made to reciprocate longitudinally in opposite directions.”

The gearing required for connecting and driving the rollers is explained but not specially claimed.

[*Printed, 1s. 4d. Drawings.*]

A.D. 1875, June 2.—No. 2010.

LYLE, JAMES. — (*A communication from William Stewart Lyle.*)—“ Machinery for rolling leaf tea.”

The tea is put into bags, and the bags are passed round a ribbed or corrugated barrel which revolves within a cylindrical frame. This frame has circular or disc-shaped ends and “ for its periphery a series of bars which fit into slots in the frame ends so as to be capable of being moved either towards or away from ” the barrel. In the Provisional Specification one mode of working the bars is by “ springs and adjusting screws ;” in the Final Specification “ two outside discs,” one at each end of the axle of the barrel, “ are left loose to revolve as far as may be required to expand or contract ” the bars. Each disc “ has radial slots to receive the ends ” of the bars, and when the outside discs are turned round, the bars “ are carried to or from the centre and alter the space ” between the barrel and the cylindrical frame. “ Any means can be used to turn the outside discs,” and the inventor describes the method which he prefers. “ There are three ribs of outside cylinder left out opposite the feeding board for the bag containing the tea to be inserted.”

[*Printed, 10d. Drawing.*]

A.D. 1875, June 24.—No. 2307.

HYATT, THADDEUS. — “ Improvements in the treatment, preparation, and preservation of substances or bodies for

“ dictary and medicinal uses and sanitary purposes (partly applicable in the arts), and in the processes and machinery or apparatus for effecting the same.”

Under the head of “drying or desiccating,” the patentee states that he roasts coffee by laying it on a bed of “clean sand, the heat being gradually raised to the roasting point, the sand being afterwards screened out;” but by preference the bed is “a food absorbent,” such as “dried sweetened bran,” the bran “becoming caramelized while imbibing the flavour of the roasting coffee.”

Under the head of “pulverising or comminuting, collecting, and compressing,” tea or coffee is reduced to “an impalpable powder” and compressed into tablets or otherwise “to be consumed bodily instead of in fusion.” Cocoa also is reduced to “varying grades of dust” by a process similar to that “employed for obtaining refined plumbago;” the dust is compressed into cakes, tablets, and other forms, “using sugar in dust form to combine with it when making sweetened cocoa.”

[Printed, 10d. Drawing.]

A.D. 1875, November 11.—No. 3929.

LAKE, WILLIAM ROBERT.—(*A communication from George Lafayette Squier.*)—“Machinery for hulling, cleaning, polishing, and separating coffee and other grain or seed.”

Two modes are described, (1) subjecting a charge of coffee repeatedly to the action of one hulling and polishing mechanism until finished, (2) passing the coffee “through two or more hulling and polishing mechanisms.”

1. A rectangular frame is supported on legs. A “double hulling screw,” consisting of a right hand and a left hand screw joined at the middle, is secured to a horizontal shaft turning in bearings in the frame. The screws, “each composed of two or more sections,” are so arranged on the shaft that “the ends of the threads of one section will coincide with the spaces” of the adjacent section. “Two propellers or end sections” having “threads of less pitch” are arranged “at the feed ends” of the screws, and the screws nearly fill a cylinder made of a lower part secured to the frame and an upper part bolted to the lower part, and

having angular corrugations on its inner surface. The shaft of the screws is "preferably arranged a little below the "centre" of the cylinder. The lower ends of "two feeding "chambers" communicate with the ends of the cylinder, and "an intermediate pressure chamber of hopper form" is connected with the cylinder by an opening over the point where the screws meet; the size of the opening may be adjustable. Between the middle and the feeding chambers there is on each side a "sliding partition" to increase or diminish the height. All parts of each chamber are "tapering at an acute "angle towards the opening in the cylinder that belongs to "that compartment." In working the machine, the three compartments being filled with unhulled coffee, a constant circulation is kept up; the coffee is forced up into the middle compartment and thence over the partitions into the end or feeding chambers. If "greater pressure" is desired, balls or weights are placed on the coffee in the middle compartment. "A **V** shaped deflector" placed across the middle compartment prevents the coffee from accumulating in a heap, and "an adjustable finger or agitator" prevents it from packing and clogging at the bottom of the middle compartment. The coffee "mixed with the husks and silver skins" is finally discharged through an opening in the cylinder opposite the one in the upper half into "a shaking separator" beneath, in which are arranged a series of removable screens having meshes of graduated sizes. The shaking may be done by hand, but preferably by mechanism connected to the shaft of the screws.

2. Two cylinders contain each a hulling screw. Both screws and cylinders may be constructed as before described, the screws being mounted on the same revolving shaft. The unhulled coffee passes from a hopper into the first cylinder and thence into a "discharge hopper" at the other end thereof. The discharge hopper has "its rear side" inclined to facilitate the forcing up of the coffee; it is provided with a mouthpiece and a discharge spout. "A vibrating separator" is arranged below the spout and above the feed hopper of the second cylinder; it consists of an upper and a lower screen. The meshes of the upper screen "retain all "the grain," permitting the dust, &c. to fall on "an inclined "plate" whence it is discharged by a spout. "The grain

“ will pass over the tail end ” of the screen and fall on a second screen, which is made with “ oblong and round or “ square holes in alternate rows, through which the oblong “ and round hulled grains are passed into the feed hopper.” The unhulled grains “ pass over the tail end ” of the second screen through a spout “ to an elevator,” which returns them to the feed hopper of the first cylinder. At the outer end of the second cylinder there is a discharge hopper similar to the former one. The separator vibrates by means of a cam engaging with a rock lever ; the elevator is driven by a belt from a pulley on the screw shaft. Each arrangement admits of slight modifications which are described in the specification.

[*Printed, 1s. Drawing.*]

---

1876.

---

A.D. 1876, January 7.—No. 75.

BARLOW, CHARLES.—(*A communication from Thomas Cook.*)  
—“ Machinery for manufacturing blocks of concrete, artificial “ stone and fuel.”

The heating apparatus described is applicable to various purposes including “ drying grain, roasting coffee, &c.”

A furnace with its appendages “ is arched over,” the arch “ forming the heating chamber,” in which a heater, “ supported upon friction rolls” and driven by “ suitable gearing,” rotates on a hollow axle. The heater consists of “ a series of “ concentric cylinders having screw threads arranged in the “ spaces enclosed therein.” The coffee, &c. is fed into the central cylinder through a shoot, is forced backwards and forwards into each space by means of a “ conveyor screw,” and is discharged from an opening or series of openings in the outermost cylinder on to an inclined floor, whence it “ runs off by a lateral passage” into receptacles. Heat from the furnace passes round and over and into (through the openings) the heater, finally escaping through the hollow axle into a chimney. In a modification the heater “ consists in “ mounting a volute or scroll upon the central cylinder,” the

inner end of the voluto communicating with “the interior  
“of the cylinder” and its outer end with “the heating  
“chamber.” “The heads of the heater” are perforated for  
the passage of hot air “through the different convolutions”  
of the scroll.

[*Printed, 6d. Drawing.*]

A.D. 1876, January 29.—No. 362.

HATTON, JAMES GREENE. — “An improved packing  
“material.”

This material, useful for many purposes, is “especially  
“applicable for lining cases, bales, boxes, tea chests, coffee,  
“sugar, or other bags.” The material consists of “vege-  
“table parchment” combined by means of paste or other  
adhesive substance with Hessian canvas, cotton, or other  
cloth, or “with other fibrous woven or textile material, or  
“with ordinary brown or other paper.” If the joints of the  
linings, bags, &c. are made with waterproof cement, the  
articles will be found to be impervious to water, oil, or other  
fluid.

[*Printed, 2d. No Drawings.*]

A.D. 1876, February 9.—No. 517.

MACKENZIE, FRANCIS WILLIAM. — (*Provisional protection  
only.*) — “Improvements in drying tea and in apparatus  
“connected therewith.”

The improvement consists in passing a current of hot air  
through trays of wire cloth or other perforated material, the  
current and temperature being regulated “by means under  
“control of the attendant.” The air is heated by passing it  
“through tubes, chambers, cells, or passages of metal passing  
“through a metal chamber containing steam.” The trays  
are laid in drawers or frames fitting into the chamber through  
which the hot air ascends, and the drawers are so constructed  
that when a tray is “withdrawn laterally from time to time  
“for inspection,” the ends of the drawers “close the aper-  
“tures of the hot air chamber sufficiently air-tight so as not  
“to disturb the upward current.”

[*Printed, 2d. No Drawings.*]

A.D. 1876, February 24.—No. 769.

THOMPSON, ANDREW CHARLES GUY.—“Apparatus for cleaning, softening, and separating the fibre of flax, hemp, rhea or China grass, and other fibrous substances, also applicable to rolling tea leaves.”

A drum revolves in horizontal bearings, and narrow grooves are formed “across the periphery.” Frames curved to fit the drum have their inner sides formed of “transverse strips” adjustable so that they may be pressed towards the periphery, and having grooves “parallel or nearly so” with those on the drum. The frames are not “concentric with the drum,” the intervening space being greater at one end than at the other; they may be fixed or be made “to vibrate backward and forward;” or the drum may be arranged “to reciprocate backward and forward round its centre during its revolution.” Sometimes a similarly constructed apparatus is placed “underneath or adjoining” the above, “but having its drum revolving in the opposite direction.”

Or two endless belts, carrying on their outer surfaces transverse grooved strips, are stretched over rollers; the surfaces of the belts “are in contact with each other or nearly so;” the bearings of the rollers are adjustable, and the belts “travel in the same direction,” but not at the same speed.

Or one endless belt, having transverse grooves or grooved strips and stretched on rollers, is pressed into contact with a drum, which either is fixed or made to revolve at a greater or less speed than the belt.

An “arrangement of crank and wheels” (which may be applied to one or both ends of the drum) is described, whereby “the squeezing and rolling action may be made more effective.”

Tea leaves are placed in the space between the drum and the frames “either loose or in bags.”

[Printed, 8d. Drawings.]

A.D. 1876, March 1.—No. 878.

NICOLL, DONALD.—“Gelatine capsules or cases for containing and preserving food, medicine, and various substances, solid and liquid.”



These capsules are intended to enclose *inter alia* tea, coffee, cocoa, milk, &c.

Sheets of gelatine, cut into the requisite size and shape, are placed successively in an envelope-making machine, which is so constructed that heat (most conveniently obtained from a jet of gas) may be applied to the flap-folding plates. If the temperature of the atmosphere is high, the application of heat may be dispensed with. When the sheet is placed upon the machine, the quantity of ingredients to be sealed up is laid on the sheet; the edges of the sheet are moistened with water; and the flaps are folded over by the automatic folding action of the machine, the edges being thereby brought into contact and pressed together. In some cases it is preferred to make the capsules by hand, and in others to make them "upon a suitable mould."

[Printed, 4d. No Drawings.]

A.D. 1876, March 11.—No. 1075.

LOBB, NICHOLAS WILLIAM.—"The preparation of farinaceous food and other alimentary substances."

All the moisture is evaporated by heat from condensed milk; the "solid dry substance" which remains is ground to powder, and the powder is then readily mixed with any alimentary substance; among the substances mentioned are tea, coffee, cocoa, and chocolate. The mixture may be packed in tins and hermetically sealed. The substance may be combined with the milk "previous to its being evaporated to dryness."

[Printed, 2d. No Drawings.]

A.D. 1876, April 15.—No. 1596.

HOOKER, JOHN.—"Mixing cocoa, corn flour, and other substances with milk."

Milk condensed or preserved with sugar is combined with cocoa either pure or mixed with farinaceous or other substance, "so that the mixture when well worked together shall become solid and capable of being sold in blocks or tablets." The proportions preferred are one part of cocoa or cocoa

mixture and four parts of milk. The ingredients are incorporated in "a steam jacketed pan fitted with a stirring apparatus."

[*Printed, 2d. No Drawings.*]

A.D. 1876, May 3.—No. 1865.

LLOYD, ARTHUR.—"The preparation of articles of food and drink."

This invention relates to the combination of "cuca or coca" with articles of food and drink. Clean dry leaves of cuca or coca (the "Erythroxyton coca") are ground "until the powder will pass through a fine sieve." In preparing chocolate or cocoa "about three quarters of an ounce of extract of cuca or coca" is added to about one pound of chocolate or cocoa. In preparing syrup of cocoa a mixture is made of about one pound of cocoa syrup and "the extract obtained from about two ounces of cuca or coca leaves digested in about two ounces of proof spirit." The patentee describes also the manufacture of cuca or coca biscuits and lozenges and of several beverages.

[*Printed, 4d. No Drawings.*]

A.D. 1876, June 17.—No. 2522.

DOWNING, GEORGE.—(*A communication from Edward Henry Cradock Monckton.*)—"Improvements in the treatment of vegetable fibres, and in the application of certain vegetable matters to useful purposes, and in the machinery necessary for carrying the same into effect."

The inventor describes various methods of treating the plant called in Arabic "daum," and in French "palmier nain," the fibre of the bark of the mauve plant, the African nettle, the wild mint, the stalks of the rye, and the roots of the trefoils, and clovers of various descriptions; he explains also the apparatus which he employs without confining himself "to any particular form of construction of machinery," and then states that he uses "the wild peppermint" for making a decoction to be drunk "as a substitute for tea, especially where there is pain in the stomach," and "the essential oil of this mint with a similar intent on sugar."

[*Printed, 4d. No Drawings.*]

A.D. 1876, July 4.—No. 2739.

CLARK, ALEXANDER MELVILLE.—(*A communication from José Antonio Mosquera.*)—"An improved coffee pulping machine."

A cylinder, revolving by steam or other power, is made with "longitudinal concaved grooves" of about "the width of a coffee berry," and "forming teeth" into which "notches are cut transversely to the grooves." The berries are fed to the cylinder by a hopper, and are carried by the grooves and notches "against a pulping or breaking knife." A second or separating knife is placed "below the breaking knife and nearer to the circumference of the cylinder to separate the beans from the pulps by the action of the cylinder thereon." The mashed or broken pulps are carried by the grooves and notches "past the separating knife," while the soft and elastic beans "escape through a channel between the upper and lower knives."

[*Printed, 4d. Drawing.*]

A.D. 1876, August 5.—No. 3119.

THOMSON, WILLIAM RICHARD MIDDLEMORE.—(*A communication from Francis William Mackenzie.*)—"Improvements in drying tea and in the apparatus employed therefor."

A current of hot air ascends through trays of wire or perforated metal which are "spread over with the tea leaf." The trays form the bottoms of drawers or frames, which fit air-tight into the upper part of a hot air chamber "by making their ends to overlap the front openings through which they slide." In the apparatus described there are "four sets" of drawers (two sets opening from the front and two from the back), and at the top of the chamber there are "ventilating openings" and "regulating slide doors." Below the drawers and mounted on a frame stands "a close steam heating cylinder chest;" it is closely fitted with vertical tubes "open right through from the bottom" to the top, and steam admitted to the lower part of the chest heats the outside of all the tubes and "the air passing through them." The chest is closed in by "angled boarding," and is provided with a condensed-steam pipe. "The small tea" which escapes through the trays descends by means of a "conical plate" through the

tubes into a "save-all tray or slide." The inventor does not confine himself to "the precise details" described in his specification.

[*Printed, 6d. Drawing.*]

A.D. 1876, August 23.—No. 3302.

GRIFFIN, GEORGE FEATHERSTONE.—"Boxes for matches and  
" other articles."

Three of the figures in the sheet of drawings "show a  
" canister made on the same principle and intended to hold  
" tea, coffee, and similar articles." An outer case and an  
inner case or lining are formed each with an orifice "in the  
" same radius and almost the same position." Indentations  
in the outer case forming projections therein, and correspond-  
ing grooves in the inner case allow "a portion of the box to  
" turn slightly," so that the orifices "are brought one over  
" the other when anything is wanted out of the box." A  
guide piece "in conjunction with the curvature of the box"  
leads the contents to the orifice.

[*Printed, 6d. Drawing.*]

A.D. 1876, August 23.—No. 3310.

WHITE, WILLIAM.—(*Provisional protection only.*)—"The  
" treatment of coffee and cocoa beans for the preparation of  
" the beverages of coffee and cocoa."

The beans, roasted in the usual manner, are put into "a  
" strong box or die, widening slightly to the lower end or  
" otherwise adapted to facilitate removal of the formed cake."  
When pressure is applied by means of a closely fitting  
plunger, the beans are "crushed to powder and compressed  
" into a friable cake," in which "the savour of the bean is  
" better preserved" than in ordinary ground beans. The  
usual adjuncts may be "introduced with the beans ground or  
" unground."

[*Printed, 2d. No Drawings.*]

A.D. 1876, September 28.—No. 3778.

GOUNDRY, RICHARD.—(*Provisional protection only.*)—"The  
" treatment of coffee to prepare it for the market."

The roasted berries are pressed in metal moulds into blocks about an inch thick, and weighing each about a quarter of a pound. The coffee when submitted to very high pressure "exudes a liquid," which is to be reabsorbed by protecting the blocks from the air. When the blocks are quite dry, they are wrapped in tin foil. Powdered sugar mixed with the coffee "serves to give greater tenacity and firmness to the block."

[Printed, 2d. No Drawings.]

A.D. 1876, October 14.—No. 3985.

FARQUHAR, ARTHUR ANDREW.—(*A communication from John Alexander Farquhar.*)—(*Provisional protection only.*)—"Machinery for rolling tea leaves."

Two funnels, by preference octagonal and of wood, are mounted concentrically on a vertical spindle. The inner funnel is fixed on the spindle and revolves with it, whilst the outer one is capable of revolving freely round it. The inner funnel is closed at the top and bottom, and the top and bottom of the outer one are open. The lower end of the outer funnel "is supported by arms radiating outwards from a collar loose on the spindle," and the two funnels by means of bevel gearing revolve in opposite directions. The tea leaves are put into the space between the funnels at the top; they are rolled over and over, and descend to the bottom of the space between the funnels. Below the bottom of the outer funnel is a circular table, which revolves with the spindle and can be raised or lowered on it.

[Printed, 2d. No Drawings.]

A.D. 1876, October 31.—No. 4214.

KINMOND, JAMES CRICHTON.—"Apparatus for rolling tea leaves."

The framework is of angle iron, and "in the shape of a triangle, when viewed downwardly;" its sides are provided "both exteriorly and interiorly with plummer blocks or bearings." The rolling is effected between horizontal plates, the inner faces of which are recessed and corrugated. The under plate is mounted on "three strong cranks" arranged at

equal distances apart “ in the form of an equilateral triangle,” their shafts being “ carried by the exterior plummer blocks.” One of the shafts has revolving motion imparted to it by bevel gearing from a driving shaft, and the under plate “ thus “ receives a horizontal rotatory motion, but has no circular “ motion around its own axis, neither has it a vertical or rising “ and falling motion.” The upper plate is suspended from three equidistant cranks “ connected by a triangular frame,” their shafts being carried by “ the interior plummer blocks,” and one of the shafts receiving revolving motion from the driving shaft by means of spur and bevel gearing. The upper plate is connected by a rod to a lever carrying an adjustable weight, so that it may be raised when the tea leaves are fed in between the plates, and lowered to effect the rolling and to adjust its pressure; it revolves in an opposite direction to the lower plate. The arrangement of the upper plate admits of modifications which are described in the specification. The upper plate is “ encircled by a loose iron ring,” which rests on the lower plate and prevents the escape of the leaves while being rolled; it is provided also with a hole for the admission of the lower end of a hopper. The lower plate is furnished with a door for the exit of the rolled leaves into a sieve. The method of working the apparatus is explained by the patentee.

[*Printed, 6d. Drawing.*]

A.D. 1876, November 28.—No. 4605.

MCKAY, RICHARD.—(*Provisional protection only.*)—“ Tins or “ canisters for containing paints, preserved meats, fish, fruit, “ coffee, and other similar substances, or liquid mixtures.”

The lid is cut out of sheet tin “ in a flat circular form with “ a lug-like extension at one side,” its diameter being slightly less than that of the canister to which it is to be applied. The body of the canister is formed in the usual way, but preferably corrugated round the sides near the top and bottom, “ leaving “ a slight bead at the extreme edge and narrow flange pro- “ jecting inwards to form a rest for the flat lid.” When the canister is filled, the lid is placed on the flanged end (with a sprinkling of resin between the two) and “ soldered down flat.” The lug-like extension “ is then turned over and pressed “ down flush against the side ” of the canister. The opening

is effected by taking hold of the lug with the finger and thumb "and giving it a smart pull upwards." Or the lid may be soldered on before the canister is filled. In this case a hole is formed in the bottom, through which the coffee or other substance is poured in, and the hole is then covered over "with a button or cap and sealed or soldered down air and liquid tight."

[*Printed, 2d. No Drawings.*]

---





## INDEX OF SUBJECT MATTER.

[The numbers refer to the pages on which the Abridgments commence. The names printed in *Italic* are those of the persons by whom the Inventions have been communicated to the Applicants for Letters Patent.]

### “Breakfast powders” and substitutes for tea, coffee, &c. :

Howard, 17.  
 Bonneville (*Beckman-Olofson*), 20.  
 Grimlinton (*Dawson*), 20.  
 Ross (*Dawson*), 23.  
 Liebert, 26.  
 Francis and Addiscott, 31.  
 Liebert, 31.  
 Hyatt, 43.  
 Downing (*Monckton*), 50.

### Chicory :

Drying and roasting ;  
 Coffey, 14.  
 Wetherill, 30.  
 Substitutes for ;  
 Howard, 17.

### Chocolate or cocoa :

And milk concentrated ;  
 Lobb, 49.  
 Hooker, 49.  
 Combined with malt, &c. ;  
 Klug, 1.  
 Combined with milk, &c. in gelatine cover ;  
 Nicoll, 34.  
 Compounding, methods of ;  
 Klug, 1.  
 Norris and Griffiths, 13.  
 Hooker, 49.  
 Lloyd, 50.  
 Compressing into cakes ;  
 Hyatt, 43.  
 White, 52.  
 Concentrated extract of ;  
 Pearson, 3.  
 Warry, 21.  
 Grinding, pulverising, and crushing ;  
 Cole, 29.  
 Cole, 32.

### Chocolate or cocoa—*cont.*

Grinding, pulverising, &c.—*cont.*  
 Cole, 35.  
 Cole, 40.  
 Hyatt, 43.  
 White, 52.  
 Packing, systems of ;  
 Nicoll, 34.  
 Nicoll, 48.  
 Powdered and compressed ;  
 Hyatt, 43.  
 White, 52.  
 Pulping or husking ;  
 Patterson, 37.  
 Roasting and cooling ;  
 Boyes, 24.  
 Branson, 31.

### Coffee :

And milk, concentrated ;  
 Spratt, 16.  
 McKenzie and Cameron, 18.  
 Lobb, 49.  
 Aroma, preserving. *See* Packing.  
 Aroma of roasting coffee, utilising ;  
 Hyatt, 43.  
 Canisters and metal cases for ;  
 Clark (*Howe*), 27.  
 D’Humy, 29.  
 Lake (*Moorey*), 32.  
 Griffin, 52.  
 McKay, 54.  
 Capsules or covers of gelatino for ;  
 Nicoll, 34.  
 Nicoll, 48.  
 Compressed into cartridges with concentrated milk and sugar ;  
 Spratt, 16.  
 Nicoll, 34.  
 Concentrated ;  
 Spratt, 16.  
 McKenzie and Cameron, 18.  
 Warry, 21.

Coffee—*cont.*

- Drying ;  
 Coffey, 14.  
 Gibbs, 15.  
 Gibbs and Borwiek, 19.  
 Perry, 22.  
 Lake (*Ashcroft*), 27.  
 Guenard, 28.
- Grinding ;  
 Wilson, 2.  
 Newton (*Dietz-Monnin*), 7.  
 Clark and Bruerton, 21.  
 Hunt (*Enterprise Manufacturing Co.*), 33.  
 Clark (*Anduze*), 34.  
 Gedge (*Redon and Co.*), 36.  
 White, 52.
- Hull or inner skin, removing.  
*See* Milling.
- Husk or outer skin, removing.  
*See* Pulping.
- Milling, winnowing, sifting, and sorting ;  
 Davies (*Marshall and Jones*), 4.  
 Angell, 8.  
 Hunt (*Marshall and Jones*), 9.  
 Lake (*Prince*), 10.  
 Lake (*Pratt and Alden*), 13.  
 Newell, 15.  
 McKinlay, 22.  
 Lake (*Squier*), 44.
- Mixing coffees, machine for ;  
 Bartlett, 23.
- Packing, apparatus for use in ;  
 Jonas, 12.  
 Hemingway, 26.  
 Manning and Tydeman, 38.
- Packing, gelatine covers for ;  
 Nicoll, 34.  
 Nicoll, 48.
- Packing, material for ;  
 Hatton, 47.
- Packing, metal cases and canisters for ;  
 Clark (*Howe*), 27.  
 D'Humy, 29.  
 Lake (*Moorey*), 32.  
 Griffin, 52.  
 McKay, 54.
- Packing, various systems of ;  
 Spratt, 16.  
 Nicoll, 34.  
 Lobb, 49.  
 Goundry, 52.
- Parchment or inner skin, removing. *See* Milling.
- Polishing. *See* Milling.
- Preparations of ;  
 Doyen, 22  
 Hyatt, 43.

Coffee—*cont.*

- Pulping ;  
 McKinlay, 22.  
 Patterson, 37.  
 Lidgerwood, 41.  
 Clark (*Mosquera*), 51.
- Roasted coffee, compressed and packed in tin-foil ;  
 Spratt, 16.  
 Goundry, 52.
- Roasted coffee, mixed or packed up with concentrated milk, &c. ;  
 Spratt, 16.  
 Nicoll, 34.  
 Lobb, 49.
- Roasted coffee, pulverised and made into tablets ;  
 Doyen, 22.  
 Hyatt, 43.
- Roasting and cooling ;  
 Myers (*Mueller*), 1.  
 Heywood, 2.  
 Lake (*Bowers*), 7.  
 Goodbody and Donovan, 10.  
 Stevens, 12.  
 Coffey, 14.  
 Boyes, 17.  
 Perry, 22.  
 Boyes, 24.  
 Goldsmith and Dilkes, 25.  
 Morton, 30.  
 Branson, 31.  
 Perry, 35.  
 Walker, 41.  
 Hyatt, 43.  
 Barlow (*Cook*), 46.
- Sifting and sorting. *See* Milling.
- Substitutes for ;  
 Bonneville (*Beckman-Olofson*), 20.  
 Grinlinton (*Dawson*), 20.  
 Ross (*Dawson*), 23.  
 Liebert, 26.  
 Francis and Addiseott, 31.  
 Liebert, 31.  
 Hyatt, 43.
- Wing, removing. *See* Milling.
- Winnowing. *See* Milling.

## Tea :

- And milk concentrated ;  
 Spratt, 16.  
 McKenzie and Cameron, 18.  
 Lobb, 49.
- Arona, preserving. *See* Packing.
- Canisters and metal cases for ;  
 Clark (*Howe*), 27.  
 D'Humy, 29.  
 Lake (*Moorey*), 32.  
 Griffin, 52.  
 McKay, 54.

Tea—*cont.*

- Capsules or covers of gelatine for packing ;
  - Nicoll, 34.
  - Nicoll, 48.
- Compressed into cartridges ;
  - Spratt, 16.
  - Nicoll, 34.
- Concentrated ;
  - Spratt, 16.
  - McKenzie and Cameron, 18.
  - Warry, 21.
- Firing and withering ;
  - Dickinson, 6.
  - Pridham, 39.
  - Mackenzie, 47.
  - Thomson (*Mackenzie*), 51.
- Mixing, apparatus for ;
  - Thompson, 3.
  - Bartlett, 23.
  - Pumphrey, 27.
- Packing, apparatus for use in ;
  - Jonas, 12.
  - Hemingway, 26.
  - Manning and Tydeman, 38.
- Packing, gelatine covers used in :
  - Nicoll, 34.
  - Nicoll, 48.
- Packing material for ;
  - Hatton, 47.

Tea—*cont.*

- Packing, metal cases and canisters for :
  - Geeves, 11.
  - Clark (*Howe*), 27.
  - D'Humy, 29.
  - Lake (*Moorey*), 32.
  - Griffin, 52.
- Packing, various methods of ;
  - Spratt, 16.
  - Nicoll, 34.
  - Lobb, 49.
- Powdered and compressed for packing ;
  - Spratt, 16.
  - Hyatt, 43.
- Rolling ;
  - Dickinson, 5.
  - Haworth, 18.
  - Lyle, 39.
  - Haworth, 42.
  - Lyle (*Lyle*), 43.
  - Thompson, 48.
  - Farquhar (*Farquhar*), 53.
  - Kimmond, 53.
- Screening, cutting, and mixing ;
  - Thompson, 3.
  - Bartlett, 23.
  - Pumphrey, 27.
- Substitutes for ;
  - Downing (*Monckton*), 50.
- Withering. *See* Firing.





## OFFICE OF THE COMMISSIONERS OF PATENTS.

---

All communications relating to the Patent Office, Museum, Registry of Designs, or Registry of Trade Marks, to be addressed to Mr. H. READER LACK, *Clerk of the Commissioners of Patents, Superintendent of the Patent Museum, Registrar of Designs, and Registrar of Trade Marks*, at the Office of the Commissioners of Patents, 25, Southampton Buildings, Chancery Lane, London, W.C.

---

LIST OF WORKS printed by order of THE COMMISSIONERS OF PATENTS FOR INVENTIONS, and sold at their Sale Branch, 38, Cursitor Street, Chancery Lane, London, E.C.

---

### I.

1. SPECIFICATIONS of PATENTS for INVENTIONS, DISCLAIMERS, &c., enrolled under the Old Law, from A.D. 1617 to Oct. 1852, comprised in 13,561 Blue Books, or 690 thick vols. imp. 8vo. Total cost price about 600*l*.
2. SPECIFICATIONS of INVENTIONS, DISCLAIMERS, &c., deposited and filed under the Patent Law Amendment Act from Oct. 1, 1852, to Dec. 31, 1882, comprised in 119,620 Blue Books, or 2,945 thick vols. imp. 8vo. Total cost price about 3,370*l*.

## II.

*The prices of the Indexes of Patents, Old and New Law for the years 1617 to 1870, have been reduced to the following uniform rates.*

INDEXES to PATENTS of INVENTION under the Old Law, from A.D. 1617 to October 1852 :—

CHRONOLOGICAL INDEX. 2 vols. (1554 pages.) Price 10s. ; by post, 13s. 2d.

ALPHABETICAL INDEX. 1 vol. (647 pages.) Price 5s. ; by post, 6s. 5d.

SUBJECT-MATTER INDEX. 2 vols. (970 pages.) Second Edition. 1857. Price 10s. ; by post, 12s. 8d.

REFERENCE INDEX of PATENTS of INVENTION, pointing out the Office in which each enrolled Specification may be consulted and the Books in which Specifications, Law Proceedings connected with Inventions, &c. have been noticed. 1 vol. (710 pages.) Second Edition. 1862. Price 5s. ; by post, 6s. 5d.

APPENDIX to the REFERENCE INDEX, containing abstracts from such of the early Patents and Signet Bills as describe the nature of the Invention. 1 vol. (91 pages.) Price 1s. ; by post, 1s. 6d.

INDEXES of APPLICATIONS for PATENTS and PATENTS GRANTED under the Patent Law Amendment Act, 1852 :—

CHRONOLOGICAL INDEXES :—

For 1852 (Oct. 1—Dec. 31) and 1853. (258 pages.) Price 2s. ; by post, 3s.

	<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>
[1854, 1855, 1856, 1857, 1858 <i>out of print.</i> ]				
1859 (196 pages), price	2	0	by post	2 7
1860 (209 „ ) „	2	0	„	2 7
1861 (215 „ ) „	2	0	„	2 7
1862 (237 „ ) „	2	0	„	2 8
1863 (220 „ ) „	2	0	„	2 7
1864 (222 „ ) „	2	0	„	2 7
1865 (230 „ ) „	2	0	„	2 7
1866 (239 „ ) „	2	0	„	2 8
1867 (254 „ ) „	2	0	„	2 8
1868 (274 „ ) „	2	0	„	2 8

ALPHABETICAL INDEXES :—

For 1852 (Oct. 1—Dec. 31) and 1853. (181 pages.) Price 2s. 6d. ; by post, 3s. 2d.

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
1854 (119 pages), price	2	6	by post	3	1
1855 (129 „ ), „	2	6	„	3	1

ALPHABETICAL INDEXES—*cont.*

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
1856 (143 pages), price	2	6	: by post	3	1
[1857, 1858, 1859, 1860, 1861, 1862	<i>out of print.</i> ]				
1863 (218 " )	2	6	"	3	2
1864 (220 " )	2	6	"	3	2
1865 (236 " )	2	6	"	3	2
1866 (243 " )	2	6	"	3	2
1867 (258 " )	2	6	"	3	2
1868 (291 " )	2	6	"	3	4
1869 (272 " )	2	6	"	3	3
1870 (242 " )	2	6	"	3	2
1871 ( 52 " )	2	0	"	2	1½
1872 ( 61 " )	2	0	"	2	1½
1873 ( 62 " )	2	0	"	2	2
1874 ( 54 " )	2	0	"	2	1½
[1875	<i>out of print.</i> ]				
1876 (135 " )	2	0	"	2	3
[1877	<i>out of print.</i> ]				
1878 (156 " )	2	0	"	2	4
1879 (173 " )	2	0	"	2	4½
1880 (176 " )	2	0	"	2	4½
1881 (190 " )	2	0	"	2	4½
1882 (183 " )	2	0	"	2	4½
*1883 { Jan. 1 to }	0	3	"	0	6
{ Sep. 30 }					

SUBJECT-MATTER INDEXES:—

For 1852 (Oct. 1—Dec. 31). (132 pages.) Price 5*s.*; by post, 5*s.* 7*d.*

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
1853 (291 pages), price	5	0	: by post	5	11
1854 (311 " )	5	0	"	6	0
1855 (311 " )	5	0	"	5	11
[1856, 1857, 1858, 1859, 1860, 1861, 1862,	<i>1863, 1864 out of print.</i> ]				
1865 (474 " )	5	0	"	6	1
1866 (465 " )	5	0	"	6	0
[1867, 1868, 1869, 1870, 1871, 1872, 1873,	<i>1874 out of print.</i> ]				
1875 (103 " )	2	0	"	2	2½
1876 (143 " )	2	0	"	2	3½
[2 <i>nd</i> edition.]					
1877 (159 " )	2	0	"	2	3½
[2 <i>nd</i> edition.]					
1878 (184 " )	2	0	"	2	4½
1879 (187 " )	2	0	"	2	4½
1880 (209 " )	2	0	"	2	5
1881 (238 " )	2	0	"	2	5
1882 ( 99 " )	2	0	"	2	2
[ <i>For temporary use.</i> ]					
*1883 { Jan. 1 to }	0	3	"	0	5
{ Sep. 30 }					

\* See notice on page 18.

### III.

ABRIDGMENTS (in Classes and Chronologically arranged) of SPECIFICATIONS of PATENTED INVENTIONS, from the earliest enrolled to those published under the Act of 1852.

These books are of 12mo. size, and each is limited to inventions of one class only. They are so arranged as to form at once a Chronological, Alphabetical, and Subject-matter Index to the class to which they relate. Inventors are strongly recommended, before applying for Letters Patent, to consult the classes of Abridgments of Specifications which relate to the subjects of their inventions, and by the aid of these works to select the Specifications they may consider it necessary to examine in order to ascertain if their inventions are new. The *preface* of each volume explains (in most cases) the scope of the series of Abridgments which it contains.

The following series of Abridgments (except Nos. 5, 6, 9, 10, 12, 13, 14, 19, 20, 26, 34, 37, 47, 53, 61, 62, 70, 72, 75, 79, 81, 82, 85, 86, 87, 89, 90, 91, 92, 93, 94, 95, 96, and 97) do not extend beyond the end of the year 1866; but it is intended, to continue them to the end of the year 1876. Until that is done the Inventor can continue his search by the aid of the Subject Matter Indexes and the Specifications.

*The classes already published are,—*

1. DRAINS AND SEWERS; INCLUDING THE MANUFACTURE OF DRAIN TILES AND PIPES, price 1s., by post 1s. 2d.
2. SEWING AND EMBROIDERING (2nd edition), price 1s. 6d., by post 1s. 9d.
3. MANURE.—Part I., A.D. 1721-1855, price 4d., by post 5d.—Part II., A.D. 1856-1866, price 1s. 2d., by post 1s. 3½d.
4. PRESERVATION OF FOOD.—Part I., A.D. 1691-1855, price 4d., by post 5d.—Part II., A.D. 1856-1866, price 6d., by post 7d.
5. MARINE PROPULSION (excluding sails).—Parts I., II., & III., A.D. 1618-1857, price 1s. 10d., by post 2s. 1d.—Part IV., A.D. 1857-1866, price 1s. 10d., by post 2s. 2d. *Continued from A.D. 1866, in combination with STEERING AND MANŒUVRING VESSELS* [Series No. 75, under the title of—  
MARINE PROPULSION (including steering and manœuvring vessels; but excluding sails). Part II., A.D., 1867-1876, price 1s. 6d., by post 1s. 8½d.
6. MANUFACTURE OF IRON AND STEEL.—Part I., A.D. 1620-1866 (2nd edition), price 3s. 6d., by post 4s. 0½d.—Part II., A.D. 1867-1876, price 4s. 6d., by post 5s. 2½d.
7. AIDS TO LOCOMOTION, price 6d., by post 7d.
8. STEAM CULTURE, price 8d., by post 9½d.
9. WATCHES, CLOCKS AND OTHER TIMEKEEPERS.—Part I., A.D. 1661-1856, price 8d., by post 9½d.—Part Ia., A.D. 1857-1866, price 8d., by post 9½d.—Part II., A.D. 1867-1876, price 8d., by post 9d.
10. FIRE-ARMS AND OTHER WEAPONS, AMMUNITION, AND ACCOUTREMENTS.—Part I., A.D. 1588-1858, price 1s. 4d., by post 1s. 7½d.—Part Ia., A.D. 1858-1866, price 2s. 2d., by post 2s. 6d. *Continued from A.D. 1866 in two Divisions, as follow:*  
FIRE-ARMS, AMMUNITION, &c. :  
DIVISION I., FIRE-ARMS AND SIMILAR WEAPONS.—Part II., A.D. 1867-1876, price 4s. 6d., by post 5s. 4½d.  
DIVISION II., CARTRIDGES, PROJECTILES, AND EXPLOSIVES.—Part II., A.D. 1867-1876, price 2s. 6d., by post 2s. 10½d.
11. MANUFACTURE OF PAPER, PASTEBOARD, AND PAPIER-MÂCHÉ.—Part I., A.D. 1665-1857, price 10d., by post 1s.—Part II., A.D. 1858-1866 (2nd edition), price 1s. 4d., by post 1s. 6½d.
12. CUTTING, FOLDING, AND ORNAMENTS PAPER; (including the general treatment of paper after its manufacture).—Part I. A.D. 1636-1866.—(2nd edition), price 2s., by post 2s. 3d.—Part II. A.D. 1867-1876, price 1s. 6d., by post 1s. 8½d.



13. LETTERPRESS AND SIMILAR PRINTING.—Part I., A.D. 1617-1857, price 2s. 8d., by post 3s. 3d.—Part II., A.D. 1858-1866, (2nd edition), price 2s. 6d., by post 2s. 9d.—Part III., A.D. 1867-1876, price 2s. 3d., by post 2s. 7½d.
14. BLEACHING, DYEING, AND PRINTING CALICO AND OTHER FABRICS AND YARNS.—Part I., A.D. 1617-1857, price 3s. 4d., by post 4s. 1d.—Part II., A.D. 1858-1866 (2nd edition), price 3s. 6d., by post 3s. 10d.—Part III., A.D. 1867-1876, price 1s. 6d., by post 1s. 9d.
15. ELECTRICITY AND MAGNETISM, THEIR GENERATION AND APPLICATIONS.—Part I., A.D. 1766-1857, price 3s. 2d., by post 3s. 11d.—Part II., A.D. 1858-1866 (2nd edition) price 2s. 8d., by post 3s. 2d. For continuations from A.D. 1867-1876 see series Nos. 92, 93, 94, 95, 96 and 97.
16. PREPARATION OF INDIA-RUBBER AND GUTTA-PERCHA (2nd edition), price 1s. 2d., by post 1s. 4½d.
17. PRODUCTION AND APPLICATIONS OF GAS.—Part I., A.D. 1681-1858, price 2s. 4d., by post 2s. 11d.—Part II., A.D. 1859-1866 (2nd edition), price 2s. 4d., by post 2s. 8½d.
18. METALS AND ALLOYS, price 1s. 10d., by post 2s. 2½d.
19. PHOTOGRAPHY.—Part I., A.D. 1839-1859, price 8d., by post 10d.—Part II., A.D. 1860-1866 (2nd edition), price 10d., by post 11½d.—Part III., A.D. 1867-1876, price 9d., by post 10½d.
20. WEAVING.—Part I., A.D. 1620-1859, price 4s., by post 4s. 11½d.—Part II., A.D. 1860-1866, price 2s. 8d., by post 3s. 1d.—Part III., A.D. 1867-1876, price 3s. 6d., by post 3s. 11½d.
21. SHIP BUILDING, REPAIRING, SHEATHING, LAUNCHING, &c.—Part I., A.D. 1618-1860, price 2s. 4d., by post 2s. 11d.—Part II., A.D. 1861-1866, price 2s. 6d., by post 2s. 11d.
22. BRICKS AND TILES.—Part I., A.D. 1619-1860, price 1s., by post 1s. 3½d.—Part II., A.D. 1861-1866, price 8d., by post 9½d.
23. PLATING OR COATING METALS WITH METALS.—Part I., A.D. 1637-1860, price 10d., by post 1s. 0¾d.—Part II., A.D. 1861-1866 (2nd edition), price 6d., by post 7d.
24. POTTERY.—Part I., A.D. 1626-1861, price 10d., by post 1s.—Part II., A.D. 1862-1866, price 6d., by post 7d.
25. MEDICINE, SURGERY, AND DENTISTRY (2nd edition), price 1s. 10d., by post 2s. 1½d.
26. MUSIC AND MUSICAL INSTRUMENTS, Part I., A.D. 1694-1866 (2nd edition), price 1s. 10d., by post 2s. 1½d.—Part II., A.D. 1867-1876, price 1s. 6d., by post 1s. 8d.
27. OILS, FATS, LUBRICANTS, CANDLES, AND SOAP (2nd edition), price 2s. 10d., by post 3s. 4d.
28. SPINNING; INCLUDING THE PREPARATION OF FIBROUS MATERIALS, AND THE DOUBLING OF YARNS AND THREADS.—Part I., A.D. 1624-1863 (out of print).—Part II., A.D. 1864-1866, price 2s. by post 2s. 4d.
29. LACE-MAKING, KNITTING, NETTING, BRAIDING, AND PLAITING (including also the manufacture of fringe and chenille), (2nd edition), price 7s., by post 7s. 7d.
30. PREPARATION AND COMBUSTION OF FUEL (out of print).
31. RAISING, LOWERING, AND WEIGHING (2nd edition), price 3s. 8d., by post 4s. 3½d.
32. HYDRAULICS (2nd edition), price 4s. 8d., by post 5s. 5d.
33. RAILWAYS (2nd edition), price 2s. 6d., by post 2s. 11d.
34. SADDLERY, HARNESS, STABLE FITTINGS, &c.—Part I., A.D. 1625-1866, price 1s., by post 1s. 2d.—Part II., A.D. 1867-1876, price 1s. 2d., by post 1s. 4d.
35. ROADS AND WAYS, price 1s., by post 1s. 2d.
36. BRIDGES, VIADUCTS, AND AQUEDUCTS, price 10d., by post 1s.
37. WRITING INSTRUMENTS AND MATERIALS.—PART I., A.D. 1635-1866, price 1s. 4d., by post 1s. 7d.—PART II., A.D. 1867-1876, price 1s., by post 1s. 1½d.
38. RAILWAY SIGNALS AND COMMUNICATING APPARATUS (out of print).
39. FURNITURE AND UPHOLSTERY price 2s., by post 2s. 4d.
40. ACIDS, ALKALIES, OXIDES, AND SALTS, price 3s. 8d., by post 4s. 3d.
41. AERONAUTICS, price 4d., by post 5d.
42. PREPARATION AND USE OF TOBACCO, price 10d., by post 1s.
43. BOOKS, PORTFOLIOS, CARD-CASES, &c., price 10d., by post, 1s.

42. LAMPS, CANDLESTICKS, CHANDELIERE, AND OTHER ILLUMINATING APPARATUS, price 2s. 6d., by post 2s. 10½d.
43. NEEDLES AND PINS, price 6d., by post 7d.
44. CARRIAGES AND OTHER VEHICLES FOR RAILWAYS, price 5s. 6d., by post 6s. 4d.
45. UMBRELLAS, PARASOLS, AND WALKING STICKS.—Part I., A.D. 1780-1866, price 10d., by post 11½d.—Part II., A.D. 1867-1876, price 1s., by post 1s. 1½d.
46. SUGAR, price 1s. 10d., by post 2s. 1½d.
47. STEAM ENGINE.—Part I. (in 2 vols.), A.D. 1618-1869, price 9s. 4d., by post 10s. 10½d.—Part II. (in 2 vols.), A.D. 1860-1866, price 4s. 10d., by post 5s. 7d.
48. PAINTS, COLOURS, AND VARNISHES, price 1s. 10d., by post 2s. 1½d.
49. TOYS, GAMES, AND EXERCISES, price 1s., by post 1s. 2d.
50. VENTILATION, price 1s. 10d., by post 2s. 0½d.
51. FARRIERY; INCLUDING THE MEDICAL AND SURGICAL TREATMENT OF ANIMALS.—Part I. A.D. 1719-1866, price 1s., by post 1s. 1½d.—Part II. A.D. 1867-1876, price 1s., by post 1s. 1½d.
52. ARTISTS' INSTRUMENTS AND MATERIALS, price 10d., by post 1s.
53. SKINS, HIDES, AND LEATHER, price 1s. 6d., by post 1s. 8½d.
54. PREPARING AND CUTTING CORK; BOTTLING LIQUIDS; SECURING AND OPENING BOTTLES, &c., price 1s. 6d., by post 1s. 9d.
55. BRUSHING AND SWEEPING, price 1s., by post 1s. 2d.
56. NAILS, RIVETS, BOLTS, SCREWS, NUTS, AND WASHERS, price 1s., 8d., by post 1s. 11½d.
57. HINGES, HINGE JOINTS, AND DOOR SPRINGS, price 8d., by post 9½d.
58. LOCKS, LATCHES, BOLTS, AND SIMILAR FASTENINGS, price 1s. 6d., by post 1s. 9d.
59. COOKING, BREAD-MAKING, AND THE PREPARATION OF CONFECTIONERY.—Part I. A.D. 1634-1866, price 1s. 10d., by post 2s. 1½d.—Part II. A.D. 1837-1876, price 1s. 6d., by post 1s. 8½d.
60. AIR, GAS, AND OTHER MOTIVE POWER ENGINES.—Part I., A.D. 1635-1866, price 1s. 10d., by post 2s. 1½d.—Part II., A.D. 1867-1876, price 3s. 6d., by post 4s. 0½d.
61. WATER CLOSETS, EARTH CLOSETS, URINALS, &c., price 10d., by post 1s.
62. SAFES, STRONG ROOMS, TILLS, AND SIMILAR DEPOSITORIES, price 6d., by post 7d.
63. WEARING APPAREL. DIVISION I.—HEAD COVERINGS, price 1s. 4d., by post 1s. 6½d.
64. WEARING APPAREL. DIVISION II.—BODY COVERINGS, price 2s. 4d., by post 2s. 8½d.
65. WEARING APPAREL. DIVISION III.—FOOT COVERINGS, price 1s. 10d., by post 2s. 1½d.
66. WEARING APPAREL. DIVISION IV.—DRESS FASTENINGS AND JEWELLERY, price 2s. 10d., by post 3s. 1½d.
67. ANCHORS, price 6d., by post 7d.
68. METALLIC PIPES AND TUBES.—Part I., A.D. 1741-1866, price 1s. 8d., by post 1s. 11d.—Part II., A.D. 1867-1876, price 1s. 8d., by post 1s. 5½d.
69. MINING, QUARRYING, TUNNELLING, AND WELL-SINKING, price 1s. 4d., by post 1s. 6½d.
70. MILKING, CHURNING, AND CHEESE-MAKING.—Part I., A.D. 1777-1866, price 6d., by post 7d.—Part II., A.D. 1867-1876, price 8d., by post 9d.
71. MASTS, SAILS, RIGGING, &c.; INCLUDING APPARATUS FOR RAISING AND LOWERING SHIPS' BOATS, price 1s., by post 1s. 2d.
72. CASKS AND BARRELS, price 8d., by post 9½d.
73. STEERING AND MANŒUVRING VESSELS, Part I., A.D. 1763-1866, price 1s., by post 1s. 2d. *Continued from A.D. 1866, in combination with MARINE PROPULSION (excluding sails) [Series No. 5], under the title of—*  
MARINE PROPULSION (including steering and manŒuvring vessels; but excluding sails), Part II., A.D. 1867-1876, price 1s. 6d., by post 1s. 8½d.
74. OPTICAL, MATHEMATICAL, AND OTHER PHILOSOPHICAL INSTRUMENTS, INCLUDING NAUTICAL, ASTRONOMICAL, AND METEOROLOGICAL INSTRUMENTS, price 2s. 10d., by post 3s. 2d.

77. HARBOURS, DOCKS, CANALS, &c., price 1s. 2d., by post 1s. 4d.
78. GRINDING GRAIN AND DRESSING FLOUR AND MEAL, price 2s. 4d., by post 2s. 6½d.
79. PURIFYING AND FILTERING WATER.—Part I., A.D. 1675-1866, price 1s. 2d., by post 1s. 3¼d.—Part II., A.D. 1867-1876, price 6d., by post 7d.
80. ARTIFICIAL LEATHER, FLOORCLOTH, OILCLOTH, OILSKIN, AND OTHER WATERPROOF FABRICS, price 1s. 10d., by post 2s. 0¼d.
81. AGRICULTURE. DIVISION I.—FIELD IMPLEMENTS (including methods of tilling and irrigating land).—Part I., A.D. 1618-1866, price 5s. 8d., by post 6s. 2½d.—Part II., A.D. 1867-1876, price 2s., by post 2s. 3½d.
82. AGRICULTURE. DIVISION II.—BARN AND FARMYARD IMPLEMENTS (including the cleansing, drying, and storing of grain).—Part I., A.D. 1636-1866, price 3s., by post 3s. 3½d.—Part II., A.D. 1867-1876, price 1s. 3d., by post, 1s. 5d.
83. AGRICULTURE. DIVISION III.—AGRICULTURAL AND TRACTION ENGINES (*will shortly be published*).
84. TRUNKS, PORTMANTEAUS, BOXES, AND BAGS, price 1s., by post 1s. 1½d.
85. ICE-MAKING MACHINES, ICE SAFES, AND ICE HOUSES (including the use of freezing agents for preserving alimentary substances).—Part I., A.D. 1819-1866, price 6d., by post 7d.—Part II., A.D. 1867-1876, price 1s. 6d., by post 1s. 7½d.
86. UNFERMENTED BEVERAGES, AERATED LIQUIDS, MINERAL WATERS, &c.—Part I., A.D. 1774-1866, price 1s., by post 1s. 1½d.—Part II., A.D. 1867-1876, price 6d., by post 7d.
87. TEA, COFFEE, CHICORY, CHOCOLATE, COCOA, &c.—Part I., A.D. 1704-1866, price 8d., by post 9d.—Part II., A.D. 1867-1876, price 6d., by post 7d.
88. FIRE ENGINES, EXTINGUISHERS, ESCAPES, ALARMS, &c. (including fire-proof dresses and fabrics), price 2s., by post 2s. 2½d.
89. WASHING AND WRINGING MACHINES.—Part I., A.D. 1691-1866, price 1s. 6d., by post 1s. 8d.—Part II., A.D. 1867-1876, price 9d., by post 10½d.
90. CHAINS, CHAIN CABLES, &c.—Part I., A.D. 1634-1866, price 9d., by post 10d.—Part II., A.D. 1867-1876, price 6d., by post 7d.
91. DRESSING AND FINISHING WOVEN FABRICS, AND MANUFACTURING FELTED FABRICS (including folding, winding, measuring, and packing).—Part I., A.D. 1620-1866, price 3s. 6d., by post 3s. 10½d.—Part II., A.D. 1867-1876, price 1s. 6d., by post 1s. 8½d.
92. ELECTRICITY AND MAGNETISM. DIVISION I.—GENERATION OF ELECTRICITY AND MAGNETISM, A.D. 1766-1866.—Part I., *see* Series No. 15.;—Part II., A.D. 1867-1876, price 1s., by post 1s. 1½d.
93. ELECTRICITY AND MAGNETISM. DIVISION II.—CONDUCTING AND INSULATING, A.D. 1766-1866.—Part I., *see* Series, No. 15.—Part II., A.D. 1867-1876, price 1s., by post 1s. 1½d.
94. ELECTRICITY AND MAGNETISM. DIVISION III.—TRANSMITTING AND RECEIVING SIGNALS, CONTROLLING MECHANICAL ACTION AND EXHIBITING ELECTRIC EFFECTS, A.D. 1766-1866.—Part I., *see* Series No. 15.;—Part II., A.D. 1867-1876, price 2s., by post, 2s. 3d.
95. ELECTRICITY AND MAGNETISM. DIVISION IV.—ELECTRIC LIGHTING, IGNITING, AND HEATING.—Parts I. and II. (in one vol.) A.D. 1839-1876, price 9d., by post 10½d.
96. ELECTRICITY AND MAGNETISM. DIVISION V.—ELECTRO-DEPOSITION AND ELECTROLYSIS.—Parts I. and II. (in one vol.) A.D. 1805-1876, price 1s. 6d., by post 1s. 8½d.
97. ELECTRICITY AND MAGNETISM. DIVISION VI.—ELECTRIC MOTIVE POWER ENGINES AND SIMILAR APPARATUS.—Parts I. and II. (in one vol.) A.D. 1837-1876, price 7d., by post 8d.
98. CARRIAGES AND OTHER VEHICLES FOR COMMON ROADS, price 5s., by post 5s. 8½d.
99. BREWING, WINE-MAKING, AND DISTILLING ALCOHOLIC LIQUIDS, price 3s. 6d., by post 3s. 10d.

---

*A Key to the contents of the above volumes of Abridgments will be found on pages 20 to 32.*

## IV.

COMMISSIONERS of PATENTS' JOURNAL, published on the evenings of Tuesday and Friday in each week. Price 2*d.*; by Post, 3*d.* Annual Subscription, including postage, 25*s.* which may be remitted by Post Office Order, made payable at the Post Office, Chancery Lane, to Mr. H. Reader Lack, Clerk of the Commissioners of Patents.

Subscriptions to the Commissioners of Patents' Journal will not be received for a shorter period than three months, such period to commence on either of the following dates:—

1st January,		1st July, or
1st April,		1st October.

Annual subscriptions to date from 1st January in each year. All subscriptions must be paid in advance.

### CONTENTS OF JOURNAL.

- |  |  |   |
|--|--|---|
| 1. Applications for Letters Patent.  |  | duty of 50 <i>l.</i> before the expiration of the third year.   |
| 2. Grants of Provisional Protection for six months.                                |  | 12. Patents on which the seventh year's stamp duty of 100 <i>l.</i> has been paid.  |
| 3. Inventions protected for six months by the deposit of a Complete Specification. |  | 13. Patents which have become void by non-payment of the stamp duty of 100 <i>l.</i> before the expiration of the seventh year. |
| 4. Notices to proceed.   |  | 14. Lists of Colonial Patents.  |
| 5. Patents sealed.   |  | 15. Lists of Foreign Patents.   |
| 6. Specifications filed.   |  | 16. Designs registered.   |
| 7. Patents; confirmation and extension of.   |  | 17. Trade Marks registered.   |
| 8. Patents cancelled.  |  | 18. Weekly price lists of printed Specifications, &c.   |
| 9. Lists of Disclaimers and Memoranda of Alterations.                              |  | 19. Official advertisements and notices of interest to Patentees and Inventors generally.                                       |
| 10. Patents on which the third year's stamp duty of 50 <i>l.</i> has been paid.    |  |   |
| 11. Patents which have become void by non-payment of the stamp                     |  |   |

## V.

1. PATENT LAW AMENDMENT ACTS (15 & 16 Vict. cap. 83, A.D. 1852; 16 Vict. cap. 5, A.D. 1853; and 16 & 17 Vict. cap. 115, A.D. 1853); together with the RULES, REGULATIONS, and ORDERS for the passing of Letters Patent for Inventions. Price 6*d.*; by post, 7*d.*

2. CATALOGUE of the LIBRARY of the PATENT OFFICE, arranged alphabetically, in two volumes. Vol. I.—Authors. Price, 31*s.* 6*d.*; by post, 33*s.*

Vol. II.—Subjects (*in course of preparation*).

3. INDEX to ALL INVENTIONS PATENTED in ENGLAND from 1617 to 1854 inclusive, arranged under the greatest number of heads, with parallel references to INVENTIONS and DISCOVERIES described in the scientific works of VARIOUS NATIONS, as classified by Professor Schubarth. By B. WOODCROFT, F.R.S. Price 1*s.*; by post, 1*s.* 1*d.*

The foreign works thus indexed form a portion of the Library of the Commissioners of Patents, where they may be consulted.

c. SUPPLEMENT to the SERIES of LETTERS PATENT and SPECIFICATIONS, from A.D. 1617 to Oct. 1852; consisting for the most part of Reprints of scarce Pamphlets, descriptive of the early patented Inventions comprised in that Series.

CONTENTS.

1. Metallica; or the Treatise of Metallica, briefly comprehending the doctrine of diverse new metallical inventions, &c. By SIMON STURTEVANT. (*Letters Patent, dated 29th February 1611.*) Price 1s. 4d.; by post, 1s. 5d.
2. A Treatise of Metallica, but not that which was published by Mr. Simon Sturtevant, upon his Patent, &c. By JOHN ROVENZON. (*Letters Patent granted A.D. 1612.*) Price 4d.; by post, 4½d.
3. A Commission directed to Sir Richard Wynne and others to inquire upon oath whether NICHOLAS PAGE or Sir NICHOLAS HALSE was the first inventor of certaine kilnes for the drying of malt, &c. &c. (*Letters Patent Nos. 71b and 85, respectively dated 10th July 1634, and 23rd July 1635.*) Price 2d.; by post, 2½d.
4. DUD DUDLEY's Metallum Martis; or iron made with pit-coale, sea-coale, &c. (*Letters Patent, Nos. 18 and 117, respectively dated 22nd February 1620, and 2nd May 1633.*) Price 8d.; by post, 8½d.
5. Description of the nature and working of the Patent Water-scoop Wheels invented by WILLIAM WHEELER, as compared with the raising wheels now in common use. By J. E. W. Translated from the Dutch by Dr. Tolhausen. (*Letters Patent, No. 127, dated 24th June 1642.*) Price 2s.; by post, 2s. 1½d.
6. An exact and true definition of the stupendous Water-commanding Engine invented by the Right Honourable (and deservedly to be praised and admired) EDWARD SOMERSET, Lord Marquis of WORCESTER, &c., &c. (*Stat. 15 Car. II. c. 12. A.D. 1663.*) Price 4d.; by post, 4½d.
7. Navigation improved; or the art of rowing ships of all rates in calms with a more easy, swift, and steady motion than oars can. By THOMAS SAVERY. (*Letters Patent, No. 347, dated 10th Jan. 1696.*) Price 1s.; by post, 1s. 0½d.
8. The Miner's Friend; or an engine to raise water by fire, described, &c. By THOMAS SAVERY. (*Letters Patent, No. 356, dated 25th July 1698, and Stat. 10 & 11 Will. III. No. 61, A.D. 1699.*) Price 1s.; by post, 1s. 1d.
9. Specimina Ichnographica; or a brief narrative of several new inventions and experiments, particularly the navigating a ship in a calm, &c. By JOHN ALLEN, M.D. (*Letters Patent No. 513, dated 7th August 1729.*) Price 8d.; by post, 9d.
10. A description and draught of a new-invented Machine for carrying vessels or ships out of or into any harbour, port, or river against wind and tide, or in a calm, &c. By JONATHAN HULLS. (*Letters Patent, No. 556, dated 21st December 1736.*) Price 8d.; by post, 9d.
11. An historical account of a new method for extracting the foul air out of ships, &c., with the description and draught of the machines by which it is performed, &c. By SAMUEL SUTTON, the Inventor. To which are annexed two relations given thereof to the Royal Society by Dr. Mead and Mr. Watson. (*Letters Patent, No. 602, dated 16th March 1744.*) Price 1s.; by post, 1s. 1d.
12. The letter of Master WILLIAM DRUMMOND for the construction of machines, weapons, and engines of war for attack or defence by land or sea, &c. Dated the 29th September 1626. (*Scotch Patent, temp. Car. II.*) Price 4d.; by post, 4½d.
13. Contributions to the History of the Steam Engine, being two deeds relating to the erection by Messrs. Boulton and Watt of steam engines on the United Mines at Gwennap, Cornwall, and at Werneth Colliery, near Oldham, Lancashire From the originals in the Patent Office Library. Price 10d., by post, 10½d.

A FREE LIBRARY and READING ROOMS are open to the Public daily, from 10 till 4 o'clock, in the Office of the Commissioners of Patents, 25, Southampton Buildings, Chancery Lane. In addition to the printed Specifications, Indexes, Abridgments, and other publications of the Commissioners, the Library includes a collection of the Patent Laws and Regulations and Trade Marks Laws and Regulations of Foreign States and of the British Colonies; it also contains the leading British and Foreign Scientific Journals and text-books in the various departments of science and art.

The Commissioners' publications can also be consulted daily at the Patent Museum, *see* page 20.

Complete sets of the Commissioners of Patents' publications (each set including more than 3,890 volumes and costing for printing and paper upwards of £4,030) have been presented to the authorities of the most important towns in the kingdom, on condition that the works shall be rendered daily accessible to the public, for reference or for copying, free of all charge. The following list gives the names of the towns, and shows the place of deposit of each set of the works thus presented:—

- |   |  |
|---|--|
| Aberdeen ( <i>Mechanics' Institution</i> ).                                   | London ( <i>British Museum</i> ).  |
| Belfast ( <i>Queen's College</i> ).   | Macclesfield ( <i>Useful Know. Society</i> ).                                    |
| Birmingham ( <i>Central Free Library—Reference Department, Ratcliff Pl.</i> ) | Maidstone ( <i>Museum and Public Library</i> ).                                  |
| Blackburn ( <i>Free Library and Museum, Library Street</i> ).                 | Manchester ( <i>Free Reference Library, King Street</i> ).                       |
| Bolton-le-Moors ( <i>Public Library, Exchange Buildings</i> ).                | Newcastle-upon-Tyne ( <i>Public Library, New Bridge Street</i> ).                |
| Bradford, Yorkshire ( <i>Public Free Library</i> ).                           | Newport, Monmouth ( <i>Commercial Room, Town Hall</i> ).                         |
| Brighton ( <i>Free Library, Town Hall</i> ).                                  | Northampton ( <i>Museum, Guildhall</i> ).  |
| Bristol ( <i>Free Library, King Street</i> ).                                 | Nottingham ( <i>Free Public Libraries</i> ).                                     |
| Burnley ( <i>Office of the Burnley Improvement Commissioners</i> ).           | Oldham ( <i>School of Arts and Sciences, Lyceum</i> ).                           |
| Bury. ( <i>Athenæum</i> ).  | Paisley ( <i>Government School of Design, Gilmour Street</i> ).                  |
| Carlisle ( <i>Pub. Free Lib<sup>y</sup>, Police Office</i> ).                 | Plymouth ( <i>Free Library</i> ).  |
| Cork ( <i>Royal Cork Instn., Nelson Place</i> ).                              | Preston, Lancashire ( <i>Dr. Shepherd's Library, the Institution, Avenham</i> ). |
| Crewe ( <i>Railway Station</i> ).   | Reading ( <i>Literary, Scientific, and Mechanics' Institution, London St.</i> )  |
| Derby ( <i>Free Library and Museum</i> ).                                     | Rochdale ( <i>Free Public Library, Town Hall</i> ).                              |
| Dorchester ( <i>County Museum and Library</i> ).                              | Rotherham ( <i>Board of Health Offices, Howard Street</i> ).                     |
| Dublin ( <i>National Library of Ireland, Kildare St.</i> )                    | Salford ( <i>Royal Museum and Library, Peel Park</i> ).                          |
| Dundalk ( <i>Free Library</i> ).  | Sheffield ( <i>Free Library, Surrey Street</i> ).                                |
| Gateshead-on-Tyne ( <i>Mechanics' Institute</i> ).                            | Southampton ( <i>Hartley Institution</i> ).                                      |
| Glasgow ( <i>Stirling's Lib<sup>y</sup>, Miller St.</i> )                     | Stockport ( <i>Central Free Library</i> ).                                       |
| Halifax ( <i>Town Hall</i> ).   | Swansea ( <i>Free Library</i> ).   |
| Huddersfield ( <i>Corporation Offices</i> ).                                  | Wakefield ( <i>Mechanics' Institution, Barstow Square</i> ).                     |
| Hull ( <i>Mechanics' Instn., George St.</i> )                                 | Warrington ( <i>The Museum and Library</i> ).                                    |
| Ipswich ( <i>Museum Library, Museum Street</i> ).                             | Wexford ( <i>Mechanics' Institute, Crescent Quay</i> ).                          |
| Keighley ( <i>Mechanics' Instn., North St.</i> )                              | Wigan.   |
| Kidderminster ( <i>Public Free Library, Public Buildings, Vicar Street</i> ). | Wolverhampton ( <i>Free Library</i> ).   |
| Leamington ( <i>Free Public Library, Bath Street</i> ).                       | Wolverton ( <i>Railway Station</i> ).  |
| Leeds ( <i>Public Library, Infirmary Buildings</i> ).                         | York ( <i>Lower Council Chamber, Guildhall</i> ).                                |
| Leicester ( <i>Free Library, Wellington Street</i> ).                         |  |
| Liverpool ( <i>Free Public Library, William Brown Street</i> ).               |  |

The Commissioners' publications have also been presented to the following Public Offices, Seats of Learning, Societies, British Colonies, and Foreign States :—

*Public Offices, &c.*

Admiralty—Chatham Dockyard.	India Office.
Sheerness ditto.	Royal School of Mines, &c., Jermyn Street, Piccadilly.
Portsmouth ditto.	Dublin Castle Dublin.
Devonport ditto.	Record and Writ Office, Chancery Dublin.
Pembroke ditto.	Office of Chancery, Edinburgh.
Royal Artillery Institution, Woolwich.	Museum of Science and Art, Edinburgh.
War Office, Pall Mall.	
Small Arms Factory, Enfield.	

*Seats of Learning and Societies.*

Cambridge University.	Queen's College, Galway.
Trinity College, Dublin.	Incorporated Law Society, Chancery Lane, London.

*British Colonies.*

Barbados.	India—Bengal.	Queensland.
British Guiana.	Bombay.	South Australia—Colonial Institute, Adelaide.
Canada—Library of Parliament, Ottawa.	Madras.	Tasmania.
Bureau of Agriculture, Toronto.	Jamaica.	Trinidad.
Board of Arts and Manufactures, Montreal.	Malta.	Victoria—Parliamentary Library, Melbourne.
Cape of Good Hope.	Mauritius.	Patent Office, Melbourne.
Ceylon.	New Brunswick.	Public Library, Melbourne.
	Newfoundland.	
	New South Wales.	
	New Zealand.	
	Nova Scotia.	
	Prince Edward Island.	

*Foreign States.*

Argentine Republic—Buenos Ayres.
Austria—Polytechnic University, Prague.
Polytechnic University, Vienna.
Belgium—Ministère de l'Intérieur, Brussels.
Musée de l'Industrie, Brussels.
France—Bibliothèque Nationale, Paris.
Conservatoire des Arts et Métiers, Paris.
Germany—Kaiserliches Patentamt, Berlin.
Alsace—Société Industrielle Mulhouse.
Bavaria—Königliche Bibliothek, Munich.
Gotha—Ducal Friedenstein Collection.
Prussia—Königliche Polytechnische Schule, Aix-la-Chapelle.
Königliche Bibliothek, Berlin.
Königliche Polytechnische Schule, Hanover.
Saxony—Königliche Polytechnische Schule, Dresden.
Württemberg—Bibliothek des Musterlagers, Stuttgart.
Italy—Ufficio delle Privative, Rome.
Netherlands—Harlem.
Russia—Bibliothèque Impériale. St. Petersburg.
Polytechnic School, Riga.
Spain—Madrid.
Sweden—Teknologiska Institutet, Stockholm.
United States—Patent Office, Washington, D.C.
Astor Library, New York, N.Y.
State Library, Albany, N.Y.
Franklin Institute, Philadelphia, Pa.
Free Public Library, Boston, Mass.
Public Library, Cincinnati, Ohio.
Free Public Library, Chicago, Ill.
Peabody Institute, Baltimore, Md.
Historical Society, Madison, Wis.
Cornell University, Ithaca, N.Y.
Mercantile Library, St. Louis, Mo.
Mechanics' Institute, San Francisco, Cal.

GRANTS of complete series of Abridgments of Specifications have been made to the undermentioned Mechanics' Literary and Scientific Institutions:—

- Aberystwith (*Literary and Working Men's Reading Room*).
- Alnwick (*Scientific and Mechanical Institution*).
- Alton (*Mechanics' Institution*).
- Altrincham (*Altrincham and Bowdon Literary Institution*).
- Ashburton (*Ashburton Library, East Street*).
- Ashby-de-la-Zouch (*Mutual Improvement Society*).
- Ashton-under-Lyne, (*Free Library, Town Hall*).
- (*Mechanics' Institution*).
- Aston, near Birmingham (*Aston Manor Public Library*).
- Aylesbury (*Kingsbury Mechanics' Institution*).
- Baeup (*Mechanics' Institution*).
- Banbury (*Mechanics' Institution*).
- Barnstaple (*Literary and Scientific Institution*).
- Barrow-in-Furness (*Barrow Working Men's Club and Institute*).
- Basingstoke (*Mechanics' Institute and Club*).
- Bath (*Athenæum*).
- (*People's Club and Institute*).
- (*Royal Literary and Scientific Institution*).
- Batley (*Mechanics' Institution*).
- Battle (*Young Men's Christian Association*).
- Belfast (*Athenæum*).
- (*Northern Law Club*).
- (*People's Literary Institute*).
- Berkhampstead, Great (*Mechanics' Institute*).
- (*Working Men's College*).
- Birkenhead (*Literary and Scientific Society*).
- Birmingham (*Bloomsbury Institution*).
- (*Central Lending Library*).
- (*Free Library and News Room, Gosta Green*).
- (*Graham Street Institution*).
- Bodmin (*Literary Institution*).
- Bolton (*Mechanics' Institute*).
- (*School of Art*).
- Bournemouth (*Library and Reading Room*).
- Bradford, Yorkshire (*Church Institute*).
- (*Library and Literary Society*).
- (*Mechanics' Institute*).
- Braintree (*Braintree and Bocking Literary and Mechanics' Institution*).
- Brampton, near Chesterfield (*Local Museum and Literary Institute*).
- Breage, Cornwall (*Institution*).
- Brigg, Lincolnshire (*Reading Society*).
- Bristol (*Athenæum*).
- (*Institution*).
- (*Law Library Society*).
- (*Museum and Library, Queen's Road*).
- Bromsgrove (*Literary and Mechanics' Institute*).
- Burnley (*Literary Institution*).
- (*Mechanics' Institution*).
- Burslem (*Wedwood Institute*).
- Bury (*Athenæum*).
- Bury St. Edmund's (*Athenæum*).
- (*Mechanics' Inst.*)
- Calne (*Literary Institution*).
- Canterbury (*Westgate Towers*).
- Carbarrack (*Literary Institute*).
- Carmarthen (*Literary and Scientific Institution*).
- Cheddar (*Literary Institution*).
- Cheltenham (*Permanent Library*).
- Chertsey (*Literary and Scientific Institution*).
- Chester (*City Library and Reading Room*).
- Chesterfield (*Mechanics' Institution*).
- Chichester (*Literary Society and Mechanics' Institute*).
- Chippenham (*Literary and Scientific Institution*).
- Christchurch (*Working Men's Institute*).
- Cockermouth (*Mechanics' Institution*).
- Coggeshall (*Literary and Mechanics' Institution*).
- Colechester (*Literary Institution*).
- (*Young Men's Christian Association*).
- Compstall (*Athenæum*).
- Coventry (*Free Library*).
- (*Institute*).
- (*School of Art*).
- Crewe (*Mechanics' Institution*).
- Deal (*Deal and Walmer Institute*).
- Derby (*Mechanics' Institution*).
- Devonport (*Mechanics' Institute*).
- Dewsbury (*Mechanics' Institution*).
- Diss (*Reading Room and Library*).
- Doncaster (*Free Library*).
- (*Great Northern Mechanics' Institute*).
- (*Young Men's Christian Association*).
- Dorchester (*County Museum and Library*).
- (*Working Men's Institute*).
- Dudley (*Mechanics' Institution*).
- Dukinfield (*Village Library and Reading Room*).
- Dumbarton (*Philosophical and Literary Society*).
- Dumfries (*Mechanics' Institution*).



Dundee (*Young Men's Christian Association and Literary Inst.*)  
Durham (*Mechanics' Institute*).  
Eagley, Bolton-le-Moors (*Library and Institute*).  
Ealing (*Young Men's Institute*).  
East Retford (*Literary and Mutual Improvement Society*).  
Ebbw Vale (*Literary and Scientific Institute*).  
Eccles, near Manchester (*Provident Industrial Co-operative Society*).  
Edinburgh (*Advocates Library*).  
—— (*Association of Science and Art*).  
—— (*Philosophical Institution*).  
—— (*Royal Scottish Society of Arts*).  
—— (*Watt Institution and School of Art*).  
—— (*Working Men's Club*).  
Egham (*Literary Institute*).  
Egremont (*Mechanics' Institute*).  
—— (*Workmen's Institute*).  
Exeter (*Devon and Exeter Albert Memorial Museum, School of Science and Art, and Free Library*).  
—— (*Devon and Exeter Institution*).  
Farnham (*Young Men's Association*).  
Faversham (*Institute*).  
Fowey (*Working Men's Reading Rooms*).  
Frome (*Literary and Scientific Institution*).  
—— (*Mechanics' Institute*).  
Gainsborough (*Literary, Scientific and Mechanics' Institute*).  
Garforth, near Leeds (*Working Men's Club*).  
Glasgow (*Athenæum*).  
—— (*Central Working Men's Club and Institute*).  
—— (*City Industrial Museum, Kelvingrove Park*).  
—— (*Institution of Engineers in Scotland*).  
—— (*Mechanics' Institute, Bath Street*).  
—— (*Philosophical Society*).  
Godmanchester (*Working Men's Reading Room*).  
Gosport (*Gosport and Alverstoke Literary and Scientific Institution*).  
Grantham (*Public Literary Institn.*)  
Gravesend (*Gravesend and Mitton Library and Reading Rooms*).  
Greenock (*Library, Watt Monument*)  
Guernsey (*Working Men's Association*).  
Guildford (*Working Men's Institution*).  
Hadleigh (*The Reading Room*).  
Halesworth (*Mechanics' Institute*).  
Halifax (*Literary and Philosophical Society*).  
—— (*Mechanics' Institute*).  
—— (*Working Men's College*).  
Halstead (*Literary and Mechanics' Institute*).  
Handsworth (*Free Public Library*).  
Haslingdon (*Institute*).

Hastings (*Literary and Scientific Institution*).  
—— (*Mechanics' Institution*).  
Hebden Bridge, near Todmorden (*Mechanics' Institution*).  
Helston (*Reading Room and Library*).  
Hemel Hempsted (*Mechanics' Inst.*)  
Hereford (*Natural History, Philosophical, Antiquarian, and Literary Society*).  
Hertford (*Literary and Scientific Institution*).  
Heywood (*Public Free Library*).  
Hitchin (*Mechanics' Institute*).  
Holbeck (*Mechanics' Institution*).  
Hollingwood (*Working Men's Club*).  
Holt, Norfolk (*Literary Society*).  
Holywell Green (*Mechanics' Instit.*)  
Horncastle (*Mechanics' Institution*).  
Huddersfield (*Mechanics' Institution*).  
Hull (*Church Institute*).  
—— (*Literary, Scientific, and Mechanics' Institute*).  
—— (*Lyceum Library*).  
—— (*Royal Institution, Albion Street*).  
—— (*Young People's Institute*).  
Huntingdon (*Literary and Scientific Institution*).  
Inverness (*The Free Library*).  
Ipswich (*Working Men's College*).  
Keudal (*Christian & Literary Instit.*)  
—— (*Highgate Mechanics' Inst.*)  
—— (*Working Men's Institute*).  
Kilmarnock (*Library*).  
Kingston - on - Thames (*Workmen's Club and Institute, Fairfield Road*).  
Lancaster (*Mechanics' Institute and School of Science*).  
Lee, Kent (*Working Men's Instit.*)  
Leeds (*Chapeltown Branch Library*).  
—— (*Church Institute*).  
—— (*Holbeck Branch Library*).  
—— (*Hunstet Branch Library*).  
—— (*Leeds Library*).  
—— (*Mechanics' Institution and Literary Society*).  
—— (*Philosophical and Literary Society*).  
—— (*Working Men's Institute*).  
—— (*Young Men's Christian Association*).  
Leek, Staffordshire (*Literary and Mechanics' Institution*).  
Leicester (*Law Society*).  
Leighton Buzzard (*Working Men's Mutual Improvement Society*).  
Leith (*Mechanics' Subscription Library*).  
Lewes (*Fitzroy Memorial Library*).  
—— (*Mechanics' Institute*).  
—— (*School of Science and Art*).  
Lincoln (*Mechanics' Institute*).  
Liverpool (*Institute*).  
—— (*Medical Institution*).  
—— (*Polytechnic Society*).  
Llanelly (*Chamber of Commerce and Reading Room*).  
Lockwood (*Mechanics' Institution*).  
London (*Bank of England Library and Literary Association*)  
—— (*Beaumont Inst., Mile End*).

- London (*Birkbeck Institution, Southampton Buildings, Chancery Lane*).  
 ——— (*Bow and Bromley Institute, Bow Road*).  
 ——— (*Christchurch Working Men's Club, New Street Lark Hall Lane, Clapham*).  
 ——— (*Free Public Library, Great Smith Street, Westminster*).  
 ——— (*Hackney Working Men's Club*).  
 ——— (*King's College*).  
 ——— (*Literary and Scientific Institution, Walworth*).  
 ——— (*London Association of Foremen Engineers and Draughtsmen*).  
 ——— (*London Institution, Finsbury Circus*).  
 ——— (*London Library, St. James'*).  
 ——— (*Parkes Museum of Hygiene, University College*).  
 ——— (*Royal Architectural Museum and School of Art, Tufton Street, Westminster*).  
 ——— (*Royal Instituts of British Architects, Conduit Street, Hanover Square*).  
 ——— (*St. James and Soho Working Men's Club, Rupert Street, Soho*).  
 ——— (*Working Men's Club, Brixton Hill*).  
 ——— (*Working Men's Club and Institute, Battersea*).  
 ——— (*Working Men's Club and Institute Union, Strand*).  
 ——— (*Working Men's College, Great Ormond Street*).  
 Longwood (*Mechanics' Institution*).  
 Lowestoft (*Library and Reading Room*).  
 Lye (*Institution*).  
 Madeley, Shropshire (*Justice Memorial, Workmen's Club and Institute*).  
 Maidstone (*St. Paul's Literary Inst.*).  
 ——— (*Working Men's Club and Institute*).  
 Manchester (*Ancoats Branch Free Library*).  
 ——— (*Campfield Free Lending Library*).  
 ——— (*Cheetham Branch Library*).  
 ——— (*Chorlton and Ardwick Branch Free Library*).  
 ——— (*Hulme Branch Free Library*).  
 ——— (*Law Library*).  
 ——— (*Mechanics' Institution*).  
 ——— (*Natural History Museum, Peter Street*).  
 ——— (*Owen's College*).  
 ——— (*Portico Library, Mosley Street*).  
 ——— (*Rochdale Road Branch Free Library*).  
 ——— (*Royal Exchange Library*).  
 ——— (*Scientific and Mechanical Society*).  
 Manningtree (*Manningtree and Miskley Literary and Scientific Institution*).  
 Mansfield (*Co-operative Industrial Society*).  
 ——— (*Mechanics', Artizans', and Apprentices' Library*).  
 ——— (*Mechanics' Institute*).  
 Marlborough (*Reading and Mutual Improvement Society*).  
 ——— (*Working Men's Hall*).  
 Melton Mowbray (*Literary Institute*).  
 Mere, near Bath (*Literary Association*).  
 Middlesborough (*Iron and Steel Institute*).  
 ——— (*Mechanics' Institution*).  
 Middlewich (*Literary and Scientific Institution*).  
 Mildenhall (*Suffolk Literary Inst.*)  
 Newark (*Mechanics' Institute*).  
 Newbury (*Literary and Scientific Institution*).  
 Newcastle-upon-Tyne (*Mechanics' Institution*).  
 ——— (*Working Men's Club*).  
 New Mills, near Stockport (*Mechanics' Institute*).  
 Newport, Isle of Wight (*Young Men's Society and Reading Room*).  
 Northampton (*Mechanics' Institute*).  
 North Shields (*Free Library*).  
 Nottingham (*Mechanics' Institution*).  
 ——— (*Subscription Library, Bromley House*).  
 Oldham (*Mechanics' Institution, Werneth*).  
 Old Kilpatrick, near Glasgow (*Public Library*).  
 Ormskirk (*Public Library*).  
 Oswestry (*Institute*).  
 Over, Cheshire (*Working Men's Institute*).  
 Patricroft (*Mechanics' Institution*).  
 Pembroke Dock (*Mechanics' Institute*).  
 Pendleton (*Free Library*).  
 Penzance (*Institute*).  
 ——— (*Penzance Library*).  
 ——— (*Working Men's Association*).  
 Perry Barr, near Birmingham (*Inst.*)  
 Perth (*Mechanics' Library, High Street*).  
 Peterborough (*Mechanics' Institution*).  
 Poole (*Literary and Scientific Institution*).  
 Port Glasgow (*Public Library*).  
 Portsea Island (*Young Men's Christian Association*).  
 Preston (*Institution for the Diffusion of Knowledge*).  
 Redruth (*Redruth Institution*).  
 Reigate (*Mechanics' Institution*).  
 Richmond, Surrey (*Free Public Library*).

Rotherham (*Rotherham and Masbro' Literary and Mechanics' Institute*).  
 Royston (*Institute*).  
 Rusholme (*Public Hall and Library*).  
 Ryde, Isle of Wight (*Philosophical and Scientific Society*).  
 ———— (*Young Men's Christian Association and Literary Institute*).  
 Saffron Walden (*Literary and Scientific Institution*).  
 St. Helens (*Public Library*).  
 St. Just (*Institution*).  
 St. Leonards (*Mechanics' Institution*).  
 Galford (*Working Men's College*).  
 Salisbury (*Literary and Scientific Institution*).  
 Saltaire (*Literary Institute*).  
 Scarborough (*Mechanics' and Literary Institute, Vernon Place*).  
 Selby (*Mechanics' Institute*).  
 Sevenoaks (*Literary and Scientific Institution*).  
 Shaftesbury (*Literary Institution*).  
 Sheerness (*Literary Institute*).  
 Sheffield (*Branch Free Library*).  
 ———— (*Brightside Branch Library*).  
 ———— (*Literary and Philosophical Society, School of Arts*).  
 Shepton Mallet (*Reading and Mutual Improvement Society*).  
 Sidmouth (*Mechanics' Hall*).  
 Skipton, Yorkshire (*Mechanics' Inst.*)  
 Slough (*Mechanics' Institute*).  
 Smethwick, Staffordshire (*Library, Reading Room, and Literary Institute*).  
 Southampton (*Polytechnic Institution*).  
 ———— (*Workmen's Hall*).  
 Southend (*Mechanics' Institute*).  
 South Shields (*Public Free Library*).  
 Southwell (*Literary Institution*).  
 Spalding (*Christian Young Men's Association*).  
 ———— (*Mechanics' Institute*).  
 Stafford (*Mechanics' Institution*).  
 Staines (*Mechanics' Institute*).  
 Stalybridge, Cheshire (*Mechanics' Institution*).  
 Stamford (*Institution*).  
 Stockton-on-Tees (*Young Men's Christian Association*).  
 Stourbridge (*Associated Institute*).  
 ———— (*Church of England Association*).  
 ———— (*Iron Works Reading Room and Library*).  
 ———— (*Mechanics' Institution*).  
 ———— (*Working Men's Inst.*)  
 Stowmarket (*Literary Institution*).  
 Stratford (*Working Men's Hall*).  
 Sudbury, Suffolk (*Literary and Mechanics' Institute*).  
 Swansea (*Royal Institution of South Wales*).  
 ———— (*South Wales Institute of Engineers*).  
 ———— (*Working Man's Institute*).

Tavistock (*Mechanics' Institute*).  
 ———— (*Public Library*).  
 Thornton, near Bradford (*Mechanics' Institute*).  
 Truro (*Cornwall County Library*).  
 ———— (*Institution*).  
 ———— (*Royal Institution of Cornwall*).  
 Tunbridge (*Literary and Scientific Institute*).  
 ———— (*Mechanics' Institute*).  
 Tunbridge Wells (*Mechanics' Institution*).  
 ———— (*Society of Literature and Science*).  
 Turton, near Bolton (*Chapel Town Institute*).  
 Tynemouth (*Free Public Library*).  
 Ulverston (*Temperance Hall*).  
 Uttoxeter (*Mechanics' Literary Institute*).  
 Uxbridge (*Uxbridge and Hillingdon. Reading and Newsroom Institute*).  
 Wakefield (*Mechanics' Institute*).  
 Wallingford (*Mechanics' Institute*).  
 Walsall (*Free Library*).  
 Walsham-le-Willows, Suffolk (*Inst.*)  
 Ware (*Institute*).  
 Warminster (*Athenæum*).  
 Watford (*Literary Institute*).  
 ———— (*Public Library*).  
 Wednesbury (*Free Library*).  
 Wellingborough (*Working Men's Club*).  
 Wellington (*Young Men's Christian Association*).  
 Wells, Somerset (*Young Men's Society*).  
 West Bromwich (*Free Library*).  
 Whaleybridge (*Mechanics' Institute*).  
 Whitby (*Institute*).  
 ———— (*Museum*).  
 ———— (*Subscription Library*).  
 Whitehaven (*Mechanics' Institute*).  
 Whitstable (*Institute*).  
 Wilton (*Literary Institute*).  
 Winchester (*Mechanics' Institution*).  
 ———— (*Training College*).  
 Winsford (*Town Hall Reading Room*).  
 Wirksworth (*Mechanics' Institution*).  
 Wisbeach (*Mechanics' Institute*).  
 Witham (*Literary Institution*).  
 Witney (*Athenæum*).  
 Welverhampton (*Law Library*).  
 ———— (*Library*).  
 Wolverton (*Institute*).  
 Woodbridge (*Literary and Mechanics' Institute*).  
 Worcester (*Public Library and Hastings Museum*).  
 ———— (*Railway Literary Inst.*)  
 ———— (*Workman's Hall*).  
 Workington (*Mechanics' Institute*).  
 Yarmouth, Great (*Parochial Library and Museum*).  
 Yeovil (*Mutual Improvement Society*).  
 York (*Institute of Popular Science, &c.*)  
 ———— (*North Eastern Railway Library and Reading Room*).

PRESENTATIONS of portions of the Works, published by order of the Commissioners of Patents, have been made to the following Libraries :—

Armagh (*Town Clerk's Office*).  
 Aylesbury (*Mechanics' Institution and Literary Society, Kingsbury*).  
 Boston, Lincolnshire (*Public Offices Market Place*).  
 Cambridge (*Free Library, Jesus Lane*).  
 Cardiff (*Free Library and Museum*).  
 Chester (*Mechanics' Institute, St. John Street*).  
 Coalbrookdale (*Literary and Scientific Institution*).  
 Coventry (*Watchmakers' Association*).  
 Dublin (*Dublin Library, D'Olier St.*)  
 Dundee (*Association of Watchmakers and Jewellers*).  
 Ennis (*Public Library*).  
 Gloucester (*Working Men's Institute, Southgate Street*).  
 Guernsey (*Public Record Office*).  
 Guildford (*Mechanics' Institute*).  
 Ipswich (*Mechanics' Institute, Tavern Street*).  
 Kew (*Library of the Royal Gardens*).  
 Leominster (*Literary Institute*).  
 London (*House of Lords*).  
 ——— (*House of Commons*).  
 ——— (*Hon. Soc. of Gray's Inn*).  
 ——— ( " " *Inner Temple*).  
 ——— ( " " *Lincoln's Inn*).  
 ——— ( " " *Middle Temple*).  
 ——— (*Aeronautical Society*).  
 ——— (*British Horological Instit.*)

London (*General Post Office*).  
 ——— (*Guildhall Library*).  
 ——— (*Institute of British Carriage Manufacturers*).  
 ——— (*Inst. of Civil Engineers*).  
 ——— (*Institution of Mechanical Engineers*).  
 ——— (*Metallurgical Department, King's College*).  
 ——— (*Odontological Society*).  
 ——— (*Royal Society*).  
 ——— (*Society of Arts*).  
 ——— (*Society of Telegraph Engineers*).  
 ——— (*United Service Museum*).  
 Manchester (*Literary and Philosophical Society, George Street*).  
 ——— (*Mechanics' Institution, David Street*).  
 Newcastle-upon-Tyne (*North of England Institute of Mining Engineers*).  
 Over Darwen (*Free Public Library*).  
 Oxford (*Bodleian Library*).  
 Stretford, near Manchester (*Mechanics' Institute*).  
 Swindon, New (*Mechanics' Institution*).  
 Tamworth (*Library and Reading Room, George Street*).  
 Yarmouth, Norfolk (*Public Library, South Quay*).

*British Colonies and Foreign States.*

British Columbia—*Mechanics' Institute, Victoria*.  
 ——— *Public Library, New Westminster*.  
 France—*Academy of Science, Paris*.  
 Germany—*Imperial and Provincial Library of the University, Strasbourg*.  
 ——— *Imperial Statistical Office, Berlin*.  
 ——— *Polytechnic School, Karlsruhe, Baden*.  
 Italy—*Communal Library, Palermo*.  
 ——— *Royal Institution for the Encouragement of Science, Naples*.  
 Netherlands—*Library of the Polytechnic School, Delft*.  
 New Zealand—*Athenæum and Mechanics' Institute, Dunedin*.  
 Russia—*Imperial Technological Institute, St. Petersburg*.  
 Switzerland—*Federal Polytechnic School, Zurich*.  
 Turkey—*Literary and Scientific Institute, Smyrna*.  
 United States—*American Academy of Arts and Sciences, Boston*.  
 ——— *American Institute, New York*.

United States—*American Society of Civil Engineers, New York*.  
 ——— *City Library Association, Springfield, Massachusetts*.  
 ——— *Industrial University, Champaign, Illinois*.  
 ——— *Law Association, Philadelphia*.  
 ——— *Mercantile Library Association, San Francisco*.  
 ——— *Mercantile Library Association, Pittsburgh, Pennsylvania*.  
 ——— *Minnesota Historical Society, Saint Paul, Minnesota*.  
 ——— *Odd Fellows' Library Association, San Francisco*.  
 ——— *Patent Office Bar Association, Washington*.  
 ——— *Public Library, Detroit, Michigan*.  
 ——— *Rose Polytechnic Institute, Terre Haute, Indiana*.  
 ——— *Smithsonian Institute, Washington*.  
 ——— *Wabash College, Crawfordsville, Indiana*.  
 ——— *Young Men's Christian Assoc., Scranton, Pennsylvania*.  
 Victoria—*School of Mines, Ballarat*.

NOTICE RESPECTING THE DRAWINGS ACCOMPANYING  
PROVISIONAL, COMPLETE, AND FINAL SPECIFICATIONS.

Office of the Commissioners of Patents,  
25, Southampton Buildings, Chancery Lane.

The Commissioners of Patents having decided that the Drawings accompanying the provisional, complete, and final Specifications of 1876 and subsequent years shall be copied by the process of photolithography, the regulations prescribing the mode in which the extra copy of such Drawings shall be prepared must be strictly observed, in order that correct copies may be made.

All Specifications and Drawings filed in pursuance of Letters Patent should be left at the Office of the Commissioners at least six days before the expiration of the time for filing the same, in order that the Officers may examine the extra copy of the Drawing and ascertain that it has been prepared in conformity with the rules.

1st June 1876.

By Order, H. READER LACK,  
Clerk of Commissioners of Patents, &c.

NOTICE RELATIVE TO NEW EDITIONS OF PRINTED  
SPECIFICATIONS OF EXPIRED PATENTS.

Office of the Commissioners of Patents,  
25, Southampton Buildings, Chancery Lane.

In every case where the Specification of an expired Patent is out of print, the Commissioners of Patents will be willing to reprint the same and supply copies thereof at cost price, on the prepayment of a sum of money sufficient to cover the cost of reprinting by the person requiring them.

23rd November 1876.

By Order, H. READER LACK,  
Clerk of Commissioners of Patents, &c.

NOTICE RELATIVE TO FULL-SIZE COPIES OF DRAWINGS  
BELONGING TO THE SPECIFICATIONS OF PATENTS.

Office of the Commissioners of Patents,  
25, Southampton Buildings, Chancery Lane.

For legal or other purposes the Commissioners of Patents are willing to supply, at the undermentioned rates, full-size copies of Drawings belonging to Specifications printed under the new system by the process of Photo-lithography:

No. of Copies.	Half-sheets Imperial.		Whole sheets Imperial.	
	s.	d.	s.	d.
Single Copies - - - -	25	0	15	0
Not exceeding 6 copies - - -	28	0	18	0
"    12 - - - -	30	0	20	0
"    25 - - - -	32	0	22	0

In cases where from the use of color or other causes a satisfactory Photograph cannot be obtained from the original Drawing, an extra charge will be made to cover the expense of taking a tracing.

There will also be a small additional charge for coloring the copies of colored original Drawings.

Applications stating the number of copies required and accompanied by a remittance sufficient to cover the cost should be addressed to the Clerk of the Commissioners.

24th April 1877.

By Order, H. READER LACK,  
Clerk of Commissioners of Patents, &c.

# ISSUE OF MONTHLY ALPHABETICAL AND SUBJECT-MATTER INDEXES OF APPLICATIONS FOR PATENTS.

Office of the Commissioners of Patents,  
25, Southampton Buildings, Chancery Lane.

In consequence of the inconvenience occasioned to intending Patentees by the long interval which necessarily elapses between the expiration of each year and the publication of the alphabetical and subject-matter indexes of patents for that year, the Commissioners of Patents have decided to issue for temporary use, until the annual indexes are ready, a monthly index of names of applicants for patents, and also a monthly index of subjects of invention compiled from the "titles" only of the inventions (as the Provisional Specifications cannot be referred to), each succeeding monthly index from the second month to the twelfth month of the year, including and superseding the preceding index.

This arrangement came into force with the applications for patents of the year 1882, rendering unnecessary the publication of the indexes previously printed with each volume of Specifications.

The Indexes for the year 1883 will be published in monthly parts, and sold either singly or by annual subscriptions at the undermentioned rates:

Months.	Price of Single Copies.		Annual Subscriptions (payable in advance).	
	Alphabetical Index.	Subject matter Index.	Alphabetical Index.	Subject matter Index.
January to November, inclusive	Per Copy. 3d.	Per Copy. 3d.	} 3s.*	3s.*
December (Index for the year)	2s.	2s.		

\* If sent by post 2s. extra per annum will be charged.

By Order, H. READER LACK,  
8th February 1883. Clerk of the Commissioners of Patents, &c.

## TRADE MARKS JOURNAL; INDEXES TO APPLICATIONS, RULES, ACTS, &c.

The Trade Marks Journal is issued by the Registrar of Trade Marks, in numbers, royal 4to., price One Shilling each. This publication contains illustrations of all the trade marks applied for under the Trade Marks Registration Acts, as well as the name and calling of each applicant, the description of goods, and the length of time for which such mark has been used, thus affording all persons interested in the use of trade marks authentic information as to the nature of the marks applied for in their respective trades. The first number was published on Wednesday the 3rd of May 1876. The Journal is sold by Knight & Co., 90, Fleet Street, E.C.; Stevens & Sons, 119, Chancery Lane, W.C.; E. Stanford, 55, Charing Cross, S.W.; Shaw & Sons, Fetter Lane, E.C.; Waterlow & Sons, "Limited," 25, 26 and 27, Great Winchester Street, E.C., 95 and 96, London Wall, E.C., and 49, Parliament Street, S.W.; Waterlow Bros. and Layton, 23, 24, and 25, Birchin Lane, E.C., and 28, 29 and 30, Lime Street, E.C.; Butterworths, 7, Fleet Street, E.C.; George Downing, 8, Quality Court,

Chancery Lane, E.C.; Trübner & Co., 57 and 59, Ludgate Hill, E.C.; J. M. Johnson & Sons, "Limited," 1, Castle Street, Holborn, E.C.; Palmer & Howe, 73, 75 and 77, Princess Street, Manchester; Alex. Thom, 87 and 88, Abbey Street, Dublin; and Adam & Charles Black, Edinburgh. Copies will be sent by post by any of the above firms on receipt of an application, giving the name and address of the sender, and accompanied by a Post Office Order for the amount due in respect of the copies required.

Indexes to the Applications for the Registration of Trade Marks, and Lists of Proprietors of Trade Marks registered, which have been advertised in the Trade Marks Journal, have been published in volumes as follow:—

Alphabetical List of Proprietors of Trade Marks registered from 1st January 1876 to 31st December 1880, price 3s., by post 3s. 2d.

Indexes to applications from—

January to December 1876,	price 3s.,	by post 3s. 2d.
January to June 1877	„ 3s.,	„ 3s. 2d.
July to December 1877	„ 3s.,	„ 3s. 1½d.
January to June 1878	„ 3s.,	„ 3s. 1½d.
July to December 1878	„ 3s.,	„ 3s. 1½d.
January to December 1879	„ 3s.,	„ 3s. 2d.
January to December 1880	„ 3s.,	„ 3s. 2d.
January to December 1881		

(including alphabetical list of proprietors of trade marks registered from Dec. 17, 1880, to Dec. 14, 1881), price 4s. 8d., by post 4s. 10½d.

January to December 1882.

(including alphabetical list of proprietors of trade marks registered from Dec. 15, 1881, to Dec. 13, 1882; and also alphabetical list of subsequent proprietors of trade marks registered from Jan. 1, 1876, to Dec. 31, 1882), price 4s. 6d., by post 4s. 9½d.

A pamphlet containing the Trade Marks Registration Acts, 1875–7, and the Rules made thereunder, has also been published, price 1s. Copies of this pamphlet and of the Indexes can be obtained of the firms who sell the Trade Marks Journal. The pamphlet is also on sale at the Commissioners of Patents' Sale Branch, 38, Cursitor Street, Chancery Lane, E.C. Forms for making application for the registration of trade marks may be obtained, free of charge, at the Trade Marks Registry Office, 25, Southampton Buildings, Chancery Lane, London, W.C., and at the Trade Marks Branch Registry, 48, Royal Exchange, Manchester. The number of trade marks intended to be applied for, and the class or classes in which they are to be claimed, should be stated when applying for forms.

## PATENT MUSEUM, SOUTH KENSINGTON.

THIS MUSEUM is open to the public daily, free of charge. The hours of admission are as follow:—

Mondays, Tuesdays, and Saturdays, 10 A.M. till 10 P.M. throughout the year.

Wednesdays, Thursdays, and Fridays, during the months of November, December, January, and February from 10 till 4.

Wednesdays, Thursdays and Fridays during the months of March and October from 10 A.M. till 5 P.M.

Wednesdays, Thursdays and Fridays during the months of April, May, June, July, August, and September from 10 till 6.

If any Patentee should be desirous of exhibiting a model of his invention in London, he may avail himself of this Museum, which has been visited since its opening on the 22nd June 1857 by more than 5,760,000 persons. The model will be received either as a gift or loan; if deposited as a loan, it will be returned on demand. Before sending a model it is requested that the size and description of it shall first be given to the Superintendent of the Patent Museum. No charge is made for the exhibition of models.

## THE LIBRARY OF THE PATENT MUSEUM

contains a complete set of the Commissioners of Patents' publications, which can be consulted by the public daily, free of charge, during the above-named hours.

### Abridgments of Specifications.

The following is a KEY to the classes already published. The numbers refer to the list of Abridgments on pages 4, 5, 6, and 7, where the full titles, prices, &c., are given :—

- A.
- Accordions. *See* Music, &c., 26.  
 Acetic acid. *See* Acids, 40.  
 Acids, &c., 40.  
 Aerated liquids. *See* Unfermented beverages, &c., 86.  
 Aerating water. *See* Purifying, &c., water, 79.  
 Aeronautics, 41.  
 Ageing fabrics. *See* Bleaching, &c., 14.  
 Agricultural engines. *See* Steam engine, 49.  
 Agriculture—barn and farmyard implements (including the cleansing, drying, and storing of grain), 82.  
 Agriculture—field implements and processes, 81.  
 Agriculture, steam. *See* Steam culture, 8.  
 Air, &c., engines, 62.  
 Air guns. *See* Fire-arms, 10.  
 Air pumps of steam engines. *See* Steam engine, 49.  
 Alarm clocks. *See* Watches, &c., 9.  
 Alarms, electric. *See* Electricity, 15, 94.  
 Alarms, fire. *See* Fire engines, &c., 88.  
 Alarms, gas. *See* Gas, 17.  
 Albums. *See* Photography, 19; Books, 43.  
 Alcohol distilling. *See* Brewing, &c., 99  
 Alkalies. *See* Acids, &c., 40.  
 Alloys. *See* Metals, &c., 18.  
 Alum. *See* Acids, &c., 40.  
 Alumina. *See* Acids, &c., 40.  
 Aluminium. *See* Metals, &c., 18; Acids, &c., 40.  
 Amalgamating metals. *See* Metals, &c., 18.  
 Ambulances. *See* Medicine, &c., 25; Common road carriages, 98.  
 Ammonia. *See* Acids, &c., 40.
- Ammonium. *See* Acids, &c., 40.  
 Ammunition. *See* Fire-arms, 10.  
 Anchors, 69.  
 Anchors for steam ploughing. *See* Agriculture, 81.  
 Anemometers. *See* Optical, &c., 76.  
 Aniline. *See* Bleaching, &c., 14.  
 Animal charcoal. *See* Sugar, 48.  
 Animals, medical and surgical treatment of. *See* Farriery, &c., 53.  
 Annealing. *See* Iron, &c., 6; Fuel, &c., 30.  
 Anthracite furnaces. *See* Fuel, &c., 30.  
 Antimony. *See* Metals, &c., 18; Acids, &c., 40.  
 Aqueducts. *See* Bridges, &c., 36.  
 Arches. *See* Bridges, &c., 36.  
 Armour plates, rolling. *See* Iron and Steel, 6.  
 Armour plates, shaping. *See* Ship-building, 21.  
 Arsenic. *See* Metals, &c., 18; Acids, &c., 40.  
 Arsenic acid and arsenious acid. *See* Acids, 40.  
 Artificial leather, 80.  
 Artists' instruments, &c., 54.  
 Asphaltic. *See* Roads, &c., 35.  
 Astronomical instruments. *See* Optical, &c., 76.  
 Avellers. *See* Agriculture, 82.  
 Axles, axletrees, and axleboxes, for common road carriages. *See* Common road carriages, 98.  
 Axles, axletrees, and axleboxes, for railway carriages, &c. *See* Carriages for railways, 46; Steam engine, 49.
- B.
- Bagatelle tables. *See* Toys, &c., 51.  
 Bags. *See* Trunks, &c., 84.  
 Bags, paper. *See* Cutting, &c., 12.  
 Baking-powders. *See* Cooking, 61.



Balances. *See* Raising, &c., 31.  
 Balancing, &c. millstones. *See* Grinding grain, 78.  
 Balloons. *See* Aeronautics, 41.  
 Balloons, toy. *See* Toys, 51.  
 Balls. *See* Toys, 51.  
 Band boxes. *See* Trunks, &c., 84.  
 Bands and belts. *See* Wearing apparel, 66.  
 Barium. *See* Acids, &c., 40.  
 Barley hummellers. *See* Agriculture, 82.  
 Barley mills. *See* Grinding grain, 78.  
 Barometers. *See* Optical, &c., 76.  
 Barrels, 74.  
 Barrows. *See* Common road carriages, 98.  
 Baryta. *See* Acids, &c., 40.  
 Baskets. *See* Trunks, &c., 84.  
 Bath chairs. *See* Common road carriages, 98.  
 Baths for medical use. *See* Medicine, &c., 25.  
 Bayonets. *See* Fire-arms, 10.  
 Beacons. *See* Harbours, &c., 77.  
 Beads. *See* Wearing apparel, 68.  
 Beds and bedsteads. *See* Furniture, 39.  
 Beds and bedsteads for invalids. *See* Medicine, &c., 25; Furniture, 39.  
 Beer engines. *See* Hydraulics, 32.  
 Beetling. *See* Dressing, &c., 91.  
 Bellows. *See* Fuel, &c., 30.  
 Bells, church and musical. *See* Music, &c., 26.  
 Belts, surgical. *See* Medicine, &c., 25.  
 Beverages, unfermented, 86.  
 Bicycles. *See* Common road carriages, 98.  
 Billiards. *See* Toys, &c., 51.  
 Bins for corn, &c. *See* Agriculture, 82.  
 Biscuits. *See* Cooking, 61.  
 Biscuit ware. *See* Pottery, 24.  
 Bismuth. *See* Acids, &c., 40.  
 Bits. *See* Saddlery, 34.  
 Blacking. *See* Skins, &c., 55; Wearing apparel, 67.  
 Blast furnaces. *See* Iron and steel, 6.  
 Blasting. *See* Fire-arms, 10; Mining, &c., 71.  
 Bleaching, &c., fabrics, 14.  
 Bleaching fibrous substances. *See* Paper 11; Spinning, 28.  
 Blinds. *See* Furniture, 39.  
 Blinds, ventilating. *See* Ventilation, 52.  
 Blocks. *See* Raising, &c., 31.  
 Blotters. *See* Writing, 37.  
 Boas. *See* Wearing apparel, 66.  
 Boat-building. *See* Ship-building, 21.  
 Boats, raising and lowering. *See* Raising, &c., 31; Masts, &c., 72.  
 Bobbin net. *See* Lace-making, 29.  
 Boiler plates. *See* Iron and steel, 6.  
 Boiler tubes. *See* Metallic pipes, 70.  
 Boilers of steam engines. *See* Steam engine, 49.  
 Bolting, &c., flour. *See* Grinding grain, 78.  
 Bolts. *See* Locks, &c., 60.  
 Bolts. *See* Nails, &c., 58.  
 Bonnet boxes. *See* Trunks, &c., 84.  
 Bonnets and bonnet boxes. *See* Wearing apparel, 65.  
 Books, &c., 43.  
 Boot-cleaning machines. *See* Brushing, 57.  
 Boot hooks. *See* Wearing apparel, 67.  
 Boot jacks. *See* Wearing apparel, 67.  
 Boots. *See* Wearing apparel, 67.  
 Boracic acid. *See* Acids, 40.  
 Bottles, caps and capsules for. *See* Preparing and cutting cork, &c., 56.  
 Botting. *See* Preparing, &c., cork &c., 56.  
 Boxes for pens, leads, &c. *See* Writing, 37.  
 Boxes. *See* Trunks, &c., 84.  
 Bracclets. *See* Wearing apparel, 68.  
 Braces. *See* Wearing apparel, 66.  
 Braid. *See* Lace-making, 29.  
 Brakes. *See* Carriages for railways, 46; Steam-engine, 49; Mining, 71; Electricity, 15; 94; 97.  
 Brakes for common road carriages. *See* Common road carriages, 98.  
 Brass. *See* Metals, &c., 18.  
 Bread-making. *See* Cooking, &c., 61.  
 Breakfast powders. *See* Tea, &c., 87.  
 Breakwaters. *See* Harbours, &c., 77.  
 Breast pins. *See* Wearing apparel, 68.  
 Breeches. *See* Wearing apparel, 66.  
 Brewing, wine-making and distilling alcoholic liquids, 99.  
 Bricks and tiles, 22.  
 Bricks, ventilating. *See* Ventilation, 52.  
 Bridges, &c., 36.  
 Bridles. *See* Saddlery, 34.  
 Broadshares. *See* Agriculture, 81.  
 Bromine. *See* Acids, &c., 40.  
 Brooches. *See* Wearing apparel, 68.  
 Bruising mills for beans, grain, gorse, &c. *See* Agriculture, 82.  
 Brushes for artists. *See* Artists' instruments, 54; Brushing, 57.  
 Brushing, &c., 57.  
 Buckles. *See* Wearing apparel, 68.  
 Buffers. *See* Carriages, &c., for railways, 46.  
 Bugles. *See* Music, &c., 26.  
 Bullet-making machines. *See* Fire arms, 10.  
 Bungs. *See* Preparing and cutting cork, 56.  
 Buoys. *See* Harbours, &c., 77.  
 Bustles. *See* Wearing apparel, 66.  
 Butter and artificial butter. *See* Milking, &c., 72.  
 Buttons. *See* Wearing apparel, 68.

## C.

Cable stoppers. *See* Raising, &c., 31.  
 Cables, telegraphic. *See* Electricity, 15; 93.  
 Cabs. *See* Common road carriages, 98.  
 Caddies. *See* Trunks, &c., 84.  
 Cadmium. *See* Acids, &c., 40.  
 Cages, miners' safety. *See* Mining, 71.  
 Caissons. *See* Harbours, &c., 77.  
 Cake breakers. *See* Agriculture, 82.  
 Calcining furnaces. *See* Metals, &c., 18; Fuel, &c., 30.  
 Calcium. *See* Acids, &c., 40.  
 Calculating machines. *See* Optical, &c., 76.

- Calendering. *See* Dressing and finishing, &c., 91.
- Calico, bleaching, dyeing, and printing, 14.
- Cameras. *See* Photography, 19; Optical, &c., 76.
- Canal navigation. *See* Marine propulsion, 5.
- Canals. *See* Harbours, &c., 77.
- Candles. *See* Oils, &c., 27.
- Candlesticks. *See* Lumps, &c., 44.
- Canes, walking sticks, &c. *See* Umbrellas, &c., 47.
- Cannon. *See* Fire-arms, 10.
- Canvas. *See* Weaving, 20.
- Capes. *See* Wearing apparel, 66.
- Caps and cap fronts. *See* Wearing apparel, 65.
- Caps and capsules for bottles. *See* Preparing and cutting cork, 56.
- Capstans. *See* Raising, &c., 31.
- Carbon. *See* Acids, &c., 40.
- Carbonic acid. *See* Acids, 40.
- Cardboard. *See* Paper, 11.
- Card cases. *See* Books, &c., 43.
- Carding engines. *See* Spinning, 28.
- Cards. *See* Cutting, &c. paper, 12; Letterpress printing, &c., 13.
- Cards, playing. *See* Toys, &c., 51.
- Cargoes, ventilating. *See* Fire engines, &c., 88.
- Carpet bags. *See* Trunks, &c., 84.
- Carpets. *See* Weaving, 20.
- Carriage lamps. *See* Lamps, 44.
- Carriages and other vehicles for common roads, 98.
- Carriages, &c., for railways, 46.
- Carriages for guns. *See* Fire-arms, 10.
- Carriages for invalids. *See* Medicine, &c., 25.
- Cartridges. *See* Fire-arms, 10.
- Cartridges, miner's. *See* Mining, 71.
- Carts. *See* Common road carriages, 98.
- Cask stands. *See* Casks, 74.
- Caskets. *See* Trunks, &c., 84.
- Casks, 74.
- Casks, cleaning. *See* Brewing, &c., 99.
- Casters. *See* Furniture, 39.
- Cattle food, medicated. *See* Farriery, &c., 53.
- Cattle food, preparing on the farm, not manufacturing for sale. *See* Agriculture, 82.
- Cattle medicines. *See* Farriery, &c., 53.
- Cement, brush maker's. *See* Brushing, 57.
- Centre boards. *See* Steering, 75.
- Cesspools. *See* Waterclosets, &c., 63.
- Chaff-cutters. *See* Agriculture, 82.
- Chains, chain cables, &c., 90.
- Chains, jewellery. *See* Wearing Apparel, 68; Chains, &c., 90.
- Chairs. *See* Furniture, 39.
- Chairs, invalid. *See* Medicine, 25; Furniture, 39.
- Chalybeate waters. *See* Unfermented beverages, &c., 86.
- Chamber utensils. *See* Waterclosets, &c., 63.
- Chandeliers. *See* Lamps, &c., 44.
- Charcoal, animal. *See* Sugar, 48.
- Cheese. *See* Milking, &c., 72.
- Chemises. *See* Wearing apparel, 66.
- Chenille. *See* Lace-making, 29.
- Chess. *See* Toys, 51.
- Chests. *See* Trunks, &c., 84.
- Chicory, manufacturing and preparing for sale. *See* Tea, &c., 87.
- Chimes. *See* Music, 26.
- Chimneys and chimney tops. *See* Fuel, &c., 30.
- Chimneys sweeping. *See* Brushing, 57.
- Chinaware. *See* Pottery, 24.
- Chlorine. *See* Acids, &c., 40.
- Chocolate or cocoon, concentrated extracts of. *See* Tea, &c., 87.
- Chocolate or cocoa, manufacturing and preparing for sale. *See* Tea, &c., 87.
- Chocolate, preparing as a drink. *See* Unfermented beverages, &c., 86.
- Chromium. *See* Acids, &c., 40.
- Chromo-lithography. *See* Letterpress and similar printing, 13; Ornamenting paper, &c., 12.
- Churning. *See* Milking, &c., 72.
- Cigars, cigarettes, and cigar holders. *See* Tobacco, 42.
- Cinder sifters. *See* Fuel, &c., 30.
- Cisterns. *See* Hydraulics, 32.
- Citric acid. *See* Acids, 40.
- Clasps and clips. *See* Writing, &c., 87.
- Cleaning grain. *See* Agriculture, 82.
- Clinometers. *See* Optical, &c., 76.
- Clipping and shearing animals. *See* Saddlery, 34; Farriery, &c., 53.
- Cloaks. *See* Wearing apparel, 66.
- Clocks. *See* Watches, &c., 9.
- Clod crushers. *See* Agriculture, 81.
- Clogs. *See* Wearing apparel, 67.
- Coal scuttles. *See* Fuel, &c., 30.
- Coating metals. *See* Metals, &c., 18. Plating, &c., metals, 23.
- Coats. *See* Wearing apparel, 66.
- Cobalt. *See* Metals, 18; Acids, &c., 40.
- Cocks. *See* Hydraulics, 32.
- Cocoa or chocolate, concentrated extracts of. *See* Tea, &c., 87.
- Cocoa or chocolate, manufacturing and preparing for sale. *See* Tea, &c., 87.
- Cocoa, preparing as a drink. *See* Unfermented beverages, &c., 86.
- Coffee, concentrated extracts of. *See* Tea, &c., 87.
- Coffee, manufacturing and preparing for sale. *See* Tea, &c., 87.
- Coffee mills. *See* Tea, &c., 87.
- Coffee, preparing as a drink. *See* Unfermented beverages, &c., 86.
- Coffer dams. *See* Bridges, 36; Harbours, &c., 77.
- Coke ovens. *See* Fuel, &c., 30.
- Collars. *See* Wearing apparel, 66.
- Collars for horses. *See* Saddlery, 34.
- Colours. *See* Paints, 50.
- Colours, artists'. *See* Artists instruments, &c., 54.
- Combing machines. *See* Spinning, 28.
- Commodities. *See* Furniture, 39; Waterclosets, &c., 63.
- Compasses, drawing. *See* Optical, &c., 76.

Compasses, magnetic. *See* Optical, &c., 76.

Compasses, mariners'. *See* Optical, &c., 76.

Concertinas. *See* Music, &c., 26.

Condensers of steam engines. *See* Steam engine, 49.

Conductors, electric. *See* Electricity, &c., 15; 93.

Confectionery. *See* Cooking, &c., 61.

Confectionery ices. *See* Ice-making, &c., 85.

Conveying water. *See* Hydraulics, 32.

Cooking, &c., 61.

Copper. *See* Metals, &c., 18.

Copper oxides, &c. *See* Acid s, &c., 40.

Copying presses. *See* Writing, &c., 37.

Copying writings. *See* Writing, 37.

Corkcutting, &c., 53.

Corkscrews. *See* Preparing and cutting cork, 56.

Corn, thrashing, cleansing, drying, and storing. *See* Agriculture, 82.

Cornets. *See* Music, 26.

Cots and cradles. *See* Furniture, 39.

Cotton gins. *See* Spinning, 28.

Couches. *See* Furniture, 39.

Counting number of passengers in common road carriages. *See* Common road carriages, 98.

Couplings for tubes. *See* Metallic pipes, &c., 70.

Covers of vehicles. *See* Common road carriages, 98.

Crab-winchies, steam. *See* Raising, &c., 31; Steam engine, 49.

Cranes. *See* Raising, &c., 31.

Cranes, hydraulic. *See* Raising, &c., 31; Hydraulics, 32.

Cranes, steam. *See* Raising, &c., 31; Steam engine, 49.

Crates. *See* Trunks, &c., 84.

Cravats. *See* Wearing apparel, 66.

Crayons. *See* Artists' instruments, &c., 54.

Crayons and crayon holders. *See* Writing, &c., 37; Artists' instruments, &c., 54.

Cricket. *See* Toys, &c., 51.

Crinolines. *See* Wearing apparel, 66.

Crochet needles and holders. *See* Needles, 45.

Croquet. *See* Toys, &c., 51.

Crushing, breaking, &c., ores, &c. *See* Iron, 6; Metals, &c., 18; Roads, 35.

Crushing grain, &c. *See* Grinding grain, 78.

Crushing mills for beans, gorse, grain, &c. *See* Agriculture, 82.

Cultivators. *See* Agriculture, 81.

Curicle bars. *See* Common road carriages, 98.

Currycombs. *See* Saddlery, 34.

Curtains. *See* Furniture, 39.

Cutting, &c. paper, 12.

Cutting metallic pipes. *See* Pipes, 70.

Cutting roots, straw &c. *See* Agriculture, 82.

Cyanogen. *See* Acids, &c., 40.

## D.

Dampers for stamps, envelopes, copying paper &c. *See* Writing, 37.

Dams. *See* Harbours, &c., 77.

Dash wheels. *See* Bleaching, &c., 14.

Decoctions, unconcentrated. *See* Unfermented beverages, &c., 86.

Decorticating grain and seeds. *See* Grinding grain, 78.

Dentistry. *See* Medicine, 25.

Derricks. *See* Raising, &c., 31.

Derricks, steam. *See* Raising, &c., 31; Steam engine, 49.

Desks, despatch boxes, and stationery cabinets. *See* Writing, 37.

Despatch boxes. *See* Writing, 37; Trunks, &c., 84.

Detonating signals. *See* Railway signals, 38.

Dibbles. *See* Agriculture, 81.

Dies. *See* Ornamenting paper &c., 12.

Diggers and digging machines. *See* Agriculture, 81.

Distance indicators for common road carriages. *See* Common road carriages, 98.

Distilling alcoholic liquids. *See* Brewing, &c., 99.

Diving apparatus. *See* Raising, &c., 31.

Docks. *See* Harbours, &c., 77.

Dolls. *See* Toys, 51.

Door-springs. *See* Hinges, &c., 59.

Drags. *See* Common road carriages, 98.

Draining mines. *See* Mining, 71.

Drain pipes, laying. *See* Agriculture, 81.

Drain ploughs. *See* Agriculture, 81.

Drain tiles and pipes. *See* Drains, &c., 1.

Drains and sewers, 1.

Draughts and draughtboards. *See* Toys, 51.

Drawers. *See* Wearing apparel, 66.

Drawing instruments. *See* Writing, &c., 37; Artists', &c., 54; Optical, mathematical, &c., 76.

Dredgers, steam. *See* Steam engine, 49; Harbours, &c., 77.

Dredging. *See* Raising, &c., 31; Harbours, &c., 77.

Dress fastenings. *See* Wearing apparel, 68.

Dressing and finishing woven fabrics, &c., 91.

Dressing cases. *See* Trunks, &c., 84.

Dressing flour and meal. *See* Grinding grain, 78.

Dressing millstones. *See* Grinding grain, 78.

Drills, seed and manure. *See* Agriculture, 81.

Drums. *See* Music, &c., 26.

Dry docks. *See* Harbours, &c., 77.

Drying grain, hops, roots, hay, &c. *See* Agriculture, 82.

Dyeing. *See* Bleaching, &c., 14.

Dynamometers. *See* Optical, &c., 76.

## E.

Earrings. *See* Wearing apparel, 68.  
 Earth closets. *See* Waterclosets, &c., 63.  
 Earthenware. *See* Pottery, 24.  
 Easels. *See* Artists' instruments, 54.  
 Effervescing drinks. *See* Unfermented beverages, &c., 86.  
 Elastic bands. *See* India rubber, 16; Lace-making, 29.  
 Elastic fabrics. *See* Weaving, 20; Lace-making, 29.  
 Electric generators, 92.  
 Electricity, &c., 15; 92; 93; 94; 95; 96; 97.  
 Electric lighting, &c., 95.  
 Electro-deposition, &c., 96.  
 Electro-etching. *See* Electro-deposition, &c., 96.  
 Electrolysis, 96.  
 Elevators or stackers. *See* Agriculture, 82.  
 Embankments. *See* Harbours, &c., 77.  
 Embossing. *See* Ornamenting paper, 12; Letterpress printing, 13; Dressing, &c. fabrics, 91.  
 Embroidering. *See* Sewing, 2.  
 Emery cloth, &c. *See* Cutting, &c., paper, 12.  
 Endless travelling railways. *See* Aids to locomotion, 7; Common road carriages, 98.  
 Engraving, embossing, and printing rollers. *See* Ornamenting paper, 12; Bleaching, &c. fabrics, 14.  
 Engravings. *See* Letterpress printing &c., 13; Artists' instruments, 54.  
 Envelope-fasteners. *See* Writing, &c., 37.  
 Envelopes. *See* Cutting, folding, &c. paper, 12.  
 Epaullets. *See* Wearing apparel, 66.  
 Erasers. *See* Writing, 37.  
 Excavating. *See* Harbours, &c., 77.  
 Exercises. *See* Toys, &c., 51.  
 Explosive compounds. *See* Fire-arms, 10; Mining, &c., 71.  
 Extracts of hops, &c. *See* Brewing, &c., 99.  
 Extracts, unconcentrated. *See* Unfermented beverages, &c., 86.  
 Eyelets. *See* Wearing apparel, 68.

## F.

Fan blowers. *See* Fuel, &c., 30.  
 Fans, rotary. *See* Ventilation, 52.  
 Fares, checking, &c. *See* Common road carriages, 98.  
 Farriery, &c., 53.  
 Fats. *See* Oils, &c., 27.  
 Feeding bottles. *See* Medicine, 25.  
 Feeding troughs. *See* Agriculture, 82.  
 Felting. *See* Dressing and finishing, &c., 91.  
 Fermented beverages, &c. *See* Brewing, &c., 99.  
 Field implements and processes for agriculture, 81.  
 Files, binders, clips, and holders for paper. *See* Writing, &c., 37.

Filters, sugar. *See* Sugar, 48.  
 Filters, water. *See* Purifying, &c. water, 79.  
 Finings for malt, &c. *See* Brewing, &c., 99.  
 Finishing fabrics. *See* Dressing, &c., 91.  
 Fins, steering. *See* Steering, &c., 75.  
 Fire-arms, 10.  
 Fire-arms, toy. *See* Toys, 51.  
 Fire bars. *See* Fuel, &c., 30.  
 Fire engines, 88.  
 Fire escapes, 88.  
 Fire extinguishers, 88.  
 Fire-grates. *See* Fuel, &c., 30.  
 Fire-proof depositories. *See* Safes, &c., 64.  
 Fire-proof dresses and fabrics. *See* Fire engines, &c., 88.  
 Fireworks. *See* Toys, 51.  
 Fittings for metallic pipes. *See* Pipes, 70.  
 Flageolets. *See* Music, &c., 26.  
 Flesh brushes. *See* Brushing, 57.  
 Floating docks. *See* Harbours, &c., 77.  
 Floorcloth, 80.  
 Flues. *See* Fuel, &c., 30.  
 Fluorine. *See* Acids, &c., 40.  
 Flutes. *See* Music, &c., 26.  
 Fog signals. *See* Railway signals, 38.  
 Folding fabrics. *See* Dressing, &c., 91.  
 Folding paper. *See* Cutting, &c., 12; Letterpress printing, &c., 13.  
 Food for cattle, preparing on the farm, not manufacturing for sale. *See* Agriculture, 82.  
 Food, preservation of, 4.  
 Footways. *See* Roads, &c., 35.  
 Fountains. *See* Hydraulics, 32.  
 Fraud, preventing. *See* Paper, 11; Ornamenting, 12; Printing, 13.  
 Freezing mixtures and processes. *See* Ice-making, &c., 85.  
 Frills and frillings. *See* Wearing apparel, 66.  
 Fringe. *See* Lace, 29; Weaving, 20.  
 Fruit-cleaning machines. *See* Brushing, 57.  
 Fruit, machinery for paring, slicing &c. *See* Cooking, &c., 61.  
 Fuel, 30.  
 Fulling. *See* Dressing and finishing, &c., 91.  
 Funeral carriages. *See* Common road carriages, 98.  
 Furnaces. *See* Iron and steel, 6; Metals and alloys, 18; Fuel, &c., 30; Steam-engine, 49.  
 Furniture, &c., 59.  
 Furze crushers. *See* Agriculture, 82.  
 Fuscies and fuscie cases. *See* Tobacco, 42.  
 Fuses for firing. *See* Fire-arms, 10; Mining, 71.

## G.

Gaiters. *See* Wearing apparel, 66.  
 Galvanic action. *See* Electro-deposition, &c., 96.  
 Galvanic batteries. *See* Electricity, 15; 92.  
 Games. *See* Toys, 51.

Garfers. *See* Wearing apparel, 66.  
 Gas, 17.  
 Gas engines. *See* Air, &c., engines, 62.  
 Gas lighting, automatic. *See* Electricity, 94; 95.  
 Gas meters. *See* Gas, 17.  
 Gasometers. *See* Gas, 17.  
 Gas stoves. *See* Gas, 17; Fuel, &c., 30.  
 Gas tubes. *See* Metallic pipes, 70.  
 Gates, dock. *See* Harbours, &c., 77.  
 Gates, lock. *See* Harbours, &c., 77.  
 Gauges, air. *See* Ventilation, 52.  
 Gauges, steam. *See* Steam engine, 49.  
 Gauges, water. *See* Hydraulics, 32; Steam engine, 49.  
 Gig mills. *See* Dressing, &c., 91.  
 Gilding, &c. paper. *See* Ornamenting, 12.  
 Girths. *See* Saddlery, 34.  
 Glass paper, &c., 12.  
 Globes. *See* Optical, &c., 76.  
 Globes for lamps. *See* Lamps, 44.  
 Glove fastenings. *See* Wearing apparel, 68.  
 Gloves. *See* Wearing apparel, 66.  
 Gloves of thread. *See* Lace-making, 29.  
 Gold. *See* Metals, &c., 18; Acids, &c., 40.  
 Goloshes. *See* Wearing apparel, 67.  
 Gorse and grain crushers. *See* Agriculture, 82.  
 Grain, preparing for brewing, &c. *See* Brewing, &c., 99.  
 Grain, thrashing, cleansing, sorting, measuring, weighing, preserving, storing, &c. *See* Agriculture, 82.  
 Granaries. *See* Agriculture, 82.  
 Graphometers. *See* Optical, &c., 76.  
 Grates. *See* Fuel, &c., 30.  
 Graving docks. *See* Harbours, &c., 77.  
 Gridirons for repairing ships. *See* Harbours, &c., 77.  
 Gridirons. *See* Cooking, &c., 61.  
 Grinding grain, 78.  
 Grooming horses by machinery. *See* Brushing, 57.  
 Grubbers. *See* Agriculture, 81.  
 Guitars. *See* Music, &c., 26.  
 Gunboats. *See* Ship-building, 21.  
 Gunpowder. *See* Fire-arms, 10.  
 Gutta-percha. *See* India-rubber, 16.  
 Gutters. *See* Drains, 1; Roads, 35.  
 Gymnastics. *See* Medicine, &c., 25; Toys, 51.

## H.

Habits. *See* Wearing apparel, 66.  
 Hair-brushing machinery. *See* Brushing, 57.  
 Hair cloth. *See* Weaving, 20.  
 Hair pins. *See* Needles, &c., 45.  
 Hammers, steam. *See* Steam engine, 49.  
 Hammers, tilt. *See* Iron, &c., 6.  
 Hammocks. *See* Furniture, 39.  
 Hand barrows. *See* Common road carriages, 98.  
 Harbours, &c., 77.  
 Harmoniums. *See* Music, &c., 26.  
 Harness. *See* Saddlery, 34.  
 Harps and harpsichords. *See* Music, &c., 26.

Harrows. *See* Agriculture, 81.  
 Harvesters. *See* Agriculture, 81.  
 Hassoeks. *See* Furniture, 39.  
 Hat boxes. *See* Trunks, &c., 84.  
 Hats, hat bands, and hat boxes. *See* Wearing apparel, 65.  
 Haymakers. *See* Agriculture, 81.  
 Hay rakes. *See* Agriculture, 81.  
 Hay, stacking, packing, and cutting. *See* Agriculture, 82.  
 Head coverings. *See* Wearing apparel, 65.  
 Hearses. *See* Common road carriages, 98.  
 Heating by electricity. *See* Electricity, 95.  
 Heckling machines. *See* Spinning, 25.  
 Heliography. *See* Photography, 19.  
 Helmets. *See* Wearing apparel, 65.  
 Hides. *See* Skins, 55.  
 Hinges and hinge joints, 59.  
 Hoes. *See* Agriculture, 81.  
 Hoists. *See* Raising, &c., 31.  
 Hoists, steam. *See* Raising, &c., 31; Steam-engine, 49.  
 Hooks and eyes. *See* Wearing apparel, 68.  
 Hop cultivation. *See* Agriculture, 81.  
 Hops, drying and pocketing. *See* Agriculture, 82; Brewing, &c., 99.  
 Horns. *See* Music, &c., 26.  
 Horse clippers. *See* Saddlery, 34; Farriery, 53.  
 Horse gear. *See* Agriculture, 82.  
 Horse medicines. *See* Farriery, 53.  
 Horso shoes and horse shoe nails. *See* Farriery, 53.  
 Hose pipes. *See* Fire engines, &c., 88.  
 Hosiery. *See* Wearing apparel, 66.  
 Hospitals. *See* Medicine, &c., 25.  
 Hot pressing. *See* Dressing, &c., 91.  
 House carts. *See* Common road carriages, 98.  
 Hulling, &c., grain. *See* Grinding grain, 78.  
 Hummellers. *See* Agriculture, 82.  
 Hydrants. *See* Hydraulics, 32.  
 Hydraulics, 32.  
 Hydrochloric acid. *See* Acids, 40.  
 Hydrocyanic acid. *See* Acids, 40.  
 Hydrogen. *See* Acids, &c., 40.  
 Hydrometers. *See* Brewing, &c., 99.  
 Hydro-propulsion. *See* Marine propulsion, 5.  
 Hygrometers. *See* Optical, &c., 76.

## I.

Ice creams. *See* Ice-making, &c., 85.  
 Ice houses, 85.  
 Ice-making machines, 85.  
 Ice pails. *See* Ice-making, &c., 85.  
 Ice safes, 85.  
 Ice wells. *See* Ice-making, &c., 85.  
 Igniting by electricity. *See* Electricity, 95.  
 India-rubber, 16.  
 India-rubber horse-shoes. *See* Farriery, 53.  
 Indicators for common road carriages. *See* Common road carriages, 98.

Inusions, unconcentrated. *See* Unfermented beverages, &c., 86.  
Ink, printers'. *See* Printing, &c., 13.  
Ink (writing, copying, and marking) and inkstands. *See* Writing, &c., 37  
Insulation, electric. *See* Electricity, 15; 93.  
Invalid bedsteads. *See* Medicine, &c., 25; Furniture, 39.  
Invalid carriages. *See* Common road carriages, 98.  
Iodine. *See* Acids, &c., 40.  
Iron and steel, 6.  
Iron oxides, &c. *See* Acids, &c., 40.  
Ironing. *See* Dressing and finishing, &c., 91.  
Irrigating and watering land. *See* Agriculture, 81.

## J.

Jackets. *See* Wearing apparel, 66.  
Jacks, hydraulic. *See* Hydraulics, 32.  
Jacks, roasting. *See* Cooking, 61.  
Jacks, screw. *See* Raising, &c., 31.  
Jacquard machines. *See* Weaving, 20; Lace, 29.  
Jewellery. *See* Wearing apparel, 68.  
Joints and connections. *See* Pipes, 70.

## K.

Kaleidoscopes. *See* Optical, &c., 76.  
Kamptulicon. *See* Artificial leather, &c., 80.  
Keels, sliding. *See* Steering, 75.  
Kegs. *See* Casks, 74.  
Kettles for the table. *See* Unfermented beverages, &c., 86.  
Kilns for drying hops, grain, malt, &c. *See* Agriculture, 82; Brewing, &c., 99.  
Kilns. *See* Bricks and tiles, 22; Pottery, 24; Fuel, &c., 30.  
Kites. *See* Aeronautics, 41; Toys, 51.  
Kneading machines. *See* Cooking, &c 61.  
Knife cleaners. *See* Brushing, 57.  
Knitting machines. *See* Lacc, 29.  
Knobs. *See* Furniture, &c., 39; Locks, 60.

## L.

Labels, separating, distributing, damping, and applying. *See* Writing, &c., 37.  
Lace-making, knitting, netting, &c., 29.  
Lampblack. *See* Paints, 50.  
Lamps, &c., 44.  
Lamps, cooking. *See* Lamps, 44; Cooking, 61.  
Lasts for making boots and shoes. *See* Wearing apparel, 67.  
Latches. *See* Locks, &c., 60.  
Launching vessels. *See* Ship-building, 21.  
Lead. *See* Metals, &c., 18.  
Lead for paints. *See* Paints, 50.  
Lead, oxides, &c. *See* Acids, &c., 40.  
Leather. *See* Skins, &c., 55.

Leather cloth. *See* Artificial leather, 80.  
Lee boards. *See* Steering, &c., 75.  
Leggings. *See* Wearing apparel, 66.  
Lemonade. *See* Unfermented beverages, &c., 86.  
Lemon and other fruit squeezers. *See* Unfermented beverages, &c., 86  
Lenses. *See* Optical, &c., 76.  
Letterpress printing, 13.  
Levels. *See* Optical, &c., 76.  
Lifts. *See* Raising, 31.  
Lifts, steam. *See* Raising, 31; Steam engine, 49.  
Light, electric, &c., 95.  
Lighthouse lamps. *See* Lamps, 44.  
Lighthouses. *See* Harbours, &c., 77.  
Lighting mines. *See* Mining, 71.  
Limbs, artificial. *See* Medicine, &c., 25.  
Lime. *See* Acids, &c. 40.  
Lime light. *See* Lamps, &c., 44.  
Links. *See* Chains, &c. 90.  
Linoleum. *See* Artificial leather, &c., 80.  
Liqueurs. *See* Unfermented beverages, &c., 86.  
Lithography. *See* Printing, 13; Ornamenting paper, 12.  
Loading hay, straw, &c. *See* Agriculture, 81.  
Lockets. *See* Wearing apparel, 68.  
Locks, &c., 60.  
Locks, canal, &c. *See* Harbours, &c., 77.  
Locks for guns. *See* Fire-arms, 10.  
Locomotion, aids to, 7.  
Locomotive steam carriages. *See* Steam engine, 49.  
Logs. *See* Optical, &c., 76.  
Looking-glasses. *See* Furniture, 39.  
Looms. *See* Weaving, 20.  
Looped fabrics. *See* Lace-making, &c., 29.  
Lowering apparatus. *See* Raising, &c., 31.  
Lozenges. *See* Medicine, 25; Cooking, 61.  
Lubricants. *See* Oils, &c., 27.

## M.

Machine needles. *See* Needles, 45.  
Magic lanterns. *See* Toys, 51.  
Magnesia. *See* Acids, &c., 40.  
Magnesium. *See* Acids, &c., 40.  
Magnetism. *See* Electricity, 15; 92; 93; 94; 95; 96; 97.  
Malt, drying. *See* Brewing, &c., 99.  
Malt, grinding. *See* Brewing, &c., 99.  
Malt mills. *See* Grinding grain, 78; Brewing, &c., 99.  
Manganes. *See* Acids, &c., 40.  
Mangers. *See* Saddlery, &c., 34.  
Mangling. *See* Dressing and finishing, &c., 91.  
Manifold writers. *See* Writing, 37.  
Manoeuvring ships and vessels. *See* Steering, &c., 75; Marine propulsion (Part II.), 5.  
Mantillas and mantles. *See* Wearing apparel, 66.

Manure, 5.  
 Manure distributors. *See* Agriculture, 81.  
 Marine engines. *See* Marine propulsion, 5; Steam engine, 49.  
 Marine propulsion, 5.  
 Mariners' compasses. *See* Optical, &c., 76.  
 Mashing apparatus. *See* Brewing, &c., 99.  
 Masts, &c., 73.  
 Mathematical instruments. *See* Artists' instruments, 54; Optical, &c., 76.  
 Mattresses. *See* Furniture, 39.  
 Meat screens. *See* Cooking, 61.  
 Medicine, &c., 25.  
 Medicine, and medicated food for animals. *See* Farriery, 53.  
 Memorandum books. *See* Books, 43.  
 Mercury. *See* Acids, &c., 40.  
 Meridian instruments. *See* Optical, &c., 76.  
 Metallic pipes and tubes, 70.  
 Metallic surfaces, protecting. *See* Electro-deposition, &c., 96.  
 Metals and alloys, 18.  
 Metals, plating. *See* Coating, &c., 23; Electro-deposition, &c., 96.  
 Metals, separating. *See* Metals, &c., 18.  
 Meteorological instruments. *See* Optical, &c., 76.  
 Meters, gas. *See* Gas, 17.  
 Meters, water. *See* Hydraulics, 32.  
 Micrometers. *See* Optical, &c., 76.  
 Microscopes. *See* Optical, &c., 76.  
 Milking, &c., 72.  
 Millboard. *See* Paper, 11.  
 Mills, barley. *See* Grinding grain, 78.  
 Mills, coffee. *See* Grinding grain, 78.  
 Mills, flour. *See* Grinding grain, 78.  
 Mills, malt. *See* Grinding grain, 78; Brewing, &c., 99.  
 Mills, paint. *See* Paints, 50.  
 Mills, sugar. *See* Sugar, 48.  
 Millstones. *See* Grinding grain, 78.  
 Millstones, balancing. *See* Grinding grain, 78.  
 Millstones, dressing, &c. *See* Grinding grain, 78.  
 Mills, water. *See* Hydraulics, 32; Grinding grain, 78.  
 Mincing machines. *See* Cooking, 61.  
 Mineral waters. *See* Unfermented beverages, &c., 86.  
 Miners' lamps. *See* Lamps, 44.  
 Mines, ventilating. *See* Ventilation 52.  
 Mining, &c., 71.  
 Mittens. *See* Wearing apparel, 66.  
 Mordants. *See* Bleaching, &c., 14.  
 Motive power. *See* Hydraulics, 32; Steam engine, 49; Air and gas engines, 62.  
 Moulds, sugar. *See* Sugar, 48.  
 Mowers. *See* Agriculture, 81.  
 Muffs. *See* Wearing apparel, 66.  
 Mules. *See* Spinning, 28.  
 Muriac acid. *See* Acids, 40.  
 Music and musical instruments, 26.  
 Music stands and stools. *See* Music, &c., 26.

## N.

Nails, &c., 58.  
 Nails, horse-shoe. *See* Farriery, 53.  
 Nails, 58.  
 Nautical instruments. *See* Optical, &c., 76.  
 Necklaces and necklets. *See* Wearing apparel, 68.  
 Neckties. *See* Wearing apparel, 66.  
 Needle cases. *See* Sewing, 2.  
 Needles and pins, 45.  
 Needles for knitting. *See* Lace-making, &c., 29.  
 Net, bobbin. *See* Lace-making, &c., 29.  
 Nets, fishing. *See* Lace-making, &c., 29.  
 Nickel. *See* Metals, &c., 18; Acids, &c., 40.  
 Nitre. *See* Acids, &c., 40.  
 Nitric acid. *See* Acids, 40.  
 Nitrogen. *See* Acids, &c., 40.  
 Nosebags. *See* Saddlery, 34.  
 Nuts. *See* Nails, &c., 58; Railways, 33.

## O.

Oars. *See* Marine propulsion, 5.  
 Oat mills. *See* Agriculture, 82.  
 Oats, thrashing, cleaning, drying, storing, &c. *See* Agriculture, 82.  
 Octants. *See* Optical, &c., 76.  
 Oilcloth, 80.  
 Oils, &c., 27.  
 Oilskin, 80.  
 Optical, &c., instruments, 76.  
 Ordnance. *See* Fire-arms, 10.  
 Organs. *See* Music, &c., 26.  
 Ovens. *See* Fuel, &c., 30.  
 Ovens, bakers'. *See* Fuel, &c., 30; Cooking, 61.  
 Overall. *See* Wearing apparel, 66.  
 Overcoats. *See* Wearing apparel, 66.  
 Overshoes. *See* Wearing apparel, 67.  
 Oxalic acid. *See* Acids, 40.  
 Oxides. *See* Acids, &c., 40.  
 Oxygen. *See* Acids, &c., 40.

## P.

Packing cases. *See* Trunks, &c., 84.  
 Packing fabrics. *See* Dressing and finishing, 91.  
 Packing for pistons of steam engines. *See* Steam engine, 49.  
 Paddle-wheels. *See* Marine propulsion, 5.  
 Paints, &c., 50.  
 Paints for artists. *See* Artists' instruments, &c., 54.  
 Pantaloon. *See* Wearing apparel, 66.  
 Paper, cutting, folding, and ornamenting, 12.  
 Paper-fasteners, and apparatus for classifying and arranging papers. *See* Writing, 37.

Paperhangings. *See* Ornamenting paper, 12.  
Paper making, 11.  
Papier maché. *See* Paper, 11.  
Parachutes. *See* Aeronautics, 41.  
Parasols. *See* Umbrellas, 47.  
Passenger register for vehicles. *See* Common road carriages, 98.  
Pasteboard. *See* Paper making, 11; Cutting, &c., paper, 12.  
Patterns. *See* Wearing apparel, 67.  
Paving. *See* Roads, 35.  
Peat. *See* Fuel, &c., 30.  
Pedometers. *See* Optical, &c., 76.  
Pencil cases and holders. *See* Writing, &c., 37; Artists' instruments, 54.  
Pencil cases, boxes to hold leads for. *See* Writing, &c., 37.  
Pens and penholders. *See* Writing, &c., 37; Artists' instruments, 54.  
Pens, boxes for holding. *See* Writing, &c., 37.  
Pepper, hulling. *See* Grinding grain, 78.  
Perambulators. *See* Common road carriages, 98.  
Percussion caps. *See* Fire arms, 10.  
Perforating paper. *See* Cutting, &c. paper, 12.  
Perpetual motion. *See* Hydraulics, 32; Air, &c., engines, 62.  
Petticoats. *See* Wearing apparel, 66.  
Phenakistoscopes. *See* Photography, 19; Optical, &c., 76.  
Phenic acid. *See* Acids, 40.  
Philosophical instruments. *See* Optical, &c., 76.  
Phosphoric acid. *See* Acids, 40.  
Phosphorus. *See* Acids, &c. 40.  
Photography, 19.  
Pianofortes. *See* Music, &c., 26.  
Picture frames. *See* Furniture, 39.  
Piers. *See* Harbours, &c., 77.  
Pilo drivers, steam. *See* Steam engine, 49; Harbours, &c., 77.  
Pile fabrics. *See* Weaving, 20; Lacc-making, 29.  
Pile or nap, raising and cutting. *See* Dressing, &c., 91.  
Piles. *See* Harbours, &c., 77.  
Pins. *See* Needles, &c., 45.  
Pipes. *See* Tobacco, 42.  
Pipes, drain. *See* Drains, &c., 1.  
Pipes, metallic, 70.  
Pistols. *See* Fire-arms, 10.  
Pistons of steam engines. *See* Steam engine, 49.  
Pit chains. *See* Mining, &c., 71.  
Plaiting. *See* Lace, &c., 29.  
Plating metals. *See* Electro-deposition, 96.  
Playing cards, *See* Toys, 51.  
Ploughs and ploughing machines. *See* Agriculture, 81.  
Plumb levels. *See* Optical, &c., 76.  
Pocket books. *See* Books, 43.  
Porcelain. *See* Pottery, 24.  
Portfolios. *See* Books, 43.  
Portfolios for music. *See* Music, 26.  
Portmanteaus. *See* Trunks &c., 84.

Potash. *See* Acids, &c., 40.  
Potash water. *See* Unfermented beverages, &c., 86.  
Potassium. *See* Acids, &c., 40.  
Potato diggers. *See* Agriculture, 81.  
Pottery, 24.  
Pouches for tobacco. *See* Tobacco, 42.  
Powder flasks. *See* Fire-arms, 10.  
Power looms. *See* Weaving, 20.  
Precious stones, cutting, &c. *See* Wearing apparel, 68.  
Precious stones, setting. *See* Wearing apparel, 68.  
Presses, copying. *See* Writing, 87.  
Presses, hydraulie. *See* Hydraulics, 32.  
Presses, printing, 13.  
Pressing fabrics. *See* Dressing and finishing, 91.  
Printing fabrics, yarns, &c. *See* Bleaching, &c., 14.  
Printing, letterpress, &c., 13.  
Projectiles. *See* Fire-arms, 10.  
Propellers. *See* Marine propulsion, 5.  
Propulsion, marine, 5.  
Prussic acid. *See* Acids, 40.  
Puddling furnaces. *See* Iron and steel, 6.  
Pug mills. *See* Bricks and tiles, 22.  
Pulleys. *See* Raising, &c., 31.  
Pulverizers. *See* Agriculture, 81.  
Pumps. *See* Hydraulics, 32.  
Pumps, steam. *See* Hydraulics, 32; Steam engine, 49.  
Punkas. *See* Ventilation, 52.  
Purifying alcohol. *See* Brewing, &c., 99.  
Purifying and filtering water, 79.  
Pyrometers. *See* Optical, &c., 76.

## Q.

Quadrants. *See* Optical, &c., 76.  
Quarrying. *See* Mining, &c., 71.  
Quays. *See* Harbours, &c., 77.  
Quinine. *See* Acids, &c., 40.

## R.

Rafts. *See* Ship-building, 21.  
Railway carriages. *See* Carriages &c. for railways, 46.  
Railway signals, &c., 38.  
Railways, 33.  
Railways, portable endless. *See* Aids to locomotion, 7; Common road carriages, 98.  
Rails. *See* Iron, &c., 6; Railways, 33.  
Raising, &c., 31.  
Raising and lowering ships' boats. *See* Raising, &c., 31; Masts, &c., 73.  
Raising ships for repairing. *See* Ship-building, &c., 21.  
Raising water. *See* Hydraulics, 32.  
Rakes. *See* Agriculture, 81.  
Ranges, cooking. *See* Fuel, &c., 30; Cooking, 61.  
Reaping and mowing machines. *See* Agriculture, 81.  
Reflectors. *See* Lamps, 44.



Refrigerators. *See* Ice-making, &c., 85; Brewing, &c., 99.  
 Registering number of passengers in common road carriages. *See* Common road carriages, 98.  
 Reservoirs. *See* Harbours, &c., 77.  
 Respirators. *See* Medicine, &c., 25.  
 Reticules. *See* Trunks, &c., 84.  
 Retorts for burning animal charcoal. *See* Sugar, 48.  
 Retorts, gas. *See* Gas, 17.  
 Reverberatory furnaces. *See* Iron and steel, 6.  
 Rice, hulling, &c. *See* Grinding grain, 78.  
 Rice, milling, polishing, and otherwise preparing for the market. *See* Agriculture, 82.  
 Rick covers. *See* Artificial leather, &c., 80.  
 Ricks. *See* Agriculture, 82.  
 Riddles for grain, &c. *See* Agriculture, 82.  
 Rigging. *See* Masts, &c., 73.  
 Rings, finger. *See* Wearing apparel, 68.  
 Rinsing. *See* Washing, &c., 89.  
 Rivets. *See* Nails, &c., 58.  
 Road sweepers. *See* Brushing, 57.  
 Roads and ways, 35.  
 Roasting jacks. *See* Cooking, 61.  
 Rockets for pyrotechnic display. *See* Toys, &c., 51.  
 Rockets, war. *See* Fire-arms, 10.  
 Rocking chairs and horses. *See* Toys, 51.  
 Rollers for calico printing. *See* Bleaching, &c., 14.  
 Rollers for roads. *See* Roads, &c., 35.  
 Rollers, land. *See* Agriculture, 81.  
 Roots, cutting, slicing, pulping, washing, drying, and sorting. *See* Agriculture, 82.  
 Ropes and bands for mines. *See* Mining, 71.  
 Roughing horses. *See* Farriery, 53.  
 Rudders. *See* Steering, 75; Marine propulsion (Part II.), 5.  
 Ruffles and ruffs. *See* Wearing apparel, 66.  
 Rulers. *See* Writing, 37.  
 Ruling paper. *See* Cutting, folding, &c., 12; Artists' instruments, 54.

## S.

Sacks. *See* Weaving, 20.  
 Saddlery &c., 34.  
 Safes, &c., 64.  
 Safety lamps. *See* Lamps, 44.  
 Safety pockets. *See* Wearing apparel, 68.  
 Safety valves of steam boilers. *See* Steam engine, 49.  
 Sails. *See* Masts, &c., 73.  
 Salt, common. *See* Acids, &c., 40.  
 Saltpetre. *See* Acids, &c., 40.  
 Salts. *See* Acids, &c., 40.  
 Salt water, obtaining fresh water from. *See* Purifying &c., water, 79.  
 Sausage making machines. *See* Cooking, 61.

Scales. *See* Raising, &c., 31.  
 Scarifiers. *See* Agriculture, 81.  
 Screening grain, &c. *See* Agriculture, 82.  
 Screens. *See* Furniture, 39.  
 Screw propellers for carriages and agricultural implements. *See* Aids to locomotion, 7.  
 Screw propellers for ships. *See* Marine propulsion, 5.  
 Screws. *See* Nails, &c., 58.  
 Scythes. *See* Agriculture, 81.  
 Sealing wax. *See* Writing, &c., 37.  
 Seams and joints. *See* Pipes, 70.  
 Sea walls. *See* Harbours, &c., 77.  
 Seed sowing. *See* Agriculture, 81.  
 Seltzer water. *See* Unfermented beverages, &c., 86.  
 Semaphore signals. *See* Railway signals, 38.  
 Sewage farming. *See* Agriculture, 81.  
 Sewers. *See* Drains, &c., 1.  
 Sewers, ventilating. *See* Ventilation, 52.  
 Sewing, &c., 2.  
 Sextants. *See* Optical, &c., 76.  
 Shackles. *See* Chains, &c., 90.  
 Shades. *See* Lamps, 44.  
 Shakos. *See* Wearing apparel, 65.  
 Shaving brushes. *See* Brushing, 57.  
 Shawl pins. *See* Wearing apparel, 68.  
 Shawls. *See* Wearing apparel, 66.  
 Shawls, weaving. *See* Weaving, 20.  
 Shear legs. *See* Raising, &c., 31.  
 Shearing fabrics. *See* Dressing, &c., 91.  
 Shearing and clipping animals. *See* Saddlery, 34; Farriery, &c., 53.  
 Sheathing metals. *See* Metals, &c., 18.  
 Sheep washes, dips, &c. *See* Farriery, &c., 53.  
 Ship-building, &c., 21.  
 Ship lamps and lanterns. *See* Lamps, 44.  
 Ships, steering and manœuvring. *See* Steering, 75.  
 Ships, ventilating. *See* Ventilation, 52.  
 Shirts. *See* Wearing apparel, 66.  
 Shoes. *See* Wearing apparel, 67.  
 Sickles and reaping hooks. *See* Agriculture, 81.  
 Signal lamps. *See* Lamps, 44.  
 Signals. *See* Electricity, 15; 94; Railway signals, 38.  
 Silicic acid. *See* Acids, 40.  
 Silver. *See* Metals, &c., 18; Acids, &c., 40.  
 Singeing fabrics. *See* Dressing, &c., 91.  
 Singeing horses. *See* Saddlery, &c., 34; Farriery, 53.  
 Siphons. *See* Hydraulics, 32; Preparing, &c., cork, 56.  
 Sizing machines. *See* Weaving, 20.  
 Skates. *See* Toys, 51.  
 Skidding wheels. *See* Common road carriages, 98.  
 Skins, &c., 55.  
 Skirts. *See* Wearing apparel, 66.  
 Sleeve links. *See* Wearing apparel, 68.  
 Slide rules. *See* Optical, &c., 76.  
 Slippers. *See* Wearing apparel, 67.  
 Slips. *See* Harbours, &c., 77.  
 Sluices. *See* Harbours, &c., 77.

Smelting furnaces. *See* Iron and steel, 6; Metals, &c., 18.  
 Smitters. *See* Agriculture, 82.  
 Snuff and snuff boxes. *See* Tobacco, 42.  
 Soap. *See* Oils, &c., 27.  
 Socks. *See* Wearing apparel, 66.  
 Soda. *See* Acids, &c., 40.  
 Soda water. *See* Unfermented beverages, &c., 86.  
 Sodium. *See* Acids, &c., 40.  
 Solitaires. *See* Wearing apparel, 68.  
 Sounding apparatus. *See* Optical, &c., 76.  
 Spectacles. *See* Optical, &c., 76.  
 Spectroscopes. *See* Optical, &c., 76.  
 Spinning, 28.  
 Spirit levels. *See* Optical, &c., 76.  
 Spittoons. *See* Tobacco, &c., 42.  
 Spontaneous combustion, preventing. *See* Fire engines, &c., 88.  
 Spring balances. *See* Raising, &c., 31.  
 Springs for common road carriages. *See* Common road carriages, 98.  
 Springs for railway carriages. *See* Carriages, &c. for railways, 46.  
 Spurs. *See* Saddlery, &c., 34.  
 Stable brushes. *See* Brushing, 57.  
 Stable fittings. *See* Saddlery, &c., 34.  
 Stacks and stackers. *See* Agriculture, 82.  
 Stamping. *See* Cutting, &c. paper, 12; Printing, 13.  
 Stamps, separating, distributing, damping, and applying. *See* Writing, 37.  
 Stands for casks. *See* Casks, 74.  
 Stands for music. *See* Music, &c., 26.  
 Stannates. *See* Acids, &c., 40.  
 Stationery cases and cabinets. *See* Writing, &c., 37.  
 Staves, cutting, shaping, &c. *See* Casks, 74.  
 Stay fastenings. *See* Wearing apparel, 68.  
 Stays. *See* Wearing apparel, 66.  
 Steam boilers. *See* Steam engine, 49.  
 Steam culture, 8.  
 Steam engine, 49.  
 Steam gauges. *See* Steam engine, 49.  
 Steam rams. *See* Ship-building, 21.  
 Steel. *See* Iron, &c., 6.  
 Steelyards. *See* Raising, &c., 31.  
 Steering ships and vessels, 75; 5 (Part II.)  
 Stencil plates. *See* Printing, 13.  
 Stereoscopes. *See* Optical, &c., 76.  
 Stereotype. *See* Letterpress printing, 13.  
 Stirrups. *See* Saddlery, &c., 34.  
 Stocking fabrics. *See* Lace-making, 29.  
 Stocking frames. *See* Lace-making, &c., 29.  
 Stockings. *See* Wearing apparel, 66.  
 Stockings, elastic. *See* Medicine, &c., 25.  
 Stone breakers. *See* Roads, 35.  
 Stoneware. *See* Pottery, 24.  
 Stools, music. *See* Music, 26.  
 Stoppers. *See* Preparing, &c. cork, 56.  
 Stored goods, ventilating to prevent spontaneous combustion. *See* Fire engines, &c., 88.

Storing grain, &c. *See* Agriculture, 82.  
 Stoves. *See* Fuel, &c., 30.  
 Straw elevators. *See* Agriculture, 82.  
 Straw plait. *See* Lace-making, &c., 29.  
 Strong rooms. *See* Safes, &c., 64.  
 Stroutia. *See* Acids, &c., 40.  
 Strontium. *See* Acids, &c., 40.  
 Studs. *See* Wearing Apparel, 68.  
 Submarine cables. *See* Electricity &c., 15; 93.  
 Subsoil ploughs. *See* Agriculture, 81.  
 Sugar, 48.  
 Sulphur and sulphuric acid. *See* Acids &c., 40.  
 Sun dials. *See* Optical, &c., 76; Watches, &c., 9.  
 Sunshades. *See* Umbrellas, &c., 47.  
 Surgery for animals. *See* Farriery, &c., 53.  
 Surgery. *See* Medicine, &c., 25.  
 Surgical instruments. *See* Medicine, &c., 25.  
 Surveying instruments. *See* Optical, &c., 76.  
 Suspension bridges. *See* Bridges, 36.  
 Sweeping. *See* Brushing, &c., 57.  
 Sweeping chimneys. *See* Fuel, &c., 30.  
 Sweeping roads. *See* Roads, &c., 35.  
 Sweetmeats. *See* Cooking, 61.  
 Swings. *See* Toys, 51.  
 Swivel links and swivel hooks. *See* Chains, &c., 90.  
 Swivels and swivel rings. *See* Wearing apparel, 68.  
 Syringes. *See* Hydraulics, 32.  
 Syringes, surgical. *See* Medicine, &c., 25.

## T.

Tables. *See* Furniture, 39.  
 Tags for laces. *See* Wearing apparel, 68.  
 Tailors' irons. *See* Wearing apparel, 66.  
 Tannic acid. *See* Acids, 40.  
 Tanning leather. *See* Skins, 55.  
 Targets. *See* Fire-arms, 10.  
 Tarpaulin. *See* Artificial leather, &c., 80.  
 Tartaric acid. *See* Acids, 40.  
 Tea, concentrated extracts of. *See* Tea, &c., 87.  
 Tea, manufacturing and preparing for sale. *See* Tea, &c., 87.  
 Tea, preparing as a drink. *See* Unfermented beverages, &c., 86.  
 Teasles. *See* Dressing, &c., 91.  
 Teeth, artificial. *See* Medicine, &c., 25.  
 Telegraph poles or posts. *See* Electricity, 15; 93.  
 Telegraphs, electric. *See* Electricity, 15; 93; 94.  
 Telescopes. *See* Optical, &c., 76.  
 Tent covers. *See* Artificial leather, &c., 80.  
 Tenting. *See* Dressing, &c., 91.  
 Testing chains. *See* Chains, &c., 90.  
 Theodolites. *See* Optical, &c., 76.  
 Thermometers. *See* Optical, &c., 76.  
 Thimble. *See* Sewing, 2.

Thrashing machines. *See* Agriculture, 82.  
 Throstles. *See* Spinning, 28.  
 Tickets. *See* Cutting, &c., paper, 12;  
 Letterpress printing, 13.  
 Tiles. *See* Drains, &c., 1; Bricks, &c., 22.  
 Tilling land. *See* Agriculture, 81.  
 Tills. *See* Safes, &c., 64.  
 Tin. *See* Metals, &c., 18; Acids, &c., 40.  
 Tinning. *See* Plating or coating  
 Metals, 23.  
 Tips, boot and shoe. *See* Wearing  
 apparel, 67.  
 Tobacco, 42.  
 Toilet boxes. *See* Trunks, &c., 84.  
 Tooth brushes. *See* Brushing, 57.  
 Tops. *See* Toys, 51.  
 Torpedo boats. *See* Ship-building, 21.  
 Towing ships and canal boats. *See*  
 Marine propulsion, 5.  
 Toys, &c., 51.  
 Tracing cloth and paper. *See* Artists'  
 instruments, &c., 54.  
 Traction engines. *See* Steam engine,  
 49.  
 Traction ropes. *See* Agriculture, 81.  
 Trams. *See* Common road car-  
 riages, 98.  
 Travelling bags. *See* Trunks, &c., 84.  
 Trees, boot and shoe. *See* Wearing  
 apparel, 67.  
 Tricycles. *See* Common road car-  
 riages, 98.  
 Troughs for washing. *See* Washing,  
 &c., 89.  
 Trouser strap fastenings. *See* Wear-  
 ing apparel, 68.  
 Trousers. *See* Wearing apparel, 66.  
 Trucks. *See* Common road carriages,  
 98.  
 Trunks, &c., 84.  
 Tube brushes. *See* Brushing, 57.  
 Tubes, metallic. *See* Metallic pipes, 70.  
 Tubs, washing. *See* Washing ma-  
 chines, &c., 89.  
 Tungstic acid. *See* Acids, 40.  
 Tunnelling. *See* Mining, &c., 71.  
 Turbines. *See* Hydraulics, 32.  
 Turf cutters. *See* Agriculture, 81.  
 Turnip cutters. *See* Agriculture, 82.  
 Tuyeres. *See* Iron, &c., 6.  
 Type. *See* Letterpress printing, 13.

## U.

Umbrellas, &c., 47.  
 Unfermented beverages, 86.  
 Unions for tubes. *See* Metallic pipes,  
 70.  
 Upholstery. *See* Furniture, 39.  
 Urinals. *See* Waterclosets, &c., 63.  
 Urns for tea, &c. *See* Unfermented  
 beverages, &c., 86.

## V.

Vacuum pans for sugar. *See* Sugar,  
 48  
 Valises. *See* Trunks, &c., 84.

Valves, air. *See* Ventilation, 52.  
 Valves, engine. *See* Steam engine, 49.  
 Air, gas, &c. engines, 62.  
 Valves, gas. *See* Gas, 17.  
 Valves, water. *See* Hydraulics, 32.  
 Valves, watercloset. *See* Water-  
 closets, 63.  
 Varnish, boot and shoe. *See* Wearing  
 apparel, 67.  
 Varnishes. *See* Paints, &c., 50.  
 Vehicles for common roads. *See* Com-  
 mon road carriages, 98.  
 Vehicles, ventilating. *See* Ventilation,  
 52.  
 Velocipedes, &c. *See* Common road  
 carriages, 98.  
 Vent pegs and spiles. *See* Preparing  
 and cutting cork, &c., 56.  
 Ventilating mines. *See* Ventilation,  
 52; Mining, 71.  
 Ventilating railway carriages. *See*  
 Carriages, &c. for railways, 46  
 Ventilation, 52.  
 Vermin on animals, destroying. *See*  
 Farrowing, 53.  
 Veterinary art. *See* Farrowing, 53.  
 Viaducts. *See* Bridges, &c., 36.  
 Vinegar. *See* Acids, &c., 40.  
 Violins. *See* Music, &c., 26.  
 Vitriol. *See* Acids, &c., 40.

## W.

Wadding. *See* Dressing and finish-  
 ing, &c., 91.  
 Wafers. *See* Writing, &c., 37.  
 Waggon covers. *See* Artificial leather,  
 &c., 80.  
 Waggons. *See* Common road car-  
 riages, 98.  
 Waggons, railway. *See* Carriages,  
 &c., for railways, 46.  
 Waistcoats. *See* Wearing apparel, 66.  
 Walking-sticks. *See* Umbrellas, &c.,  
 47.  
 Wallets. *See* Trunks, &c., 84.  
 Wardrobes. *See* Furniture, 39.  
 Warping land. *See* Agriculture, 81.  
 Warping machines. *See* Weaving, 20.  
 Warp machines or frames. *See* Lace-  
 making, &c., 29.  
 Washing and sifting ores. *See* Metals,  
 &c., 18.  
 Washing clothes, &c. *See* Washing  
 machines, &c., 89.  
 Watches, &c., 9.  
 Watch protectors. *See* Wearing ap-  
 parel, 63.  
 Water aerating. *See* Purifying, &c.,  
 water, 79.  
 Water, chemical treatment of. *See*  
 Purifying, &c., water, 79.  
 Waterclosets, &c., 63.  
 Watercourses. *See* Harbours, &c., 77.  
 Watering land. *See* Agriculture, 81.  
 Watering roads. *See* Roads, 35.  
 Water meters. *See* Hydraulics, 32.  
 Water mills. *See* Hydraulics, 32.  
 Waterproof fabrics, 80.

- Waterproofing leather. *See* Skins, &c., 55.  
 Waterproofing paper. *See* Cutting, &c., paper, 12.  
 Water, purifying and filtering, 79.  
 Water-wheels. *See* Hydraulics, 32.  
 Wearing apparel,—body coverings, 66.  
 Wearing apparel,—dress fastenings and jewellery, 68.  
 Wearing apparel,—foot coverings, 67.  
 Wearing apparel,—head coverings, 65.  
 Weaving, 20.  
 Weighing. *See* Raising, &c., 31.  
 Well-sinking. *See* Mining, &c., 71.  
 Wet docks. *See* Harbours, &c., 77.  
 Wharves. *See* Harbours, &c., 77.  
 Wheat, thrashing, cleansing, drying, storing, &c. *See* Agriculture, 82.  
 Wheelbarrows. *See* Common road carriages, 98.  
 Wheels, railway. *See* Carriages, &c. for railways, 46.  
 Whips and whip sockets. *See* Saddlery, &c., 34.  
 Whistles. *See* Railway signals, 38.  
 Wicks. *See* Lamps, &c., 44.  
 Winding drums. *See* Raising, &c., 31; Mining, 71; Agriculture, 81.  
 Winding fabrics. *See* Dressing, &c., 91.  
 Windlasses. *See* Raising, &c., 31.  
 Windlasses, steam. *See* Raising, &c., 31; Steam engine, 49.  
 Windmills. *See* Air, &c., engines, 62.  
 Windmills used to propel ships. *See* Marine Propulsion 5; Masts, &c., 73.  
 Window fastenings. *See* Locks, &c., 60.  
 Wine coolers. *See* Ice-making, &c., 85.  
 Wine-making. *See* Brewing, &c., 99.  
 Winnowing machines for grain, &c. *See* Agriculture, 82.  
 Wire brushes. *See* Brushing, 57.  
 Wood paving. *See* Roads, 35.  
 Work bags and work boxes. *See* Trunks, &c., 84.  
 Worts, cooling. *See* Brewing, &c., 99.  
 Wringing. *See* Washing, &c., 89.  
 Wristbands. *See* Wearing apparel, 66.  
 Writing instruments, &c., 37.

## Y.

- Yeast, preparing. *See* Brewing, &c., 99.  
 Yeast, substitutes for. *See* Cooking, 61.

## Z.

- Zinc. *See* Metals, &c., 18.  
 Zinc for paint *See* Paints, 50.  
 Zinc oxides, &c. *See* Acids, &c., 40.

LONDON: Printed by EYRE AND SPOTTISWOODE,  
 Printers to the Queen's most Excellent Majesty.

For Her Majesty's Stationery Office.

[4690.—1000.—11/83.]

October, 1883.

RECORD OF TREATMENT, EXTRACTION, REPAIR, etc.

Pressmark:

Binding Ref No: 3361

Microfilm No:

Date	Particulars
NOV 98	Chemical Treatment Fumigation Deacidification <i>Permanene liquid</i> Lamination Solvents Leather Treatment Adhesives Remarks

